Monthly

A Reference for Buyers

HUICHCOCKS


MACHINE TOOL BLUE BOOK

25,000

Controlled Circulation

Published By

508 So DEARBORN ST. CHICAGO



We are daily coming into contact with jobs that can be done better and quicker with motor drive and suitable control. Many users have found our experience helpful. We shall be glad to work with you and take our chances on showing you how to get results that will justify an investment in Reliance Motors.


Reliance Electric & Engineering Co. 1050 Ivanhoe Road, Cleveland, Ohio

Boston New York Philadelphia Pittsburgh Cincinnati Detroit Chicago Birmingham, Ala.

We specialize in motors, sizes 1/2 to 250 h. p. constant and adjustable speed D. C.; squirrel cage and slip ring A. C.

RELIANCE MOTORS

CINCINNATI HYPRO OPEN SIDE



High Production Features:

Selective Dial Feed
Rail Clamping Device
Instantaneous Rail Lift
Rapid Power Traverse
Forced Lubrication
Combination Steel
Herringbone and Spur Gear Drive
Long Inverted Dovetail Down-Slide

The Cincinnati Planer Co.

Cincinnati, Ohio

The New American Auto-Oiled Shaper

The Last Word in Shaper Design



ITS 12 POINTS OF EXCELLENCE:

Tremendous Cutting Power
Unparalleled Rigidity—Permanent Accuracy
Automatic Forced Lubrication
Multiple Splined Shafts—Timken Roller Bearings
Multiple Disc Clutch and Brake
"V"-Type Ram—Improved Table Support
Helical Gears, Alloy Steel, Hardened
Tu-Piece Bull Wheel—Centralized Control

If you are interested in a Shaper with greater weight, greater power, greater productive capacity, and with every possible operating convenience, in order that your work may be done faster and better and with greater profit, at least investigate the "American Auto-Oiled." It will be a pleasure to tell you all about it. If you write us now, it cannot slip your memory.


The American Tool Works Company

Cincinnati, Ohio, U.S.A.

LATHES RADIALS

SHAPERS

LeBLOND SLIDING BED GAP LATHES



Designed to meet the requirements for a heavy duty universal lathe of adjustable capacity. The bed is of compound form, in two sections, the upper section being slidable along the lower section, providing an increased swing over the gap and any necessary distance between centers.

Built in three sizes with cone driven or geared headstock, described in detail in our literature.

THE R. K. LeBLOND MACHINE TOOL COMPANY

CINCINNATI.


OHIO


Produce More Bar Stock Parts at Less Cost Will Show You How The Model C Acme Bulletin

Write to-day for a copy of the new Model C, Five Spindle Acme Bulletin. It will describe equipment with which other manufacturers have cut their costs—often to a very large extent.

Get this FREE BOOK

The National Acme Company 700 East 131st St., Cleveland, Obio





"This is Production"

2800 Pointed and Threaded

1/2 Bolts Per Hour—

One Operator!

WHEN USING

Four Economy Automatic Combined Pointing and Threading Machines.

Capacity 1/4"x1" to 3/4"x51/2" Bolt and Cap Screws.

The Economy Engineering Company WILLOUGHBY, OHIO



Grand Rapids No. 2 Universal

Cutter, Tool and Drill Grinder

With Self-Contained Motor Drive

An ideal machine for the shop whose requirements do not demand larger or single-purpose machines.

As a drill grinder it gives equal lengths and correct angles to the cutting lips, with proper clearance, etc., insuring maximum drilling capacity.

And it grinds with the highest efficiency any type of cutter, reamer, etc., that any grinder will handle with its special equipment, within its capacity as to size.

Write for the Bulletin


Gallmeyer & Livingston Co.

342 Straight Ave., S. W., Grand Rapids, Mich.

Manufacturers of Grand Rapids Drill Grinders, Cutter and Tool Grinders and Tap Grinders. What do you need?

Cutter and Tool Grinders

For All Classes of Work



The Nos. 10, 11 and 12 give a range of sizes that will take care of any kind of cutter and tool work as well as light cylindrical grinding.

Let us recommend the proper sizes for your work


LANDIS TOOL COMPANY

Waynesboro, Pa.

New York Office: 30 Church Street Detroit Office: 5928 Second Blvd.
Chicago Office: 618 W. Washington Blvd.

The Marvel Metal Band Saw

Write for big list of satisfied users, Many of whom have reordered




UNIVERSAL in its adaptation to every variety of metal sawing. It saws bars, beams, channels, tubes, etc., rapidly and accurately, and does the finest tool room work. Saws at an angle either way without swinging the bar around the shop. Has big capacity up to 18⁸. The large bed gives lots of room for material and tools. A saw for every need.

Write for Circular or the Complete Catalog of MARVEL Saws

Armstrong-Blum Mfg. Co. 341 N. Francisco Ave., CHICAGO, ILL.

Sturdy Versatility

For Railroad and Jobbing Shops



Rahn-Larmon 18t to 36t Extension Bed Gap Lathe

Where versatility and sturdiness are the requirements, the Rahn-Larmon Lathes give exceptional satisfaction. That is why they are widely used in railroad and jobbing shops.

It is so stoutly constructed that it will absorb the shocks arising from the heaviest cuttings—yet there is no reasonable limit to the work it will do without special setting up or tearing down.

The initial expense is small, its versatility does away with extra equipment, and by materially increasing the output, it cuts labor and operating costs to the minimum.

Made in sizes 18"/36", 22"/40" and 28"/50" for A. C. or D. C. motor drives.

Tell us your requirements and we will show you how to cut your costs

The Rahn-Larmon Co.

.... oil-groove bearings like these—four a minute!



The Cisco Oil Grooving attachment is handily attachable to any lathe 16 to 20 inches inclusive, cuts a single or double oil groove of figure eight type inside or outside the bearing, the style of groove being readily changeable by the operator.

Range of Work



Effective and efficient on small or large quantity production. The range of the regular machine is 6 inches in stroke length, but this can be lengthened depending upon the size machine mounted on. The diameter of the work to be oil grooved, is not controlled by the attachment, but by the size of the machine and chuck used to hold the work. Any standard lathe chuck can be used. The time required for putting an oil groove in a brass bush 2 inches long and 2 inches in diameter, in and out of the machine is about four pieces per minute. The depth of the groove is controlled entirely by the operator through the cross slide and the groove can be made as shallow or deep as desired.



This is the most convenient and economical device available for oil grooving. It is a time-saver and money-maker wherever installed. Write for bulletin and prices.



The Cisco Machine Tool Co.
1700 Elmore Street, Cincinnati, Ohio

Drilling Their Way to Success

Fosdick Drilling Machines



Uprights

21" to 30", capacity 3/16" to 3". See illustration.

Radials

All geared high speed to heavy duty, 2 to 6 ft., cap. 3/16" to 4" drills.

Balanced Arm, motor driven, 4 to 6 ft.

High Speed Sensitive, 3, 3½ and 4 ft., for drilling and tapping, capacity to 13.

Ball Bearing Sensitive

16" to 24", I to 6 spindle, capacity to 11/8", also 13" Superspeed.

The Fosdick Heavy Duty Upright was designed to meet a demand for a drill that could stand heavy duty work, and it has!

Power? Enough to drive the best high speed drill far beyond its limit. It is marked by quality clean thru, from the heavy, extra-deep base to the hammered, high carbon steel of its spindle. It is made to stand up under the severest tests, and to so combine accuracy with speed that a maximum production is the result.

Each Fosdick goes thru rigorous inspections before it is passed out, and comes to you fully guaranteed.

Write for the handsome illustrated Catalog
It may suggest many economies

The Fosdick Machine Tool Co.

Juays speed

Each of the 20 types and sizes of Avey Sensitive Drilling Machines represents the absolute minimum drilling cost over many years. Each will give you "lowest cost per hole" because it has

- 1. Greater accuracy.
- 2. Higher capacity.
- Lower drill cost, with maximum efficiency of highspeed drills.
- 4. Wider range of work.
- Lower upkeep and operating cost with longer life.

Put your drilling problems up to us. May we give you the facts?

Ask for bulletin

The Avey Drilling Machine Co.

Representatives in principal cities



for economical drilling



A Single Spindle Footburt Sipp Sensitive Drill

Made in three sizes of single and multiple spindle models

More holes with this machine

Why? Because you can change speeds in two seconds or belts in ten seconds—because the automatic idlers keep the belt pulling to capacity at all times—because the full ball bearing equipment and accurate machining gives a smooth, fast cut.

Write for No. 650 Folders

The Foote-Burt Company, Cleveland, O.

FOOTBURT

Demco

Vertical Motor Drive Drill Model — DV

Ball Bearing throughout.
Single or multiple speed.
4 speeds available instantly
through drum type controller.
1 to 8 spindles.
%" to %" capacities.
Floor or bench type.

The Best Sensitive Drill Made

Why? Because-

It has a rigid spindle bearing.

A spindle that compensates for its own wear.

A spindle without lost motion. No spindle adjustment required.

Send for Bulletin DV

Model-DV, Single Spindle Floor Type. Send for Bulletin a Sold through machinery dealers in all principal cities.

Merit Oil Equipment Co.

Main Office and Factory:

6616 Morgan Ave., Cleveland, Ohio

SLOAN

and Precision Tools



Automatic Pinion Cutter

Standard capacity 1"x1". Special sizes to order.

This Automatic Cutter for Pinions and Spur Gears combines the utmost rigidity with unusual delicacy of precision.

The automatic cutters, fixed to a stationary spindle, play in turn upon the pinion to be indexed. Wear and use cannot lessen their efficiency, as the depth to which each works can be independently regulated.

Made in three types, each is designed to satisfy the most exacting requirements of every job within its capacity, and to give unusual rapidity of production.

Let us know your needs; we'll do the rest.

Sloan & Chace, Inc. Newark, N. J. 361 Sixth Avenue,

"Tapping by Air-

Has taken the place of 18 men"

-Writes One Purchaser



W. GATERMAN MFG. CO., Manitowoc, Wis., U.S.A.



The Tool For Busy Shop Men



3½ in. Slotter Stroke

The Rhodes Shaper and Slotter

A few turns of the wrench, and this efficient shaper is converted into a fast, accurate slotter. This may be done without resetting the job.

The Rhodes is equipped with all the essential features of large machines, yet its special design enables it to handle all work within its capacity with greater facility.

Thruout the quality of the Rhodes is of the highest grade, yet it is so reasonably priced, and has such a low operating cost, that no shop can afford to be without it.

Ask your dealer or write for CATALOG H22

The Rhodes Mfg. Company 944 Park Road, -- Hartford, Conn.

Threading at 3000 R. P. M.

These rods are being threaded with a No. 8-32 thread 5-16" long, at an average production of 1400 pieces per hour on our Standard High Speed Tapping Machine.

How about your threaded work?

Leland-Gifford Co. Worcester, Mass., U. S. A.

BRANCH OFFICES:

Boston Cleveland Chicago Detroit New York Rochester



Spring Press

(UNIFORM BLOW)

Foot or Power Single and Double Action

These new dependable Presses are used in large numbers by manufacturers of —

Electric Devices, Toys,
Jewelry, Clocks, Cutlery,
Hardware, Radio Sets,
Instruments, Etc.

The Uniform Blow is a very special feature—it increases production and eliminates costly inspection. Investigate.

The Taylor & Fenn Co. Hartford, Connecticut, U. S. A.

Do your Hack Saw Blades break?
Or do they wear out too fast?
Use the New Patented

Marvel High-Speed-Edge Hack Saw Blade

For Use In All Power Machines
Genuine High Speed Steel Cutting Edge
Positively Unbreakable





[Made in 12, 14, 17, 18,] 21 and 24 inch lengths.]

[6, 8, 10, and 14 teeth to the in., in all lengths.]

Ten Points of Superiority

- I. Guaranteed.
- 2. Original, patented.
- 3. Cuts twice as fast.
- 4. Positively unbreakable,
- 5. A straighter, truer cut.
- 6. Most economical, most efficient.
- New form machine cut "raked" teeth.
 Genuine high speed steel cutting edge.
- Genuine high speed steel cutting edge.
 At least six times the amount of cutting.
- 10. Modern methods of manufacturing assure uniformity.

A remarkable invention and the development of original methods of manufacture have produced this latest improvement in metal cutting tools—the acme of metal cutting efficiency and economy.

Once tried-always used. Complete details and prices on request

ARMSTRONG-BLUM MFG. Co. 341 N. Francisco Ave., CHICAGO, ILL.

Cold Riveting

Ву

The High Speed Hammer Method



Strong, well finished heads on rivets, pins, studs, etc. 1-64" to 1½" in diameter.

SEND RIVETING SAMPLES

Write for our Catalog "C"

The High Speed Hammer Company, Inc. Rochester, N. Y., U. S. A.

TIME SAVERS THAT



Slitting and Screw Slotting Saws. Salvages all Cold, Milling,

Cleveland, Ohio Specialty Manufacturers of the largest line of Saw Filers made in the U. S. A.

.08 Hamilton Ave.,

Unmatched In Value!

For more than four years, the "Artisan" Lathe has been the outstanding value in the Small-Lathe field. FIND OUT FOR YOURSELF—

IF any other Lathe, within \$150.00 of its price, will turn out as great a volume or variety of actual Lathe-work.

IF any other Lathe, within \$300.00 of its price, is more modern in design, more compact in construction, or more distinctive in finish and general appearance.

IF any other Lathe, AT ANY PRICE, is backed by a more dependable guarantee of complete satisfaction to the purchaser.



Isn't it worth while to have full particulars of this machine before you?

Think it over.

Then write to:

Artisan Manufacturing Company 837 West Sixth St., CINCINNATI, OHIO




This one mandrel, the No. 4 size, will take every fractional part of an inch from 2" to 21/2". It would require 32 solid mandrels to do this in 64th sizes, and intermediate sizes Better order a few "Nicholsons." could not be taken.

Write us for further information.

W. H. Nicholson & Co., 117 Oregon St., Wilkes-Barre, Pa.

Bruno Slotting Attachment A Cutting Tool Holder

Which Converts Your Shaper Into a Horizontal Slotter and Makes Possible the Most Intricate Shaping



Special Introductory Price

\$15.≌

F. O. B. Rochester

Standard Cutting Tools \$1.50 each

SENT ON APPROVAL

H. A. Moore Company Rochester, N. Y., U. S. A.



Drills to the center of a 10° circle.

Capacity, % diameter.

Up and down run of spindle, 21/2".

Up and down run of table, 7".

\$44.00

110 volt, 60 cycle, single phase. Other voltages on application.

Ready for the Job

The No. 29 Motor Driven Bench Drill is furnished complete with ¼ H. P., vertical type, ball bearing motor, attached in such a manner which permits it to slide in or out, thereby giving a very convenient means of obtaining proper tension of the belt. Toggle type switch, extension cord and socket, belting and chuck.

The design eliminates the use of gears and operates at high speed entirely free from both noise and vibration.

All parts are accurately machined, pulleys are well balanced for high speed. The spindle is accurately ground, equipped with ball thrust bearing and chuck, which is accurately fitted to insure true running of drill.

Canedy-Otto Manufacturing Company

Main Offices and Factory-Chicago Heights, Illinois

New York Branch 407 Broome St. Complete stock

San Francisco Branch 955 Folsom St. By Merit

Barber-Colman CUTTERS


Should be your choice

At the Chicago Steel Show a Barber-Colman spiral plain milling cutter milled 520 linear feet without sharpening, taking a cut 3½" wide, ½" deep at 21.4 inch feed per minute. The material was S. A. E. 1035 steel which is .30 to .40 carbon.

BARBER-COLMAN COMPANY

General Offices and Plant ROCKFORD, ILL..

U. S. A.





20 SIZES



STYLE G





STYLE KV IS SIZES


Standard of Comparison

Quality-Schedule Delivery-Price

Gravity and Wire Wick Feed Oilers



STYLE WC 7 SIZES







STYLE WT 3 SIZES






STYLE OG



Catalog Sent on Request Gits Bros. Manufacturing Co. 1940 S.Kilbourn Ave. Chicago, Ill.



Barrel Burnishing is Better Burnishing.

Frequently, the finishing department is the "neck of the bottle". Possibly your finishing department slows up your output. In any event, if you have small metal parts to finish, either before or after plating, the chances are you can do it better, faster and at lower cost by adopting the Abbott Method of Ball Burnishing.

Send us samples of parts you have to finish. Put it up to us, without obligating you, to show you how to do better polishing at a lower cost.

THE ABBOTT BALL COMPANY

"Originators of Commercial Ball Burnishing"
1043 New Britain Ave., Hartford, Conn.

Tools Whose Service Is Figured Over Years



Genesee Adjustable Hollow Mills pare replacement costs, by reason of their serviceability.

Made in seven sizes, they cover the range from ¼ to 2 inches. Each set of blades will machine all sizes within its scope to 1000th of an inch.

Built to keep machines at their capacity output, one set will outlast from five to seven solid tools—then, too, the blades can be replaced at a small cost.


For finishing forgings and castings they are the ideal tool. Their blades can be ground to any angle required to point work, or turn sharp tapers. No matter how they are used they nevel change in size, become clogged with chips, or lose their efficiency.

Let us tell you how we have cut the operating costs for hundreds of manufacturers.

Genesee Manufacturing Co., Inc. Rochester, N. Y., U. S. A.

Manufacturers of Genesee Rapid Production Tools.

Est. 1908



No. 52—Built in Seven Sizes BELOIT Combined Power Punches and Shears

Series 51 to 56

The Beloit Combined Power Punches and Shears offer an unequalled combination of simplicity of design, construction, range of capacity, and moderate initial cost.

Invaluable in any plant for punching, shearing and fabricating steel bars or structurals.

An indispensable equipment for the manufacture of automobile springs and bumpers.

Tell us about your Punching and Shearing requirements. Our line is extensive, and we have a Beloit Machine for your work.

Send for our new catalogue No. 11 which describes the Beloit line of Punches, Shears and Bending Rolls.

Hendley & Whittemore Co.

Simplicity—

Keynote of the Catlin Keyseater

With less than half the number of parts of other keyseaters, Catlins are proportionately simpler machines to operate. Any average mechanic can produce top-notch results with a Catlin.

They have been found thoroly successful in automobile plants, government shops, navy yards and many big factories, both at home and abroad.



The machine shown here takes care of the needs of most machine shops. The stroke is adjustable up to 13⁸, and it cuts keyseats from 1/16⁸ to 1½⁸. Our other sizes will do all the keyseating that may come up in any shop or ship yard.

Economy

On some classes of work it is possible to keyseat piece after piece without clamping down the work, or stopping the machine.

Catlins are making new records right along—why not have them save time and money in your shop?

Let us mail you the interesting folder, describing the various sizes, including their capacities

Chattanooga Machinery Company

PEERLESS

SURFACING MACHINES

for

Grinding and Finishing

Flat Work



Larger Machines in Both Horizontal and Vertical Styles

SEND FOR FOLDER

PEERLESS SURFACING MACHINE CO., Inc.

The Western Adjustable Vise



It pays real profits!

See the seven reasons below


Here are seven of many reasons why it pays:-

- (1) No limit to number of positions in either elevating or swiveling.
- (2) Easily and quickly positioned, and one lever locks all swivels.
- (3) It does not jump or rattle under chiseling or hammering.
- (4) It handles odd shaped pieces as well as ordinary shapes.
 (5) Any piece of work can be reached from all directions.
- (6) It leaves no excuse for spoiled work from not seeing lines.
- It leaves no excuse for spoiled work from not seeing lines.
 It enables the vise hand to do more work and more accurate work.

Write for Catalog, which describes this superior Vise, as well as Champion Tool Holders, Expanding Mandrels, etc.

The Western Tool & Mfg. Co. Springfield, Ohio

Perfect Alignment



Between Punch and Die enables one man to do speedier and more accurate work on this

Four Post Screw Press

than two men can do on any other type of machine. Sensitive and rigid in operation, it has power to shear in any die within its capacity.

80 tons pressure table 20"x36" Also three smaller sizes

Surface Grinder

Type BB

Silent efficiency is the action of this powerful and rigid surface grinder—equipped with graduated feeds and all the latest attachments.

Price and details on inquiry

JARECKI MACHINE AND TOOL CO.

GRAND RAPIDS, MICHIGAN



HARDINGE


The Cataract Line



For Supreme Service-

Because they meet the modern demand for superior accuracy and workmanship—ask for catalog

Hardinge Brothers Inc.



Write for catalog and prices on the complete line of Sidney Lathes. Address Dept. 1801

The Sidney Machine Tool Co.

Another Sidney Lathe

Our 11° x 4' Medium Pattern, all geared head type. It is up to the minute with built-in features which insure accuracy and economical service.



POWER PIPE THREADING MACHINE



Production and Precision Threading

PORTABLE

Capacity: 1/4" to 2" Pipe 1/2" to 11/2" Bolt

Featuring:


- 1. Quick Die Change 2. Automatic Die Haed
- 3. Three Speeds
- 4. Perfected Oil Control

Send for Catalog

Chicago Pipethread Machine Co.

Office and Factory: 1623 Racine St., Racine, Wis.

Experienced Buyers



know that in Cincinnati Lathes they obtain the design, materials and workmanship not equaled in higher priced machines. Sizes to swing from 16½" to 32 inches. Cone type or geared head so equipped to machine your particular work always most economically.

THE CINCINNATI LATHE & TOOL CO. 3207-3211 North St., Oakley, Cincinnati, O.

Just-Rite Lathes

Made in Sizes from 10-in. to 20-in.

A motor drive bench lathe, 10" swing,



Has Power Feed

JUST-RITE for turning, boring, mill-ing and drilling (not screw cutting).

Order one by express. Weight, 230 lbs.

A. V. Carroll Machine Tool Co., Cincinnati, O.

SHAPERS

12*, 14*, 16* Plain Crank, 16", 20", 25" B. G. Crank, either Cone Driven or through Speed Box.

Belt Shifter Regular Equipment All Cone Driven Shapers.

32" Back Geared Crank, Single Pulley Drive.



The Smith & Mills Co., Cincinnati, O., U.S.A.

Monarch Jr. Lathes



are the smallest members of the Monarch lathe family. Yet they are the "biggest little lathes" built.

The Monarch line of lathes includes all sizes and types from the little 9-inch Junior lathe to the big, massive 30-in. lathe. In this line there is a lathe to fill your requirements at the price you want to pay.

Send for Catalog

The Monarch Machine Tool Co.



The Cleveland Planer Co.,

3148 Superior Avenue, CLEVELAND, OHIO

Established in 1900



Atlas Arbor Presses

For All Forcing Operations

Illustration shows our No. 55 Power Drive Press, which is adaptable for fast production work and capable of supplying ten tons pressure.

Write for our Bulletinahowing 30 different sizes

Atlas Press Co.

Department B, Kalamazoo, Michigan

Lourie Hydraulic Presses



A complete line of Horizontal and Vertical Presses built for any tons capacity or specifications. Either hand or power operated.



Send for Catalog

LOURIE HYDRAULIC CO. SPRINGFIELD, ILL.

ARMSTRONG FORGED WRENCHES

High-Grade Wrenches of All Kinds and Sizes





We also make-all of Armstrong quality-

Tool Holders Ratchet Drills Drilling Posts Drill Drifts Drill Vises Lathe Dogs Clamps Planer Jacks

Bolt Drivers Tool Posts Drill Sleeves and Sockets

Write today for free Catalogs

Armstrong Bros. Tool Co.

308 N. Francisco Ave., Chicago

The BARKER GENERAL VISE

For Planers, Shapers, Drilling and Milling Machines



Two Sizes

Width of jaws 11½*-12*
Depth of jaws 2½*- 3*
Jaws open 8* -12*
Weight 180-210 lbs.

Also 16" Mold Makers' Vise

OUR MOLD MAKERS' VISE has 13" width of jaws, 7" depth, and jaws open 16"—weight 290 lbs.

ALL BARKER VISES are made extra heavy, with steel faced jaws, and are graduated to swivel any angle. They stand lots of hard usage.

Get in touch with us before buying

WM. BARKER & CO.

Manufacturer of Machine Tools, COVINGTON, KY.

The New RACINE Shear-Cut

Production Saw for High Speed Metal Cutting

Time per cut does not vary. Cutting time reduced half. Life of saw blades tripled.

Send for bulletins on complete line.



RACINE TOOL & MACHINE CO., 1429 Junction Ave., Racine, Wis.

Riveting Results –



with a Grant Rotary

No corner is too inaccessible, nor any job too awkward for a rivet to be placed if you have a Grant. It will finish any rivet in one second, and when it's thru, the head will have that smooth, machine look, so important in giving the job a workmanlike appearance. Send us a sample of your riveting work. We will show you what a Grant will do, and at the same time show you the way to pare your production costs.

Let's get together

The Grant Mfg. & Machine Co. C. E. Station, Bridgeport, Conn.

Curtis Universal Joints

of Simple, Rugged Construction



Send for circular

BOSTON GEARS

BOSTON GEAR WORKS SALES CO.
Norfolk Downs, Mass.

BOSTON NEW YORK PHILADELPHIA CLEVELAND CHICAGO



Write us today about your work, and we may be able to save you money.

Biax Flexible
Shaft Company
136 Liberty Street
NEW YORK CITY

makes flexible shaft machines for drilling, boring, grinding, polishing, acrew-setting, nut-setting, etc. Also special machines for—

> Automobiles Speedometers Woodworkers Railroads Street Railways Welders

Pattern Shops Machine Shops Boilers (Cleaning) — Foundries Motor Repair Shops

Mid-West Distributor:—Tachometer Division Elgin National Watch Co., Chicago, Illinois. New England Distributor:—Biax Flexible Shaft Co., Worcester, Mass. Southern Distributor: Biax Flexible Shaft Co., Charlottiville, Va.



Rockford Hi-Duty

are deliberately built for Hi-Production Service and they deliver.

Their punch-ability will surprise you. All types and sizes.

Write for catalog

Rockford Iron Works, Rockford, Ill.



T. H. L. Punches

Insure Continuous and Profitable Production

Because they are made of the right quality of tool steel.

Because they are hardened with every care.

Because all our experience of 35 years is centered in making them accurate, rugged and dependable.

> Large stock of regular sizes Special sizes quickly made

T. H. Lewthwaite Machine Co.



Strand Rotary **Files**

Used with Strand Flexible Shaft Machines. Are giving excellent service.

Write for Catalog

N. A. Strand & Co. 5001 No. Lincoln St. CHICAGO

HIGH SPEED HAND CUT ROTARY FILES



METAL FINISHING



Mall portable electric disc finishing machine for sanding metal, wood, filler, etc.

Numerous other types of attachments and flexible shaft machines can be furnished for drilling, grinding, screw driving, buffing, polishing, sanding, rust removing, filing and cleaning. Write today for more detailed information.

Flexible shaft sets for any purpose, with tools to suit your work.

MALL TOOL CO., 8339 So. Chicago Ave., CHICAGO, ILL.

INQUIRE

What this Fast Keyseater Can Do. You May Have Use for It.

Get Catalog O

National Machine Tool Co.

2268 Spring Grove Ave.. Cincinnati, O.



No Need To Dismantle Your Shop



No matter how the shaft is placed, or from what angle you have to approach it, this handy tool will do the work, cutting an accurate key-way up to 12* long in shafts 5* or less in diameter, with no trouble or special setting.

The seven sizes in which it is made can be operated either by hand or by motor.

10,000 Satisfied Users

JOHN T. BURR & SON

422 Kent Ave., Brooklyn, N. Y.

Sent on trial



The Bincinnati

Portable Electrics Stay on the job.

Hand and Screw Feed Drills 1/4* to 21/2* cap. Portable Scotch Radial Drills 11/4* to 2* cap. Tool-Post Grinders./4 to 3 H. P. Bench and Pedestal Grinders./4 to 5 H. P. Hand and Suppended Grinders. ./4 to 5 H. P. Polishing and Buffing Lathes. ./2 to 7/2 H. P.


Write for Catalog

The

Cincinnati Electrical Tool Co. 2678 Madison Road Cincinnati, Ohio

The Whirlwind Buffer and Grinder

Will cut the cost on any unhandy grinding or polishing job



Send for our latest bulletin

Stow Flexible Shaft Co., Philadelphia, Pa.

The Best Since 1876

Save Time Setting Gang Milling Cutters





Hardened

"Wear-Ever" Adjustable Spacing Collars permit setting cutters to the thousandth part of an inch without removing from the arbor. Stock sizes for 34" to 21/2" arbors, sent on approval They are adjustable in 12 steps of 2/1000 inches

TOOL DIVISION SCULLY-JONES & CO. CHICAGO, ILL. 13th and Robey Streets

Steel Spacing Washers

Made of a good grade of Cold Rolled Strip Steel, also known as Shim Steel



Stock sizes for arbors of

Stock thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .012, .015, .020, .025, .032, .047, .063, .093 and .125 inch.

Other thicknesses up to 3.000 made to order, with keyways if so ordered.

Ask us to send samples: you'll like them

Detroit Stamping Company 3443 West Fort St.,

Detroit, Mich.

Gears That Set Standards

Years of experience, modern equipment, skilled mechanics, and specialization—these factors unite to make Massachusetts Gears leaders in their field.



Made in Small and Medium Sizes Up to 3 feet Diameter

Small and medium gears for machine tools, automobile and motor truck engines, speedometer drives, and scientific instruments, etc. Made in all materials, and achieving such quality as could alone result from unparing effort. Let us estimate from your drawings—quick delivery from stock.

Massachusetts Gear & Tool Company
36 Nashua Street.
Woburn, Mass.

Half a Century of Service



Since 1872 the American Watch and Tool Company has manufactured collets and blanks for screw machines and step chucks. During this time they established a reputation for unvarying quality. The Wade Tool Company, recently succeeding to their business, is maintaining the same tradition of service and excellence.

Write for the Catalog of Precision Lathes and Tools

The Wade Tool Co.

49-59 River St.,

Waltham, Mass.



An "Ideal" Pump Deflates Costs

The single cylinder "Ideal" Electric Automatic Air Compressor and Exhaust Pump delivers two cubic feet of free air at 300 R. P. M. Quarter H. P. motor required for 200 lbs. pressure.

Price, pump only, \$22.50

SINGLE CYLINDER


TWIN CYLINDER

The twin cylinder pump delivers four cubic feet of free air at 300 R. P. M. Half H. P. motor required for 200 lbs. pressure,

Price, pump only, \$32.50

Equip your laboratory or factory with one— "Ideal" for use in connection with spray gun, glass blowing, etc.

PETRICK BROTHERS 2226 Belmont Ave., Chicago, Ill.





From the "Gusher"-

Unsurpassed Lubrication

Efficiency: Delivers from 3 to 30 gallons a minute, with the smallest consumption of power. Needs no priming.

Construction: No packing nuts, foot or relief valves to get out of order. Mechanically it is so perfected that internal friction is practically done away with, and grit or small chips can not clog it.

Equipped with motor for any current, also belt drives.

Let us send you a catalog with full particulars.

The Ruthman Mchy. Co. 528-534 E. Front St. CINCINNATI, OHIO

-PEERLESS-UNIVERSAL SHAPING SAW



Different Principles Greater Efficiency

Give The Most Of— Speed Accuracy

Accuracy Blade Economy SIZES:

6"x6"--9"x9"--13"x13" PEERLESS

HIGH SPEED HACK-SAWS 6"x6" 9"x9" 13"x16" Sturdy--Efficient--Reliable

Peerless Machine Co. 1218 Sixteenth St. Racine, Wisconsin

Write for Details



MARKING TIME

When you have a drill to change, does your shop mark time while your men search for a drift, or key? When the shank finally comes out is it scored and mutilated? Use a—

Titan Drill Chuck

and you'll neverstop moving. It has all the features of the best chucks, plus one more! Simply strike the end of the drill and it slips out of the collet. Until you strike it, the chuck can be operated in any position—and it's positive, absolutely no slipping possible!

Let us tell you what other superior qualities it has

Titan Tool Company

How would you like—

to tap small holes as easily as you drill them; to tap them 2 or 3 times faster than usual; to wear out the small taps you are now breaking?

The Ettco High Speed Tapping Attachment usually increases output 100%. When a Gun Tap can be used the increase is as high as 300%.

Try one for 10 days if you can then spare it, send it back.

Eastern Tube & Tool Co.



The U. S.— A 14' Sensitive Floor Drill

Designed in a machine tool shop to meet the need for a drill with a capacity up to ½° that will turn out accurate, rapid work at the least cost.

Price with motor, \$115

Or with Counter- \$70

Three speeds; spindle ground to size with ball thrust bearing, counterbalanced by weight inside column; vertical adjustment to head; tables adjustable to any type of work. Write for folder, or better still, send us your order.

The U.S. Machine Tool Co.



Machine Steel Discs From Stock or Cut to Order!



Phone, wire or write, and your order will be

Shipped Promptly

Machine Steel Discs from 1st to 12st in diameter, any thickness, and in any quantity from one to a thousand

or more. This new service will save you time and money.

Writing us for quotations places you under no obligation

PASSMAN BROS., 707 Washington Blvd., Chicago Telephones: Monroe 6960—6961

Dependable Service on Hollow Bored Forgings and Steel Shafts



If you make machines on which you use Lathe Spindles, Piston Rods, Rams, Clutch Shafts, or similar parts, let us quote on your requirements. Our products are right, our prices are right, and our service is dependable.

Send along your blueprints; we'll both be pleased with a trial order

American Hollow Boring Co. Erie, Penna.

A Good Test

If a bootlegger will drink his own merchandise, you are taking no chances.

Burke Tools can be seen operating in our own plant six days a week.


Manufacturers of Bench Drills, Milling Machines and attachments, and Tapping Machines.

> Send for catalog and prices

At your service-

The Burke Machine Tool Company

297 East 16th Street Conneaut, Ohio





Self Salvaging

Utility Interchangeable Counterbore and Facer

When solid tools wear out, you face solid waste. Utility tools are interchangeable—they are self salvaging.

The Utility Interchangeable Counterbore and Facer is designed to overcome the troubles which usually attend the use of such a tool. Its features result in unusual economies. The pilot cannot twist off. It is impossible for the cutters to break, and as there are no threads to jam, they are easily removed. Set screws cannot loosen.

More than materials enter into Utility Tools— 21 years of practical experience, perfected manufacturing processes, rigid inspections, and our guarantee, make them what they are.

The J. C. Glenzer Company

6469 Epworth Blvd., Detroit, Mich.

A clutch experiment-



would result in your incorporating dependability into your product, in the form of

CONWAY Clutches

Get posted-write for Bulletin No. 26 today

The Conway Clutch Company 1951 Riverside, Cincinnati, Ohio



Trade Verson Mark

Punch Presses

are suitable for a large variety of blanking, forming, and other press operations, and handle such light work as is often done on larger presses.

One of the features is the Automatic Safety Clutch, which is a positive prevention of accidents which are due to the repeating of presses.

Write for catalog

LaSalle Machine Wks. 3013 S. La Salle St., Chicago, Ill.

Specializing in Small Presses and Angle Shears

Vanderbeek Universal Joints



represent the practical refinements of 25 years experience in manufacturing Universal Joints. All parts are generous sized, fully protected against dirt, and are practically self-oiling. Exceptionally strong, they transmit full power up to 700.

Vanderbeek Joints are in daily use on thousands of machines.

Write today for our Descriptive Catalog.

American Tool Works, Inc. Hartford, Cong., U. S. A.



SAVES—time. SAVES—taps. SAVES—in the first cost and in the long run.

Its main points are-

Motor driven, 3 speed, double speed reverse, quick change, back geared friction clutch. Sensitive for small tapping and powerful enough to drive 3% taps through steel.

We also make smaller high speed tappers.

Write for descriptive literature and attractive prices



The Alto Mfg. Co., 1647-51 Wolfram St. Chicago, Ill.

Thor

Electric Drills

EXPERIENCE

Experience is a great teacher. In your own business you realize how much experience means in your finished product. With this thought in mind we know you will appreciate the importance of the experience we have had in the manufacture of Thor Pneumatic Tools and Electric Drills. Our catalog will interest you—it is yours for the asking.

Independent Pneumatic Tool Co.
600 W. Jackson Blvd., Chicago, Ill.



E-Z THREAD DIAL

Thread cutting on engine lathes made easy, and at lower cost.

Can be easily attached to all size lathes. A reliable device that will aid the operator in the work of cutting

threads.
Threads can
be cut close
up to shoulders as easily as
the ordinary
thread.



Eliminates stopping or reversing the lathe. Saves cost of backing helt. Saves power to drive same. Fast growing in popularity. A large corporation ordered nine at one time. Another five. Sent on thirty days' trial. Send for folder today.

JAMES M. COLVEN, 20 Wolffe Street, Yonkers, N. Y.

EDERAL

Gauges Dial Indicators

for Every Purpose Accurate - Rigid - Lasting Easily & Quickly Repaired

Federal Products Corporation
15 Elbow St., Providence, R. I.

Sigourney Sensitive Drills



The Quality Tools That Reduce Costs

SIGOURNEY DRILLS are designed for those who realize that the best tools pay the largest returns on the investment.

Made with one to four spindles, plain or ball bearing, belt or motor drive. All parts interchangeable.

The illustration shows our motordriven, all-ball-bearing No. 0 High Speed-Bench Drill which may be operated up to 10,000 R. P. M.

Full data and prices sent you on request.

Sigourney Tool Co.

Hartford, Conn., U. S. A.

Buhr Multiple Driller



Combines Accuracy With Power

Because its design incorporates the principles that make Buhr Patent Heads stand out, plus full adaptibility — because the detachable adapter and driver transmits power cult the spindles, and the arms and head are so ground that accuracy is insured, the New Buhr is setting a standard in multiple drilling and tapping efficiency.

Write, and learn how its new features reflect in the quality of its work.

All Spur Geared Green and Davis Sts., Ann Arbor, Mich.

Buhr Machine Tool Co.

The Perfect Case Hardening Compound No Smoke No Fumes



Non-Poisonous

Non-Inflammable

Non-Explosive

The Purest, Most Rapid and Economical, Uniform and Effective, Case Hardening Compound on the Market for all Kinds of Iron and Steel.

Sold in 1-3-5-10-lb. Cans and 25-50-lb. Kegs.

Ask your dealer or write for Booklet "K" on hardening

KASENIT COMPANY, 122 Greenwich St., NEW YORK, N. Y.



"Borgeson Universal Joints"

Are you a user of Universal Joints?

If so!

Remember well and bear in mind that a good Universal Joint is hard to find. But if you want one tried and true, you will want the "Borgeson" before you are through.

You will become not only a "Buyer" but a "Booster" for "Borgeson."

SIZES: ¾, ½, %, ¾, ¾, 1, 1¼, 1¼, 1½, 1½, 1¾, 2, 2½, 2½.

Should you require Special Universal Joints, be sure to write for quotation.

Complete description gladly furnished upon request

The Borgeson Mfg. Co., Inc.

Torrington, Conn.



New "AUTEX" Extension Reel

Don't Forget the Swivel Joint Feature

Permits of carrying the lamp in any direction.

Type 6 Rapidly finding a place in large Industrial Plants, Machine Shops and Service Stations.

Now equipped with Belden Rubber Cord Approved by the Underwriters

Write for descriptive circular

The Cincinnati Specialty Mfg. Co., Inc.

1903 Powers St., Cincinnati, Ohio

R&G Adjustable Boring Tool

Invaluable in the Tool Room and on Production Work
on Turret Lathes, Horizontal Mills, Etc.



It saves time and insures accuracy in boring jig plates, dies, etc., on milling machine table and drill press, that cannot be handled on the lathe. It readily trues to size holes drilled on turret lathe.

Only \$38

If standard taper shank is required, the price is Five Dollars extra.

Send us your order or write for camplete description of this handy, time-saving outfit.

Ribbe & Grey

The M-P Three Tool Turret



Improved E-Z Set Boring Tool illustrated in last issue.

SEND FOR CIRCULAR

The Maxwell Products Co. Ottawa & Indiana Ave.,

Cleveland, Ohio

Winterhoff Driven Portable Tools



For processes that require grinding on a true flat surface, the Winterhoff No. 3 is the ideal tool. In its new design are incorporated many features that result in sound economies. Let us tell you about them.

Winterhoff Tool & Machine Co., 109 South Elkhart Ave.,





We are Specialists -

in manufacturing any design collet—from the smallest to the largest sizes, either from sample or drawing, and including Screw Machine Collets.

Prices gusted on application

Hardinge Brothers Inc.

A Positive Quick-Acting Lock

For Adjustable Quickly-Opened Dies

Instead of Clamps, Levers, Screws or Nuts that must be strained or pounded to make them hold threading dies in position.



Dies adjust for variations and open quickly for removal.

That is one great difference between the "DUPLEX" DIE STOCK for pipe and others of the same type; but there are several more points of difference and value.

THE HART MFG. CO., 2319 E. 20th St., CLEVELAND, O.

If An Architect Put The Pantry in the Attic-



—what confusion would follow? Yet that is practically what you do when you put all your stock in a store room. Say you are using bar stock on a serew machine or lathe; does your operator leave his post every time be wants stock? Or do you pay a man to do it for him?

The Handiest Racks

do away with these dead labor costs, beside conserving material and space. From its brackets the operator can get what he wants without moving, and feed as fast as the machine will take. Get one and watch your production grow.

Of course we ship on trial

Wm. S. Yohe Supply Co.

Springfield Work Is



Straight

Invaluable for straightening cam and crank shafts, sprung tools, etc.

Wherever straightening is needed, the Springfield gives satisfaction. Whether in shop, or tool room, or garage, it works with unequalled accuracy and speed. Screwed near the bench, the operator can straighten any length of rough or finished work, without leaving his post. A Springfield quality product.

Write for folder illustrating many of its uses

The Springfield Machine Tool Company

633 West Southern Avenue.

SPRINGFIELD, OHIO

We also manufacture Engine Lathes and Shapers

"Keep Your Production on Wheels!"



This is the message of a foremost efficiency expert.

The CanTon Portable Crane

does this for you! It makes it possible for one man to lift pieces weighing up to 6000 pounds, and to move those pieces to the most inaccessible part of your shop.

A size for every use. Write for booklet E-8

CANTON FOUNDRY & MACHINE CO., Canton, Ohio

New York Office: 203 East 15th Street, Second Floor

Towsley Trucks PAY 500%



Glad to tell

TOWSLEY TRUCKS

repay their cost every two to three months.

Every style for every need.

Write for facts and figures; you'll never regret it

John T. Towsley Mfg. Co., Cincinnati, Ohio, U. S. A.

USE "D. & W." DEMAGNETIZERS!



With a unique construction, they are simple, dependable

A rigid continuous
U shaped core,
made of the highest
grade laminated
electrical steel, is
energized by two



stationary coils, thru which alternating current is passed. Construction is similar for d. c. machine, only in addition it contains a small converter.

Have you any special problems in connection with the use of Magnetic Chucks? We will gladly investigate and report on same, or design a special chuck for your particular needs. Write us today.

J. & H. Electric Co., 161 Clifford St., Providence, R.I.

Edgemont Type B Friction Clutch

The Type B Friction Clutch is well adapted for line-shaft, counter-shaft and many other drives. It will give good service and is simple and easy to operate. Made in pulleys, extended sleeves and cut-off couplings.

Write us now about your clutch needs.



Duty Line-Shaft Self-Oiling

Expanding Type Clutch

Pulley

Edgemont Machine Co., Inc., DAYTON, OHIO

For Sure Balance--

an absolutely level and solid "Way" is necessary

Bowsher "Balancing Ways"



are brought to an absolute level in ten seconds.
No revolving parts.

The edges or "knives" upon which the work is tested are ground true, and are mounted upon the planed "ways" of a heavy bed or frame.

Standards adjustable to suit length of arbor.

Three sizes for floor-one for bench use

Send for Catalog "F"

The N. P. Bowsher Co., South Bend, Ind.

Balancing to a "T"

The Anderson Ever Ready



Whether it's a crank shaft or a turbine rotar you are testing, the Anderson is equally sensitive. With its 5 styles it will balance anything that revolves.

It requires no leveling or adjustment, no centers; its hardened spindles are not dented by use like the frame, they last indefinitely.

"Swing"	20*	40*	60*	72*	96*	72"
Greatest distance bet. standards Capacity in lbs Approx. shipping weight	20° 1000 45 Bend	30* 2000 90 Bid	30" 2000 150 Bis	66* 5000 350 Bib	88 ¹ 10000 650 Ben	201 24000

Any of above can be furnished with longer shafts

Anderson Bros. Mfg. Co.
1915 Kishwaukee St., Rockford, Ill.



There are 12 types and 97 sizes of Danly Dies Sets, ready assembled, available or immediate delivery.



Just Ask Yourself Why It Is!

Why do you suppose that Chrysler, Cutler-Hammer, Eastman Kodak, Remington Typewriter, General Electric, Westinghouse, Stewart-Warner, Hupmobile, Briggs Mfg., Franklin, and almost 4000 others are using Danly Die Sets?

It is because they have found they can obtain die sets better and cheaper from Danly because of specialized production—die sets and die makers' supplies exclusively—manufactured upon a production basis.

The saving of 20 to 50% in first cost, alone, is good reason why you, too, should use Danly Die Sets. The convenience of being able to order by telephone or telegraph is another reason. Bigger still are the economies through use. May we explain these?

Send for the new 34-page Catalogue, fourth edition.


Danly Machine Specialties, Inc.

2116 S. 52nd Avenue, Chicago, Ill.

LONG ISLAND CITY, N. Y. 35 Wilbur Ave. DETROIT, MICH. 1537 Temple Ave.

Lowest Cost Screw Driving

With MAGAZINE-FED Machines



THE MAGAZINE FEED of the Reynolds Automatic Screw Driving Machine is clearly shown above. Just dump a score or more of screws into the hopper, and the "Reynolds" automatically magazines and drives them.

"Saves us over \$2,000 a year"

is the word recently received from a user. Other users find that it easily saves them from 65 to 85 per cent.

And the work is better, too—screws are properly turned in—they hold better. It has enabled some users to reduce their screw sizes.

No matter what kind of screws you use, let us know their length and gauge, with dimensions over all of your work, and let's look into this together. It may put many an extra dollar in your pocket. And why not write today?

The Reynolds Machine Company
Dept. H. H., Massillon, Ohio





Countersinking and tapping small hexagon nuts.

Anderson

THIS MO six spindle ping. The ator, and a

By this arrobtained a hour, three of the machin

The of J materially inc machine.

....

THE ANDERS

This advertisement is interests of good Drilliby the makers of the Ja

Modern equipment i



erson No. 40 Dial Tapping Machine

HIS MODERN MACHINE is equipped with spindles—three for drilling and three for taping. The work is placed in the dial by the operor, and automatically ejected when completed.

this arrangement of dial and spindles there is tained a continuous production of 5,000 nuts an ur, three nuts being completed with each stroke the machine running at from 30 to 35 strokes per minute.

e of JACOBS CHUCKS as standard equipment terially increases the convenience and efficiency of this chine.

For complete information, write to-

ANDERSON DIE MACHINE CO., Bridgeport, Conn.

nt is published in the Drilling Equipment the Jacobs Chuck

pment is a present necessity

In Keyseating—

Speed is Best Combined with Accuracy in the

"Davis"



Built in two sizes

Whether your aim is quantity production of standard parts, or the versatility required in every day jobs, the DAVIS will best meet your requirements.

The simplicity of its construction reduces, to the smallest degree, the chance of its getting out of order. The speed with which it can be set up for different jobs, makes it a real cost reducer.

Write for our interesting tables of cutting time

Davis Keyseater Company
255½ Mill Street, Rochester, N. Y., U. S. A.



Whenever Efficiency And Low Operating Costs Are Spoken Of—

The Rarefied Dust Collector

is mentioned


¶ Because of the absolute efficiency with which it collects and automatically discharges all heavier-than-air dust—whether from emery wheels, sand blasts, tumbling mills, or polishers—it has impressed users.

¶ Because the partial vacuum principle on which it works has done away with screens that become clogged, or movable parts that get out of order—owners have faith in it.

-Add the fact that internal friction is practically done away with—repair costs are held at zero, and in many instances a 40 saving in power is effected;

—is it any wonder that so many executives are enthusiastic over the Rarefied? That some large plants are equipped throughout with them, one company using up to 34?

Let us send you our interesting booklet explaining the Rarefied way



LET A **POWELL** BLOW GUN

Blow your Turnings or Borings away



NOZZLE TIP FOR EVERY PURPOSE-

The Wm. Powell Co.

2521-2531 Spring Grove Ave.

CINCINNATI. - - OHIO



Meri

TOLHURST Chip Wringers reclaim 6 to 15 gallons per load and handle three or four loads an hour!

Tolhurst Machine Works

Troy, New York

Thompson Universal Grinder


Gives a performance that never varies in accuracy. No matter what diversity of grinding processes your shop requires, everyone of them may be completed on the Improved Thompson. Self-contained, motor driven, it is designed to give the most efficient andrapid production.

Capacity 10"x36"

Illustrated folder gives full details

The Thompson Grinder Co. Springfield, Ohio







Drilling Economy Into the Job

The U. S. Multiple Spindle Drill Heads transform your single spindle drill into a multiple—drilling two or more holes at the same time, utilizing the same feeds and speeds you would use for one.

A special adjustment enables you to drill in any pattern that you like. The U.S. cuts your equipment costs, increases your output and efficiency.

Let us show you how to economize

The United States Drill Head Co., CINCINNATI, O.

Michigan Agents-National Sales Engineering Corp., Detroit, Mich.

The Steel Fingers-

Of the Walton Tap Extractor



Grip lost moments that hamper production!

SNAP—the jagged edges of a tap cling stubbornly beneath the surface. Again you are faced with the old problem—a problem solved so ingeniously by the Walton Tap Extractor.

Its four fingers of crucible steel, mounted on a grooved handle, bite deeply into the flutes. A sharp twist at the outer end, and the tap is out instantly.

Try it 60 days, and you'll never send it back

The Walton Company

Hartford, Conn., U. S. A.


Whitney Bearing Punch No. 40

Made of 45 50 point O. H. Steel, drop forged. Very rigid—no springing in operation. Now provided with movable handle, to meet user's needs.

Capacity % thru % iron Depth of throat, 3* Height of throat, 2* Weight complete, 87 lbs.

The elimination of friction insures more work at less cost in all Whitney Punches.

Write for Catalog and Price List



Whitney Metal Tool Co.
95 Forbes Street, Rockford, Ill.

A Real Bargain BRAND NEW

6" x 30" Plain and 10" x 30" Universal

GRINDERS

Barber - Colman Company Rockford, Ill., U. S. A.

"X-L" Adjustable Inserted Spiral Blade Shell and Machine Reamer



Reamers made with Left Hand Angle Cutting Blades do not dig in, and all chatter is eliminated. This means free, clean cutting, smooth holes, and increased production. The range of expansion is from . 1008 in the smaller This is a aizes to .150" in the real produclarger sizes. Made with High tion reamer. The left hand heli-Speed Steel cal flutes cut fast and Blades. clean. Made only in high speed steel. Made with straight and tapered shanks. All sizes carried in stock.

Catalog on Request

The Schellenbach-Hunt Tool Co.

118 Opera Place, Cincinnati, Ohio

Agents: Gropler Bros., 105 Hudson St., New York, N. Y. E. E. Fletcher, 6007 Euclid Ave., Cleveland, Ohio

Used and Rebuilt Machinery Section

Lists of Used and Rebuilt Machinery, either For Sale, Wanted or For Exchange, set in uniform style, will be published in this Section at the rate of 50 cents a line, across the page, each issue, plus \$2.50 for name and address. Minimum charge, \$5.00. No display permitted.

Write directly to those offering the machines for sale for prices and full descriptions. If what you seek is not listed, use the blank enclosed to make known your wants to the publisher, who will pass them along to all Machine Tool Blue Book advertisers,

Monthly Circulation of Machine Tool Blue Book, 25,000.

FOR SALE BY

W. L. Steege Co., 25-27 So. Clinton St., Chicago

MOTOR 15 H. P. Westinghouse slip ring motor, complete, used only 3 months, \$225, LEATHER BELTING 3,500 Lbs. of leather belting, in good condition, at 35 cents per lb.

FOR SALE BY

Belvidere Screw & Machine Co., Belvidere, Ill.

SPECIAL GAS OVEN. A special 3-door, tray type, Indirect Gas Heated Oven, fully equipped with a Honeywell thermostat, with 38 trays suitable for holding spark plugs or other small parts; practically new; has had little use since installation in our plant; will make a very attractive price for quick turnover.

FOR SALE BY

Wayne Machinery Company, Fort Wayne, Indiana

Wayne Better Values Air compressor, 500 cu. ft. Bury. Baler, hydraulic, No. 23-G Logemann Millers, slab, Ingersoll 36"x20" 16'. Sheet metal, brakes, shears, etc. Millers, keyseat, Nos. 1 & 2 Newton.

Large selection. Tell us your needs.

FOR SALE BY

Machineshop Equipment Corporation, South Boston, Mass.

Boring machine, Niles horizontal, bar 4\frac{1}{2}", table 33x60, motor drive, Boring machine, Lucas No. 21 horizontal, 2\frac{1}{2}" bar. Miller, No. 3 Becker vertical, motor drive, constant speed. Shaper, Pratt & Whitney vertical.

Splitting shear, Ryerson, 8' reach, heavy.
All in A-1 condition and priced very low.

FOR SALE BY

The Akron Equipment Company,			Akron, Ohi
Automatic, 4-spindle, 12 capacity Acme, s	erial 92	1	\$ 475
Engine lathe, Fitchburg, 13"x6', not scre-	v cuttin	g. chuck	58
Engine lathe, Blaisdell, 14"x6', c. s., c. r.	taper	att., chucl	k 98
Engine lathe, Fish, 39"x23', raising bloc	cs to 46'	. C. S., C.	r., and extra
rest at rear, chuck jaws			
Milling machine, Becker plain, Lincoln t	pe, No	. 7-H	125
Surface grinder, 6"x22" National Acme a	itomati	C	60
Threading machine, 2-spindle, 1" capacity	Nation	al Acme.	125

FOR SALE BY

Chas. Molitor Machinery Co., 118-124 S. Clinton St., Chicago, Ill.

28"x14' Schumacher-Boye, q. c. g.

28 xi4 Schumacher-Boye, q. c. g. 24 xi2 American, q. c. g., ind. turret, 24 xi0 Lodge & Shipley, grd. hd. 22 xi2 Hendey, taper attachment. 18 x 8 Handion, q. c. g., t. a. 18 x 6 Boye & Emmes, q. c. g., q. pr. diaw, collet attachment.

taper, oraw, conet attachment. Is"x s' Chard, q. c. g., taper, draw, 18"x s' LeBlond, q. c. g., taper, draw, 18"x s' Sidney, quick change grs. 16"x s' Morris, q. c. g., dbl. g., (2). 18"x8' Badford, q. c. g., draw, colles. 17"x8' LeBlond, q. c. g., taper, religious autochman!

lieving attachment, 16"x8' Hendey, q. c. g., taper.

LATHES

ES; d'Hendey, taper, reliev. attach. 18"x8" Seneca Falls, q. c. g., (2). 18"x8" Seneca Falls, q. c. g., (2). 18"x8" Fartt & Whitney, q. c. g., taper, relieving attachment. 18"x 8" Clincinnati q. c. g. 15"x 8" Clincinnati q. c. g. 15"x 6" Carroll-Jamieson. 18"x8" Bradford, q. c. g., draw, collets. 18"x8" Bradford, q. c. q., draw, collets.

14"x8" Bradford, q.c.g., draw, coness. 14"x8' Hendey, geared head. 14"x6' Le Blond, quick change gear. 14"x6' Rockford, dbl. b. g., taper. 14"x8' Willard.

14"x 6" Hendey, draw att. 10"x 5" Monarch, q. c. g. 10"x 5" South Bend, motor attach, 4" & 1" Hardinge precision (2).

No. 3 Kempsmith, gr. box fd., plain.

Gooley & Ediund, production.
No. 6 Transit, production.
21" Twin spline miller, P. & W.
U. S. and Whiton hand millers, (3).

MILLERS. 24" Bullard vertical turret, 24" Colburn vertical, No. 25 Becker plain, (4).

24" Bullard vert. rapid production. Nos. 1 & 2 Brown & Sharpe univ. Nos. 1 & 2 Kempsmith universal. No. 2 Rockford plain, b. g. No. 2 Cincinnati plain. Nos. 5, 5B Becker vertical. No. 4 Ohio rapid production. No. 13 Garvin, b. g., power feed. (6). SHAPERS.

24" Stockbridge, sgl. pul, drive, b.g.

16" Potter & Johnston tool room. 14" Rockford, back geared. 16" Smith & Mills, b. g. 24" Rockford, b. g. 24" Hamilton, b. g. 21" Smith-Mills, sgl. pul. drive, b. g.

DRILL PRESSES

24" Baker Bros. heavy duty, (3).
Sipp, with comp. tilting table, (2).
2-spindle Henry & Wright, 1" cap.
1, 2, 3 & 4 spindle Avey, No. 2h. sp.
3-spindle Leland G., \$" cap., bench.

Bryant internal and chucking, (6). Cincinnati universal, 4"x57" table. Cincinnati universal, 4°85" tante.
No. 1 Greenfield universal.
No. 2 Oakley universal.
No. 2 bals surface, magn. chuck.
No. 2 Brown & Sharpe surface.
No. 2 Brown & Sharpe surface.
10"x80" Norton cylindrical,
12"x12" Brown & Sharpe cylindrical,
No. 4 Gardner ball bear, 34" disc, (5).

Jones & Lamson, single spindle.

4" Gridley 4-spdl, auto., (3).

14" Gridley 4-spdl, auto., (4).

No. 98, No. 9, No. 2 B. & S. auto.,

No. 90, No. 9, No. 2 B. & S. tormer,

No. 90, No. 90, No. 2 B. & S. tormer,

Nos. 90, 1, & 4 B. & S. semi-auto.

Nos. 2 & 4 Warner & S. ppl. & g.

No. 33P Toledo. No. 31 Toledo, 61" stroke. No. 71 Toledo double crank. No. 45 Toledo horning, b. g. No. 3 Rockford, inclined flywheel.

6-spindle Sipp, \(\)" capacity.

Almond \(3'\), slid. hd., hi-spd., post. 14" & 4" Gridley 4-spindle, (7). Large variety 14", 16", 20" & 24". 5' Bickford radial.

30" and 40" Besly and Gardner, disc. No. 65 Heald cylinder No. 120 Gardner, ball bearing. No. 6 Gardner, chuck & disc, 20x42" table, long, and cross feed. incinnati No. 1 universal. "x18" Landis cylindrical, self-cont. No. 14 Landis 10x30 cylindrical. No. 1 LeBlond universal. No. 3 Wilmarth & M., mag. chuck.

SCREW MACHINES AND TURRET LATHES. No. 4 Warner & Swasey univ. No.6 Warner & Swasey, b.g., fr.hd. No. 6 Foster, power long. & cross. 1" & 14" cap. Acme. b. g., frict. h. 14" (fisholt, motor drive. Nos. 0, 1, 2, 3 Foster and B. & O. 16"—18" Fox turret lathes, fric. hd. PUNCH PRESSES AND SHEARS.

Emco bench type, (10). No. 4 Bliss-Stiles, geared notching. No. 5 Bliss-Stiles, geared. capacity slitting shear.

Chas. Molitor Machinery Co.-Continued.

MISCELLANEOUS.

Bolt cutter, 1" Landis. Bolt cutter, †" Geometric. Broaching machine, No. 1 LaPointe. Broaching mch., No. 3 La Pointe 2sp. Centering mchs., single and double. Gear cutter, No. 13 B & S., bevel & s.

Gear cutters, Waltham auto., (4). Keyseaters, Nos. 1 & 2 Davis. Pipe cutter, 3" Hoe & Son. Reducing rolls, 11"x22", dbl. gears, Toledo and 6"x30" Bliss. Steel corrugating rolls, 7"x26".

FOR SALE BY

Nelson Machinery Co., 123-131 N. Pearl St., Green Bay, Wis.

Air compressor, 212 cu. ft., Chicago pneumatic crude oil engine driven,

pneumatic crude oil engine driven, mounted on wheels. Bending rolls, 5', 4" capacity. Boilers, 290 h. p. Scotch Marine, (2). Bolt cutter, 2" cap. Schlinker. Buffing stand, No. 4 Gardner, b.b. Drill press, 22" Americau, p. 1., back geared.

Lathe, 36"x18' Niles-Bement-Pond. Milling mche., No. 2 Garvin univ. Planer, 30"x30"x14' Betts, single hd. Press, No. 4 Rudolphi & K., o. b. i. Punch press, No. 1 Toledo, o. b. i., geared

Punch & shear, No. 3 Royersford, double end.

Punch & shear, Rock River, single end, 18" throat Punch press, No. 29 Swaine, fly-wheel, o. b. i.

Squaring shr., 30" Kutscheid No. 2. Wall radial drill, 3f Canedy-Otto No. 50.

FOR SALE BY

The O'Brien Machinery Co.,

Automatic, No. 6A, model 2 Potter

& Johnston. (2).
Die sinker, No. 2 Pratt & Whitney.
Die sinker, No. 3 Pratt & Whitney.
Die sinker, No. 4 Pratt & Whitney. Drill, 32" Aurora, motor driven, tap-

ping attachment.
Drill, 4' American, motor drive.
Drill, 26" Barnes sliding head, gear box drive.

Drill, 22" Aurora sliding hd., belt dr. Gear cutter, 12" Gould & E. Grinders, foundry, Norton heavy

duty, (2) Grinder, No. 2 Cinti univ. 12x36. Hammer, 4000 lbs. Chambersburg steam drop. Hammer, 2500 lbs. Chambersburg

steam drop. Hammer, 2000 lbs. Chambersburg, double frame, steam. Hammer, 1000 lbs. Chambersburg steam drop.

Hammer, 600 lbs. Cham'burg st. d. Hammer, 1500 lbs. Erie sgl. frame st. Hammer, 1000 lbs. Niles-Bement-

Pond, double frame. Hammer, Bement-Miles, 300 lbs. Lathe, 30"x30' Pond. Lathe, 27"x10' LeBlond, with turret attachment

Lathe, 30"x30' Harrington, Lathe, 16"x8' Cisco, h. s., q. c. g., taper.

Lathe, 18"x8' Hamilton, h. s., q. c.g., taper, (2).

113 N. Third St., Philadelphia, Pa.

Lathe, 24"x10' American, taper att. Milling machine, Newton combi-nation circular milling machine

nation circular milling machine and saw for structural work. Milling mche., No. 3 Garvin duplex, Milling mche., No. 5 Becker vert. Pipe machines, 2", 4", 6", 8" & 12" Oster, Cox, Williams, Eaton-Cole & Burnham and Jarecki makes, belt or more driving sack belt or motor driven, comp. stock.

Planer, 36"x36"x24', Bement, 4 hds. Press, No. 73‡ Bliss trimming press, with side shear. Presses, Nos. 2, 3, 4 Federal, new. Presses, Nos. 18, 19 and 20 Bliss. Press, Chambersburg motor driven

trimming Punch and shear, No. 3 Hilles & J., dbl. end, motor dr.; punch end, 42" thrt., cap. 14" thru 1"; shearing end, 36" thrt., cap. 1" plate, 24" round, 7"x14" flat, 5"x5"x4" angle.

Punch and shear, Pels combination; punching cap. 1" thick; shearing, 2" rd., 2\" squares, 6x6x\" angles. Punch and shear, 12" throat Cleve-

land, type EF. Radial drill, 5' Pond, motor driven. Saw, Newton No. 2 cold saw. Saw, Espen Lucas No. 10 cold saw.

Shaper, 24" American, Shapers, 12", 14", 16", 21" and 24" stroke, assorted makes. Shaper, 3 Bement - Miles massive

heavy duty, traveling head.

FOR SALE BY

E. L. Klauber Machinery Co., E. L. Alauber Machaery Co., Bolt cutter, Little Giant, I "cap. Bolt cutter, National, #"cap. Drill, Kokomo hi-speed, l-spindle, Drill, Sibley 20", b. g. Drill, Barnes 24", b. g., tapp. att. Drill, Barnes 34", b. g., tapp. att. Drill, 42" sens. wall radial. Grinder, B. & S. No. 11 plain. Grinder, B. & S. No. 3 cutter. Grinder, Ransom disc, 12" wheels. Hydraulic press, 24 ton.

Lathe, Barnes 12x5.

320 South Third St., St. Louis, Mo. Lathe, 16"x5' Hendey, q. c. g., t. a. Lathe, 14"x6' Prentice. Lathe, 14"x6' Prentice. Lathe, 16"x8' Monarch, q. c. g., d. b. g. Lathe, 16"x8' Lodge-S., q. c. g., d. b. g. Lathe, 16"x8' South Bend, plain chiga Lathe, 12"x8' LeBlond, q. c. g. d. b. g. Lathe, 21"x8' LeBlond, q. c. g. d. b. g. Lattle, 28 10 hvy. duty, q.c.g., d. b.)
Millers, No. 0 Burke; No. 23 Fox.
Planer, American 30" x30" x8".
Punch press, No. 2 Rockford.
Screw machines, 1" & 1\(\frac{1}{2}\)" cap.
Turret lathe, Warner & S. No. 2.

COOLEGGGGGGGH

Ĥ H

H

FOR SALE BY

Fantus Factory Locating Service. 1325 S. Oakley, Chicago METAL WODEING DIANTS

		JAK RO TV	CR ALCO ALL A	C 15 25 75 75 75 75 75 75 75 75 75 75 75 75 75	O FLAMIS.
					sacrifice; terms.
42,000 sq. ft					
75,000 sq. ft	t. Found	ry, equip	pped, v	aluable	service rights.

FACTORY BUILDINGS. 15,000 sq. ft. Indiana; \$3000 down. 31,000 sq. ft. near Chicago; \$25,000; terms. 30,000 sq. ft. on Miss. River; 4 acres; bargain.

42,000 sq. ft. Chicago; part rented; terms. 80,000 sq. ft. Indiana; I story, like new; sacrifice.

Free industrial sites! Buildings financed. Write us your requirements.

FOR SALE BY

Clinton Machinery Co., 128 So. Clinton St., Chicago, Ill.

	MACHINES.
No. 3H LeBlond univ., fully equipt.	No. 1Y Brown & Sharpe plain, (2).
No. 20 Van Norman duplex.	No. 25 Becker plain.
No. 34 Ohio plain	No. 34 For n f

No. 24 LeBlond plain. No. 0 Bristol hand miller, b. b. LATHES

18"x 8' Giddings & L., s.q.c., comp.
16"x 8' Giddings & L., s.q.c., comp.
16"x 10' Van Wyck, complete.
16"x 6' Prentice, q. c. g., complete.
16"x 6' Canedy. Otto, s. q. c.
16"x 6' Seneca Falls, draw-in, collets.
19"x 1' Sound Bend, complete.
19"x 1' Seneca Falls, draw-in, collets.
29" 1" Seneca Falls, draw-in, collets.
20" New Excelsior, b. g., p. f., w. & fd., (3).
20" New Excelsior, b. g., p. f., w. & d., (3).

4-sp. Taylor-Fenn, chain grive.
No. 12 Pratt & Whitney, 12 spindle.
No. 24* Rockford, b. g., p. f., w. & i. id.
Henry & Wright, b. b., h. s., (2).
SHAPERS 4-sp. Taylor-Fenn, chain drive. No. 24 V. & O., o. b. i. No. 3 Swaine, o. b. i. No. 4 American Can, o. b. i. 6 sp. Avey, h. s., b. b., No. 2 taper.

" Rhodes 16" Rockford, b. g. 17" Averbeck, b. g. 21" Smith & Mills, b. g. 24" Cincinnati, b. g.

17" Averbeck, b. g.
20" Gould & Eberhardt, b. g.
SCREW MACHINES.

4" Gridley "model F." motor driven, No. 1 Foster, wire feed and collets,
No. 1 Warner & Swasey, wire feed.

Arbor press, No. 5 Greenerd. Bolt cutters. 1 & 2-spindle, 1" cap. Keyseaters, Nos. 1 & 2 Davis. Oil separators. Hammer, 4A High Speed. 36" square shear, foot power,

FOR SALE BY

Herman L. Winterer.

943-53 N. Front St., Philadelphia, Pa.

43"x17' 44" Bement-Miles.
274"x14' Johnson d. b. g., q. c. f., t. a.
23"x15' Pittsburgh, heavy duty, q. e.g.
23"x15' Merican, cone type.
27"x12' Bullard.
28"x11' Wickes, q. c. g.
28"x10' 6" Walcott, q. c., d. b. g.
28"x14' Porter.
214"x16' Fellond.
20"x86" Walcott, d. b. g., c. g., (2).
10"x10' Pinner, patent head.

19"x10' Draper, patent head.

3\28" Pond, triangle. 3x36" Pratt & Whitney, hollow hex.

20x7' Bridgeport, 20", h. s. 42" Gang radial, s. p. speed box. 40" Barnes horizontal radials. (2).

26" Rockford, tapping attachment. 26" Aurora, sliding head. 25" Snyder, tapping attachment.

No. 5 Cincinnati, table 9\(\frac{1}{2}\)x50\(\frac{1}{2}\)''.
No. 5 Brown & Sharpe vertical. No. 3-B B. & S. plain, sgl. pulley. No. 3 Hendey, q. c. g.

48"x37"x9' Sellers, 2 heads, 48"x48"x12' Gray, 2 heads. 48"x48"x12' Gray, 2 heads. 42"x36"x12' Cincinnati, 4 heads. 42"x36"x14' Cincinnati, 4 heads. 29" Woodward & P., crk., gear box.

24" Bullard, rapid production.
36" Bullard, New Era type.
Boring mill, car wheel, 60" Newton.
Boring, drilling and milling machine, 174' Bement Miles horiz.
42" Bullard, 2 swivel heads, (2).

1 National, bolt, m. d. 4" Cox, pipe.

4" Williams, pipe, (2). MISCELLANEOUS. Centering mche., 4" Whiton, dbl. sp. Centering mche., 5" Whiton, dbl. sp. Cold saw, No. 6 Nutter & Barnes. Cold saw, No. 8 Nutter & Baries. Elec, hoist, 1-top Link Belt, 2ph.a.c, Grinder, 13 "x5" Landis universal. Grinder, Mos, No. 17 Besly. Grinder, No. 1 Cint tool & cut. Grinder, No. 1 Cint tool & cut. Grinder, Mos. 1 Control & Cutter. Grinders, several dbl. end electric. Hammer, 15 lb. Bradley helve. Hammer, 40 lb. Bradley, heive. Hammer, 60 lb. Hotchkiss. Hammers, 60 lb. Bellefonte upright; 2. Keyseater, Morton 18" stroke.

18"x 8 Davis. q. c., d. b. g. 18"x 7 Chard, d. b. g., semi q. c. g. 18"x6' to 8' lathes. (6). 16"x10' Whitcomb-B., semi q. c.

16"x 6" American, q.c., pan bed, t.a. 16"x 6" American, q.c., pan bed, t.a. 16"x 16" 6" Cisco, q. c. 15"x 8' Sidney, q. c., d. b. g., t. a (2). 14"x 6' Springfield, latest type, tool

room type, t. a. 13"x 6' LeBlond, geared hd., latest type.

TURRET LATHES.

19"x7' Fay & Scott, back grd. No. 22# Garvin Monitor. 14"x 6 Warner & Swasey.

DRILL PRESSES. 34" Barnes, s. h., geared feed, comp.

24" Sibley & Ware, sliding head. 24" Baker, heavy duty. 21" Aurora, b. g., p. f. MILLING MACHINES

No. 3 Becker-Brainard, new model, q. c. g., vertical attachment.
No. 5-C Becker vert., rotary table.
No. 1 Milwaukee plain. PLANERS AND SHAPERS.

9 State F. R.S. 48" Morton draw-cut shaper. 16" Potter & Johnston crank shaper. 15" Lodge & Davis shaper. 15" Potter & Johnston shaper. 14" Warren shaper.

BORING MILLS.

Boring mill, No.1 Sellers horizontal, 21" bar. Boring mill, No. 3 Binsse horizontal, 2% bar. 48" Bullard, 2 swivel heads.

PIPE AND BOLT MACHINES.
m. d.

4" & 8" Eaton, Cole & B., pipe.
6" Oster pipe, motor drive.

Keyseater, No. 4 Catlin, m. d. Keyseater, No. 4 Catlin, m. d.,
Punch presses, all sizes, (55).
Punch, No. 2 H. & J., 15" th., arch.
jaw, 14" in 1".
Punch & Shear, No. 2 H. & J., dbl.
end, 20" th. cap., 14" in 1".
Shr., No. 230 Niagara pwr. sq., m.d.
Shear, 30" Niagara, foot power.
Slotter, 14" Niles.
Stotter, 34" Rhodes vertical.
Straightening blocks, cast iron, (28).
5'x5' (297), 18" square holes. 5'x5' (297), 18" square holes. Tooth rounding mche., Schuchardt & Schutte. Large assortment of General Machinery. Send for complete Price List.

FOR SALE BY

W. P. Little Co., West 9th & Front Sta., Cleveland, Ohio

GRINDERS. No. 75 Heald internal. 8" Heald rotary surface. No. 1 B. & S. universal. No. 3 Modern universal. No. 6 Bryant chucking. No. 10 Besly disc.

contained. No. 24 Gardner vertical disc. DRILLS, HEAVY DUTY. 6"x18" Landis plain self-contained.

No. 25 Foote-Burt, single pulley. Baker type F (3).

LATHES.

14"x6' American, q. c. g. and t. a. MILLING MACHINES.

No. 5 Becker vertical. No. 10 Kempsmith hand, No. 13 Garvin. No. 0 Cincinnati plain.

POWER HAMMERS Beaudry, 50 lb.(2). Bradley 50 lb, upright compact. PUNCH PRESSES

No. 54 Cleveland straight side. E. G. 22 Ferracute, geared S. G. 55 Ferracute geared.

peared.
No. 3 Cady, Stiles pattern.
No. 3 Cady, Stiles pattern.
TURRET LATHES.
nson.
| 2*x24" Cincinnati Acme.
HYDRO-PNEUMATIC PRESS. 2"x24" Jones & Lamson

Metalwood hydro-pneumatic press, type B-33, 15-ton capacity. MISCELLANEOUS Broach, 3-A La Pointe of Hudson,

NEOUS. Slotters, 8" & 10" rotary tables. Spline miller. 2" Pratt & Whitney. Tappers, Rickert & S., vert. & hor. Wiring machine, No. 1 Magee. Cold saw, 20" Burke.
Radial, 4' Bickford, semi-universal.
Radial, 3' Bickford, cone type.

Partial list; send us your inquiries; 150 other tools in stock.

FOR SALE BY

Reliance Machinery Sales Company

1405 Brighton Road, Automatic, No. 53 Cleveland, Blower, No. 5 Champion, 64" outlet.

Blower, No. 5 Champion, 84" outlet. Blower, Amer. pressure, 461 cu. ft. Boring mill, No. 44 D. & H., floor, type, 34" bar. Boring mill, 34" Colburn, 1 head. Centering mch., 4"Whiton, s. h. 2-sp. Centering mch., 4" Whiton, 5, h. 2-sp. Drill, Baush 8-spindle, No. 3 taper, Drill, 24" Hoefer, sliding head. Drill, 36" Snyder, sliding head. Drill, Model "P" Turner auto. tur. Gear cutter, 36" x10" G. & E., s. p. d. Grinder, Oliver drill, 4" cap., m. d. Grinder, WPL. New Vankee, cap. 24". Grinder, 12" x20" Modern plain.

N. S. Pittsburgh, Pa. Miller, No. 1 Knight drilling. Miller, No. 1 Knight drilling.
Miller, No. 14 American plain.
Miller, No. 2 Cincinnati, plain, v. a.
Miller, No. 14 Am. univ., new.
Miller, No. 14 Am. univ., new.
Miller, No. 2 Brown & S., universal.
Miller, model "C" Becker, vert.
Millers, Sellers, Lincoln type, (2).
Miller, model" "H"Becker, mg, type,
Pipe machine, B, & K., #"to 2" m. d.
Pipe machine, 8" Cox, ap. 24" to 8".
Pipe machine, M"cox, ap. 24" to 8".
Pipe machine, M"cox, ap. 24" to 8".
Pipe machine, M"cox, ap. 24" to 8".
Press, 13-ton Lucas forcing.
Press, 30-ton Lucas forcing.
Press, 30-ton Lucas forcing. Press, No. 62 Bliss, o. b., f. w. Press, Ferracute DD2, o. b. i., cam, Press, No. 10 Bliss reducing, 4" str. Press, No. 54 Toledo trimming. Press, No. 34 Toledo trimming. Punch, Royersford d. e., cap. 1"x4", arch. jaw, 18" throat. Punch, Wickes, 48" thrt.,cap. 14"x1". Radial drills, 4" & 5' Prentice plain. Radial drill, 5' American plain, t. a., motor drive. Radial drill, 6' American pl., belt dr. Reduction gear, Foote, 50 to 1. Saw, American metal swing, m. d. Shaper, 20" Steptoe b. g. crank. Shaper, 24" Cincinnati b. g. crank.

i

1

1

N

26

N

N

2' 24 E

26 2' e

r

No To No No. No.

No. No. No.

No. No.

20". High

No.

Cent

Our warehouse is full of bargains. What have you for sale?

FOR SALE BY

The Strong, Carlisle & Hammond Co., Cleveland, O., Detroit, Mich. ENGINE LATHES.

14"x 6' LeBlond, l. c. g. and chuck. 14"x 6' Hamilton. 14"x 6' Bradford, c. r., q. c. g. 14"x 6' Porter, compound rest and

taper attachment, l. c. g. 16"x 6' South Bend, compound rest,

complete. 16"x 8' Hendey Old Style, c. r. and

t. a., q. c. g. 16"x 8' Bradford, c. r., loose change gear.

16"x 8' Monarch, compound rest, standard pattern.

16"x 8' Lodge & Shipley, old style, compound rest, q. c. g. 18"x 8' Prentice, compound rest,

l. c. g., chuck.

18"x10" Star, 4-s. c., s. g., with 18"

4-jaw ind. chuck.

24"x12" Lodge & Shipley, patent hd.,

compound rest, q. c. g., arranged for constant speed motor drive.

TURRET LATHES AND SCREW MACHINES.

No. 4 W. & S. g. f. h. universal turret screw machine. 26" Gisholt heavy duty turret lathe. 2"x24' Jones & L. g. h. flat turret. No. 00 Brown & Sharpe auto., (2).

No. 0 Brown & Sharpe auto. (2). No. 4 Warner & Swasey, p. h., a. c.

and b. f. No. 2 Warner & Swasey, p. h., a. c. and b. f.

No. 4 Warner & S., g. f. h., a.c. and b. f.

No. 3 Foster g.f.h. turret screw mch.,

with p. f. carriage and turret.
No. 55 Nat'l Acme 4-spdl. auto...(3).
2½" Cleveland model "A" auto.
screw mch., with 5-hole turret.
1½" Cleveland model "A" auto.

screw mch., with 5-hole turret. 18" Libby, factory rebuilt. No. 2-G Brown & Sharpe auto-

matics (2). No. 2 Brown & Sharpe turret forming (2).

DRILLING MACHINES.

2' Arm Gang plain radial with tapping attachment. 24" W. F. & J. Barnes, sliding head, back geared and power feed.

Aurora, sliding head, back gear-

ed and power feed. arm Fosdick & Holloway plain radial, with t. a.

7" No. 1 Allen single spindle ball bearing, (2).

4-spindle Leland & Co. h. s., b. b. 14" 3-spindle Henry & Wright, h. s ..

b. b. 14" 4-spindle Henry & Wright, h. s., b. b. No. 3 Brown & Sharpe vertical, taper

MILLING MACHINES.

No. 0 Bickett, hand, bench type (3). Toledo hand milling machines. No. 1-B K. & T. "Milwaukee" plain, constant speed drive. No. 1 Brown & Sharpe vertical.

No. 22 Garvin vertical, with circular milling attachment. No. 1-Y Brown & Sharpe plain.

nose spindle.

No. 4 Brown & S., cone drive univ.

GRINDERS. No. 1 Brown & Sharpe universal. No. 3 Brown & Sharpe universal. No. 2 Brown & Sharpe surface, (2). No. 10 Brown & Sharpe plain.

No. 6-A Bryant internal.

No. 1 LeBlond cutter grinder. Type "DE" Hisey-Wolf internal. No. 11 Brown & Sharpepl, grinders. Plain emery wh'l stand with column.

SHAPERS AND PLANERS.

20" Hendey friction, (3). 22"x22"x 5' Putnam planers (2). 38"x38"x14' Pond, 2 heads. 20" Smith & Mills crank.

METAL CUTTING TOOLS AND SQUARING SHEARS.

No. 6 Cockrane-Bly. Higley cold saw.

GEAR CUTTERS AND HOBBERS.

26" No. 3 Brown & Sharpe auto. No. 18 Gould & Eberhardt vertical, No. 12 Brown & Sharpe, bevel. for spur & spiral.

CENTERING MACHINES.

Centering machines, single spindle Cadillac, (2).

FOR SALE BY

J. P. Rentschler & Co.,

Press, No. 30 Bliss arch, 3" stroke fw. Press, No. 12 Bliss, toggle drawing. Presses, Nos. 18, 18-C, 19 & 20 Bliss,

Press, No. 35 Swaine, o. b. i. Press, No. 3 R. & K. o. b. i., 4" str. Press, No. 1-P R. & K., o. b. i.

6722 N. Maplewood Ave., Chicago Press, No.51 Toledoarch,6" str., grd. Presses, Nos. 164 & 165 Toledo tog. Press, No. 165 Consol. dbl. crank.

Seamer, No. 12 McDonald auto. Square shear, No. 30 Niagara, power. Thread roller, No. 123 Bliss.

Can machinery, seamers, slitters, etc. Send inquiries.

FOR SALE BY

The Reeve-Fritts Co., 558-560 W. Washington Blvd., Chicago, Ill.

Drill, 4-spindle Barr. Drill, 4-spindle Barr.
Drill, 2-spindle Dwight Slate.
Drill, 18" Champion post, belt drive.
Engraving machine, No. 1 Gorton.
Gear shaper, 5"x38" Fellows.
Lathe, 9"x2" Yundstrand prod.
Lathe, 9"x2" Ferrer-Cable prod.
Lathe, 18"x5" Hendey, q. c. s.
Lathe, 18"x5" Hendey, q. c. s.
Miller, No. 1 Bickett, vertical.

Pipe mch., 2" Chicago, motor dr. Pipe machine, 6" Merrell. Pipe mach., 12" Forbes. Polishing machine, type F prod. Polishing machine, type A prod.
Polishing machine, type A prod.
Press, No. 3-A R. & K., o. b. i.
Press, P. G. 5 Ferracute.
Screw machine, No. 6 Foster.

FOR SALE BY

Jones Machine Tool Co.,

LATHES 16"x 6' LeBlond, q. c. g. d. t. a. 18"x 6' Hendey, q. c. g. & t. a. 18"x 10' Reed, l. c., t. a. 18"x 10' Reed Prentice, grd. head. 20"x 10' Lodge & Shipley, q. c. g. 20"x 16' Lodge & Shipley, q. c. 30"x 16' Lodge & Davis. 38"x 30' American, g. c. g. 38"x 30' American, g. c. g. MILLING MAHLING MARLING Have Haven, triple geared. MARLING MARLING Have frage and the second of the se

No. 28 Becker,
No. 3 Cincinnati plain,
No. 4 Cincinnati plain,
No. 5 Le Blond plain, s. p. drive.
No. 5 Le Blond plain, s. p. drive.
3' Foodick radial, s. p. drive.

7' Niles, cone drive,
72" Niles, cone drive,
72" Niles, cone drive,

72" Niles, cone drive. 72" Dreses, motor drive. 72" Dreses, motor drive.
22" Cincinnati b. g., power feed.

No. 2 Niagara. No. 19 Bliss, o. b. inclinable. (3). No. 2 Consolidated, o. b. inclinable. No. 2-C Consolidated, o. b. inc. No. 6 Whiting, single end

PLANERS AND SHAPERS. 24"x 6' Powell 1 head. 30"x 6' Gray, 2 heads. 48"x36"x12' Cincinnati, 2 heads.

Bolt cutters, 14" & 1" Acme.

Bolt cutter 24" Landis, lead screw.

Boring mill, 42" Bullard.

Boring mill, 10" Niles.

Reving mill, 10" Niles. Boring mill, Fosdick 3" horizontal. Chain hoists, various sizes, (50).

Gear hobber, 24" S. & S

Write for Stock List, containing about 300 items.

Screw mche., No. 3 Foster, pr. fd. Front & Pike Sts., Cincinnati, O.

No. 12 American plain,

6645

3

30" Cincinnati, sliding head, t. a. 42" Bickford, stationary head.

No. 6 Long & Allstatter. No. 3 Bliss double crank, 36" between housings.

16" Smith & Mills shaper. 25" Smith & Mills, b. g. 24" Kelley. MISCELLANEOUS

Grinder, 10x50 Norton. Grinder, No. 6 Besly disc. Grinders, No. 60 Heald, cyl., (3). Grinders, LeBlond and Cinti. cutter. Hammer, steam, 800 lb. Niles. Millers, hand, (6). Slotter, 10" Niles vertical.

FOR SALE BY

A. F. Strafer. 30 Church St., New York City BORING MILLS, VERTICAL

10'-16' Niles extension type, b. d. 14'-20' Betts, extension type. 90" Niles, friction feed, b. d. 90" Niles, tricked duty. 100" Belts, heavy duty. BORING MILLS

6" bar, Bement Miles, floor type, 5" bar, Sellers, floor type, m. d.

7' Baush tapping attachment. 6' Reed Prentice, latest, gear box. 6' Reed Frende, a., belt drive. GRINDERS

18"x96" Norton pl., arr. for motor dr. 10"x72" Norton plain, overhead, belt drive, complete equip. 6"x32" Norton plain.

1500 lb. N-B-P. steam hammer. 600 lb. Erie steam hammer. 500 lb. Chambersburg, steam

Gisholt 24" modern, motor drive. B. & O., 4\(\frac{1}{2}\)" cap., bar equipment. Jones & Lamson, 3\(\frac{1}{2}\)"x36" bar equipment.

60"x40' Fifield, b. d. 48"x40' Bridgeport, g. h., q. c. 52"x24' Putnam, triple grd., belt dr. 26"x16' N.-B.-P., new, triple geared. 30"x20' Fitchburg, belt drive.

Ingersoll 30"x8', 2 heads. No. 3-B Brown & S. hvy, plain, No. 2-Y Brown & Sharpe, plain.

Niles-Bement-Pond modern electric

Alligator, No. 4 Doelger & K., 5"cap. No. 17 Williams & White, 34" tht. No. 6 Hilles & Jones, 72" thrt., m.d. No. 5 Hilles & Jones, 48" t., m.d.

Newbold straightening 72" and 66 20" Hilles & Jones, cap. 1" plate,

Core wire straightener, 1" to 5/16". Crane, 15 ton Brown hoist Locomotive.

Hydraulic forging press, 1200 tons,

84" Bickford, belt drive.

84" Bickford, belt drive. 53" Niles-B.-P., rapid traverse, d. 42" Bullard, rapid traverse, m. d. 60" Bullard, belt drive. HORIZONTAL.

6" bar, Niles, knee type. 5" bar, Barrett cylinder. DRILL PRESSES.

310 Baker, heavy duty. 26" Kern, upright, s. h. & b. g. 3-spindle, Allen, h. s.

20"x120" Landis. No. 11 Brown & S. plain, 6"x32". No. 1 Landis universal, belt drive.

Face grinder, Bridgeport 36"x8'. HAMMERS.

No. 4 type "I" Nazel, motor drive. No. 4-B Nazel hammer, motor drive. No. 3-B Nazel, arranged motor dr. TURRET LATHES

Greenlee 2\frac{1}{2} x26", chuck equip. Steinle 24", new. Bardons & O., No. 4, wire feed. bar equip. Bardons ENGINE LATHES

36"x14' Lodge & Shipley. 36"x20' New Haven. 24"x12' Prentice, geared head. 17" and 19"x8' LeBlond, h. d., q. c.

MILLING MACHINES. Mo. 2-B Brown & Sharpe, heavy. Mfg. type, B. & S. heavy No. 13. Newton slab, 42"x15' table. PLANERS

36"x36"x 8' G. A. Gray, 2 hd., b. d. 36"x26'-16' and 14' heavy. 120"x144"x25' Sellers. 120"x144"x25' Niles, motor drive. 72"x22"x30' Sellers. 43"x48"x16"Woodward-Powell,4 hds. 30"x 8' D. & H. openside.

No. 4 H. & J., dbl., 48" thr., m. d. Cleveland type X, 60" throat, Angle shear, H. & J., 6"x1" cap. Rotary, Gray No. 1-3/16" cap.

10" Southwork, cap. 13" plate, 7' Sellers, cap. \$" plate. MISCELLANEOUS.

Lathe, Lo-Swing 8"x9'. Plate planer, 25' H. & J. No. 6. Slotter, 18" Bement Miles. Tapping attachment, I" Errington.

WHEN YOU INQUIRE of advertisers won't you kindly tell them where you saw it? Just say "Hitchcock's List;" that will be sufficient. They like to know what produces their inquiries, and the publisher is very auxious to have them know it.

FOR SALE BY

	o. 3 Fox Street, Bridgeport, Conn.
24" Bullard, chuck, table, serial over !	\$1650, rapid traverse (2), each
No. 11 Natco multiple, 7-spdl. \$ 375. No. 12 Natco multiple, 12-spdl. 1250. No. 13 Pratt Whitney 12 spdl. 900.	Radial, 3' Carlton, tap. att. (2)\$ 450. Radial, 4' Hammond, tap att. 575.
No. 1 Brown & Sharpe univ\$ 475.	No 2 Taft-Pierce univ, 575.
250 b. Beaudry Champion\$ 550. 600 b. Bliss board lift	600 lb. mod. D. Billings Spenc. \$ 750, 1500 lb. mod. C. Billings Spenc. 1500.
14"x6' Hendey, yoke head, re- built, (10)	32"x18' New Haven, 95\(\pi\) new \(.\pi\)1500. 42"x12' Bridgeford, geared head motor drive \(\)1750.
No. 6 Whitney, hand, (4)	No. 2 Garvin duplex, rebuilt \$ 575. 10-No. 2 B. & S.plain 380.
No. 61 Bliss (3) \$ 250. MISCELL	No.59 Toledo,s.s.,s.a.,dbl.gear\$3500.
Gear cutters, 4" Waltham, (5).\$ 500. Gear cutter, No. 4 B. & S 800. Header, No. 2W tby.,fl.,d.s.,s.d. 780.	Riveter, No. 80 Grant, new \$ 110. Shear, 836 Niagara, pwr. sq 525.

FOR SALE BY

HILLILIEFFOGGGG GGG GHHHHKLLLL

SI yo mi

TOR SALL SI	
Scott-Bansbach Machinery Co., . 130 S. Clinton St., Chicago, Il	n.
Automatic screw machine, Brown & Sharpe No. 19, (4) each. \$5. Automatic screw machine, Brown & Sharpe No. 09, slotting. 50. Automatic screw machine, Brown & Sharpe No. 60, no slotting. 50. Automatic screw machine, Brown & Sharpe No. 6, no slotting. 50. Automatic screw machine, Brown & Sharpe No. 2, no slotting. 50. Bolt cutter, 2" double head Detrick & Harvey (2). 50. Bolt Cutter, 2" double head Detrick & Harvey (2). 50. Sharpe No. 2 no slotting. 50. Bolt cutter, 2" double head Detrick & Harvey (2). 50. 50. 50. 50. 50. 50. 50. 50. 50. 50	10. i0. i0. i0.
Drill presses, No. 310 Baker heavy duty, (5), each	
Drill press, 24" Minster heavy duty	0.
Drill press, 36" Aurora, sliding head	0.
Grinder, No. 2 Brown & Sharpe, surface	0.
Grinder, Detroit centerless No. 4B, 2 years old	
Header, [" Acme (Chapin) clutch 35	0.
Lathe, 16"x8" Bradford complete tool room equipment including re-	
lieving attachment	
Lathe, 14"x8' Hendey, with taper and chuck	
Lathe, 18"x8' Prentice q. c. all g. h., s. p. d. with chuck	
Lathe, 18"x8' South Bend std. change. 37. Lathe, 18"x8' Carroll, quick change, d. b. g., 2 chucks. 45.	
Miller, No. 2 Cincinnati plain	
Miller, No. 2 Kempsmith plain, quick change	
Miller, Ingersoll slab 42x36x8	0,
Press, geared, No. 8-M American Can, 3" str., 25000 lbs., tie rod const. 2000	0.
Press, No. 5 Bliss Stiles, geared	
Punch, 48" throat Kling, one through one	
Saw, No. 1 Cochrane & Bly cold saw ,with 2 saw blades	
Shaper, 7" Rhodes vertical	
Shaper, 7" Rhodes horizontal23	
Shaper, 16" Gould & Eberhardt back geared crank	
Shaper, 26" Kelly, b. g. crank, heavy duty	

FOR SALE BY

Marr-Galbreath Machinery Co., Air compressor 4"x5" Caldwell, 2 cyl. Air compressor, 7x7 Curtis, 108 cu.

Air compressor, 7a7 Curtis, 108 cu. ft., m. d., Air tank.
Angle & bar bender, No. 9 Buffalo.
Arbor presses, No. 1 Atlas (5).
Band saw. 28" Atlantic, (wood).
Blowers, pos. pressure, 5" outlet.
Bolt cutter, 1" 18", 2", 3" & 4.
Bolt cutter, 14" Reliance, dbl. head.
Bolt cutter, 12" Arme, 3-spindle.
Boit cutter, 2" Landis, 1-spindle.
Boring mill, Rockford, 7" bar.
Boring mill, 42" Bullard, 2 heads. Boring mill, 42" Bullard, 2 heads. Bulldozers, Nos. 4, 5 & 7 W. W. Bulldozer, No. 7 Ajax. Crane, 40-ton Morgan, 67' span, 4

Grane, 49-ton Morgan, 67' span, 4 motors, 220 volts. d. c., new. Drill, radial, 5' Prentice, t. a., m. d. Drill, 8-sp. Baush, rd. hd., belted. Drill, heavy gang, 4-sp., 12' table. Drill, 22' Aurora upright. Drill, 29' Sluver, b. g., fg. 62. Drill, 22' Marora upright. Drill, 30' Slarnes, sliding hd., b. g. Drill, radial, 4' & 5' Western, m.d. Exhausters, No. 8 Buffalo. Forging mch., 14' Acme, iron bed. Forging mch., 14' Acme, iron bed. Gear cutter, No. 11 universal Dwight Gear cutter, No. 11 universal Dwight Gear cutter, No. 14 universal Dwight Gear cutter, No. 15, & C., auto. 1xl'. Generator, 100 k.w., 240 v., d. c., connected to horiz, steam engine. nected to horiz, steam engine.

Grinder, No. 60 Heald internal. Grinder, disc, 18" wheels, opposed. Grinders, No. 1 Cincinnati universal, cutter and tool.

Grinder, Yankee drill, style A.
Hack saw, Acme, 18" blade.
Hammer, 100 lb, single fr., steam.
Hammer, 2000 lb, Erie, single frame. Hammer, 2000 b. Erie, single frame, Hammer, 2000 bb. Bradley, Keyseater, 31" Motton, cap. 29". Lathe, 38"x16" New Haven. Lathe, 28"x12" Fay & Soc. g. Lathe, 20"x10" Rahn-La., q. c. g., t. a. Lathe, 20"x10" Rahn-La., q. c. g., t. a. Lathe, 18"x 8" Lodge-S., g. h., for m.d. Lathe, 18"x 8" Lodge-S., g. h., pan, Lathe, 18"x 8" Lodge-S., g. h., pan, Lathe, 18"x 8" Fraithrd, pl. change, Lathe, 16"x 6" Fraither, taper att., ch. Lathe, 18"x 8" South Bend, change, Lathe, 14"x 6" South Bend, change, Lathe, 14"x 8" Reed-P. g., h., s. p. d. Lathe, 13"x 8" Reed-P. g., h., s. p. d. Lathe, 13"x 6" Reed-P. g., h., s. p. d. Lathe, 14"x 6" Reed-P. g., h., s. p. d. Lathe, 14"x 6" Reed-P. g., h., s. p. d. Lathe, 14"x 6" Reed-P. g., h., s. p. d. Lathe, 19"x 6" Reed-P. g., h., s. p. d. Lathe, 19"x 6" Reed-P. g. h., s. p. d. Lathe, 19"x 6" Reed-P. g. h., s. p. d. Lathe, 19"x 6" Frentis, f-rest.

Lathe, speed, 11"x4' Prentiss, t-rest. Lathe, dbl. end, 32" swing for motor.

58 Water St., Pittsburgh, Pa.

Lathe, 28"x12' Fay & Scott, cheap. Lathe, 42"x22' Bridgeford, m.d.g., h. Miller, No. 3 Fox, hand 24"x6"x144". Miller, No. 0 Fox, hand 24"x6"x15". Miller, Hendey Lincoln No. 28. Miller, Knight duplex, tib. 91 x32". Miller, Kn. 0 Kempemith universal.

Miller, vertical No. 0 & 1 Bickett. Miller, vertical, Becker "C". Miller, vertical, Becker Miller, bench, No. 3 Burke. Millers, vert. Nos. 2 & 4-B Becker. Miller and driller. No. 2 Knight vert.

Millers, hand, Whitney, (2). Motor, 3t h. p., 220 volts, d. c., 459/1800 rev.

Oil separators, 1 and 2 bu, capacity. Pipe machines, 8", 6", 2" Oster. Pipe machine, 6" Jarecki, s. p. d. Planer, 92"x24"x36", 3 New H., 1 hd. Planer, 24"x24"x 5' New H., 1 hd.

Planer, 24"x24"x 5' New H., I hd. Planer, 48"x48"x16' belt or motor. Press, No. 18 Bliss, o. b. i. plain. Press, No. 1 Toledo, o. b. i., for mtr. Press, No. 10 Bliss o. b. i., bench. Press, No. 11 Perkins, pl. trim., 4"str. Press, No. 59 Toledo, side shear, m.d. Press, No. 82 Consolidated horning. Press, No. 52 Consondated northing-Punches, Nos. 51 & 55 Beloit, Punch, No.124-A Niagara, 15"t., 2x1". Punch & s., No. 6 L. & A. 6" thrt., d.e. Punch & s., No. 3 L. & A.18"thrt., s.e.

Punch & s., E F Cleve. 36" thrt., s. e. Punch & s., No. 2 H. & J. 20" thrt., s. e. Punch, structural, steel pl. for coping

Punch, atructural, steel pl. for coping Riveter, 2" Shuster, style Shuster, style A. Riveter, 80-A Grant, cap 4". Riveter, 81-B. Blade. Saw, Saw, cold, No. 18 Wagner, 16" saw, Saw, cold, No. 18 Wagner, 16" saw, Saw, cold, No. 18 Higley, 14" saw, Serew machine, No. 2P. & W., p. f. Shaper, 24" G. & E. old style, good. Shaper, 16" G. & E. old style, good. Shaper, 16" Cincinnati, b. g. crank. Shaper, 12" P. & W., single geared. Shaer, 10" Shaper, 12" P. & W., single geared. Shaer, Old, Shaper, 18" Shaer, 19" Shaper, 18" Shaer, 19" Shaper, 18" Shaer, 19" Shaer

Shear, 18" gap, capacity 80"x16 ga.,

Bertsch. Turret, 24" Gisholt, 64" h. s., t. a. Turret, 28" Gisholt, t. a. Turret, ver. 30" Bullard & Colburn, Turret, vert. 30" Bullard & Colburn, Turret lathe, 2x24" J. & L. Turret lathe, No. 1 Bardons & O. Turret lathe, 18" B. & O., fr. hd. Turret lathe, P. & W. bench, Valve tapper, 4" Fottstown, 3-w.,m.d.

SHOULD YOU FAIL TO FIND-the exact machine or equipment you need, use the enclosed blank or write on your own stationery and mail it to Hitchcock Publishing Co., 508 S. Dearborn St., Chicago. shall be glad to broadcast your wants to all our advertisers free of charge.

FOR SALE BY

Bennett Machinery Co.,

Brake, 8' Robinson, 18 gauge. Friction saw, No. 3 Ryerson, d. c. Lathe, 36/60"x12' Harrington, gap. Lathe, 30/52"x12' removable gap. Lathe, 40"x12' Putam, triple grd. Lathe, 20"x15' Reed, 11' centers.

30 Church St., New York City

Lathe, 24"x10' LeBlond, quick chg. geared, taper. Punch and shear, No. 2 L. & A. double end, 24", 1" thru 1", \$1000. Radials, 6' Pond, 4' Dreses. Shaper, 24" Cincinnati, 48" Morton.

FOR SALE BY

Schmitz & Co.,

Bolt threader, Geometric, ¶" cap. Drill presses, 20" & 25" b. g. & p. f., Farrell 14"x24", stroke 8", Ferracute No. 3 & D52; multiple punch, hand 7/16" thru ¶", kick press and arbor presses.

Lathe, wood turning, lot of extras.

35 S. Clinton St., Chicago, Ill.

Hack saws, 6"x6" Racine, No. 1 Marvel, No. 2 Robertson, 6"x6", Lathes, L. & S. 30"x26', and Flathers 14"x6

Punch presses, double crank, 24"x36".

1

37

CARL

3'

20

23

22 32

Ne 10"

10"

30"

No 5"1 Sch

No No.

Ace Air

Bel Bol

Bor

Eye

Fur

Fun

FOR SALE BY

Henry Prentiss & Co., 149 Broadway, New York, N. Y.

Bolt cutter, 2" Acme, double head. Bolt header, 2\(\frac{1}{2}\)" Acme. Boring mill, 2\(\frac{1}{2}\)" Bullard, New Era.

Boring mill. 42" Bullard, power rapid traverse. Boring mill, 102" Poole. Boring mill, 5" bar Barrett pornig mili, 3" bar Barrett.
Broaches, Nos. 1, 2, 3 & 4 Lapointe.
Drill, No. 1 Avey, ball bearing.
Drills, 24" & 32" Cincinnati.
Drill, No. 28 Foote-Burt high speed,
ball bearing.
Drill, 3" Morris radial.
Drill, 5' Dreses radial.
Drill, 15' Lund, Expendent (1971).

Drill, 11' Lynd-Farquhar (wall). Drill, No. 30 Natco multi spindle. Drill, No. 13 Natco multi spindle. Drill, 26" Barnes all-grd., 4-spindle. Gear cutter, 6" Gleason generator. Gear cutter, 36" Gould & Eberhardt,

Gear cutter, 36 Gould & Eografiat, spur & bevel.
Grinders, 8'-6"-10" Norton plain,
Grinder, 12" Cincinnati universal.
Grinder, No. 2 Natco cutter & tool.
Grinder, No. 69 Heald cylinder.
Grinder, No. 22 Heald surface.
Grinder, W. Part & W. surface.

Grinder, 14" Pratt & W. surface. Grinder, No. 6 Besly disc.

Boston, Buffalo, Hartford, Rochester, Syracuse.

, 2" Acme, double head.
r, 2#' Acme,
l, 24" Bullard, New Era.
l, 42" Bullard, power rarse.
l, 6" bar Harrett.
l, 8" bar Harrett.
l, 8" bar Harrett.
l Awey, ball beating.
l Lathe, 2" x lof Lodge & Shipley.
Lathe, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof American, 2" x lof Lodge & Shipley.
L Lathe, 2" x lof Lodge & Shipley.
L Lathe athe, 26"-44"x16' McCabe, dbl., sp. Planer, 36"x10' Flather. Planer, 36"x10' Flather. Planer, 36"x10' Woodward & P. Planer, 36 x10 Woodward & P Planer, 48"x12" Powell. Planer, 48"x36"x12" Cincinnati. Planer, 60"x44"x12" Pond. Planer, 72"x54"x20" Pond. Presses, Nos. 2, 4 & 5 V. & O. Screw machines, auto. \$", 3\$", 4\$"

Gridley. Screw machines, auto. I", I", 11", Strew machines, auto. 2, 2, 1, 1, 2, 2, 2, 3, 6, Cleveland.
Shapers, 16", 20" & 24" Cincinnati.
Shaper, 20" American.
Turret machines, 14", 24", 34" Acme,
Turret machines, 24" & 34", 1, & L.

Partial list only; send inquiries.

New and Used Wood-Working Machinery

For a large list of new and used wood-working machinery, consult the Wood-Working Machinery List, a publication similar to this but devoted to the advertising of wood-working and any-mill machinery and equipment.

A copy may be had free of cost on application to the publisher, Hitchcock Publishing Co., 508 S. Dearborn St., Chicago, Ill.

FOR SALE BY

M. A. Wertman Mchy. Co., 505 Superior Bldg., Cleveland, Ohio

Bolt cutter, 1\(\frac{1}{2}\)" Landis double, with lead screws, excellent condition. Broach, No. 3 J. N. Lapointe hydraulic, perfect condition.

Brinnell testing machine, Olsen, bench type hydraulic. Brinnell testing machine, Usen, bench type hydraunc.
Drills, 10" Rockford, bench type, 100% new, (2).
Drill, No. 310 Baker, heavy service, 90% new.
Grinder, model A 6"x20" Fitchburg, plain, 90% new,
Miller, No. 1½ Garvin duplex, excellent condition.
Millers, hand, Miller & Crowningshield, power feed, (2) excellent.
Planer, 30"x30"x12" Detrick & Harvey openside.
Screw driver, Reynolds automatic, excellent condition.
Spline miller, P. & W. 4", excellent condition.

FOR SALE BY

Wm, C. Johnson & Sons Machinery Co.,

1211-1223 N. 12th St., GEAR CUTTERS.

30" Flather, spur. No. 1 Schuchardt & Schutte. 42" Gear hobber. No. 1 Farwell hobber

No. 1 Pratt & Whitney, (2). No. 2 Wood tilted turret. No. 3 Wood tilted turret.

No. 4 Wood tilted turret.

3' arm Canedy-Otto post drill.

20" Champion. 23" Barnes. 22" Barnes sliding head.

24"x24"x 6' Powell. 32"x32"x10' Cincinnati, 2 heads.

No. 12 Brown & Sharpe, No. 12 Knight vertical. No. 3 Oesterlein plain.

No. 3 Cincinnati plain.

10"x 5' Star bench, t. a. 15"x 6' Monarch, q. c. g. 17"x 7' Oliver heavy duty.

10"x30" Webster & Perks, univ.

30"x84" Diamond face, No. 1 Fraser surface, 5"x18" Ott.

Schmidt auto. cylinder. No. 31-7" swing Stark bench lathes. No. 41-9" swing Stark bench lathes.

Acetylene generator, 100 cu. ft. cap. Air compressors, (16) Belt lacers, 9" & 12" Peerless. Bolt cutter, 1" Landis.

Boring mche., hor., No. 2 P. & H. Bulldozer, 75 ton Lourie hydraulic. Eye bender, No. 2 Williams-White. Furnace, 400 lb. Hausfeld non-crucible brass melting.

Furnaces, Stewart cyanide hardening Keyseater, No. 2 Mitts & Merrill.

obber.

SCREW AND TURRET MACHINES.

Phitney, (2),
ed turret.
dt urret.
No. 6 W. & S., friction head,

2#" Greenlee. Acme Fox monitor lathe.

DRILLING MACHINES.
st drill.

24" Aurora.
32" Mechanics, sliding head.
34" Bickford, sliding head. 4-spindle Allen, h. s. PLANERS.

36"x36"x10' Flather, 2 heads. 48x48x14 Pond. MILLING MACHINES

No. 12 Kempsmith. No 25 Becker. Owen duplex.

LATHES.

| 26"x12' Putnam.
| 44"x24' Pond, triple geared.

GRINDERS. No. 50 Gardner, disc.

No. 16 Brown & Sharpe plain. 8" Heald rotary, magnetic chuck. Washburn twist drill grinder.

PRECISION TOOLS. No. 3 Langelier swaging machine. No. 1 Dayton swaging machine. MISCELLAN EOUS. Metal saw, Espen-Lucas 31".

Post hammer, Pettingell. Post hammer, Pettingell,
Presses, No. 19 Bliss, (2),
Presses, No. 19 Bliss, (2),
Presses, No. 20 Bliss, (2),
Punch, No. 7 Long & A., 4" throat.
Riveter, Shuster, model A., \$".
Taper rolling mche., No. 2 Hess.
Tapping machine, No. 1 Garvin,
Turret machine, 2 Garvin,
Turret machine, 2 Garvin,
Wheel press, 9", 300 tone.

FOR SALE BY

Severin-Tripp Machinery Co.,

Boring mill, 53" Niles.
Boring mill, 12" Niles, m. d.
Boring mill, 12" Belts.
Brake, 8' Ohl, 16 gauge.
Craue, 5-ton, 45' span, 140' runway.
Crane, 5-ton, 53' span, 170' runway.
Gear cutter, 36x9 Gould & Eberhardt.
Grinder, Knie, 120". Grinder, knife, 120".
Hammers, Noa. 3B & 4B Nazel.
Hammer, 460 lb. Chambersburg.
Lathe, 18", 46 Champion.
Lathe, 24"x12" Prentice, geared hd.
Lathe, 39"x12" American.
Lathe, 39"x12" Bridgeford.
Lathe, 43"x12" Bridgeford.
Lathe, 42"x2" Bridgeford.
Lathe, 42"x2" Bridgeford.
Lathe, 42"x3" Bridgeford.
Lathe, 18"x3" Bridgeford.
Lathe, 18"x3" Bridgeford.
Lathe, 19"x3" Bridgeford.
Lathe, 19"x3" Bridgeford.
Lathe, 19"x5" Bridgeford.
Lathe, 19"x5" Bridgeford.
Lathe, 19"x5" Bridgeford.
Lathe, 19"x5" Bridgeford.
Lathe, 25"x5" Bridgeford.
Lathe Grinder, knife, 120

25 Church St., New York, N. Y.

Pipe machines, 6" & 8" Saunders.
Pipe machines, 4" Bigmall & Keeler.
Pianer, 38"x18 Pond. m. d., d. c.
Planer, 38"x18"x28" Pond.
Planer, 42"x28" Pond.
Planer, 42"x27"x30" Sellers, b. d.
Punches, No. 4 Hilles & Jones, 48" throat, (2) Punch, No. 4 Hilles & J., dbl. end. Radial drill, 30" Gang. Radial, 3' Bickford. Radial, 6' Bickford. Riveters, Hanna, (3). Rotary planer, Cleveland, Shaper, 24" Steptoe. Shear, No. 60 Quickwork. Straightening rolls.
Turret lathes, 21" Gisholt, (2).
Upsetter, Acme B., 1\(\frac{1}{2}\)" cap., m. d.

FOR SALE BY

The Hess-Schenk Company, 3868 Hamilton Ave., Cleveland, O. DRILL PRESSES

14" Allen, plain bearing.
20" Davis, with p. f.
26" Barnes, sliding hd., b. g., p. f.
4' Hammond, h. s., b. b. radial, with

tapping attachment. 4-spdl. 14" Leland, h. s., b. b. sens.

4-spindle 14" Avey h. s., b. b. sens.
4-spindle 14" Henry & Wright model
K., h. s., b. b. sensitive.
4-spidl. 20" Barnes, stationary head, power fd. to spindles, 14x60 table. PRESSES.

No. 54 Toledo straight sided geared press, 8" stroke. No. 5 Greenerd arbor press. AUTOMATICS AND TURRET LATHES.

No. 4 Warner & Swasey universal turret lathe, with equipment. No. 515 National Acme automatics. No. 53 National Acme automatic, with motor drive.

2" Model B Cleveland automatic, 18" feed. MILLING MACHINES

No. 6 Whitney hand miller. No. 11 Hendey plain, cone type, No. 2-A Becker vertical. back geared. No. 1-B Kearney & Trecker univ. No. 2 Cleveland, sgl. pul. dr., univ. GRINDERS.

6x32 Norton plain cylindrical. 10x52 Landis pl. cylindrical grinder, No. 205 Rivett radial grinder.

self-contained countershaft. No. 1 Brown & Sharpe universal PLANERS AND SHAPERS. 24" Averbeck back geared crank shaper. 24" Hendey friction geared shaper.

24x24x6 G. A. Gray planer, one head on rail. 30x30x6 G. A. Gray planer, one head on rail, one head on right hand side housing.

LATHES 16"x 8' Van Wyck, compound rest. 30"x12' Draper, compound rest. 7x32 No. 3 Cataract bench. 7x32 No. 3 Catalana 12"x 5' Seneca Falls, c, r.
MISCELLANEOUS

Bolt cutter, 4" Landis, double hd.
Bolt cutter, 14" Acme.
Boring, drilling & milling machine,
No. 1 Cleveland horizontal. Circle shear, No. 17 Niagara. Circle shear, No. 110 Bliss.

Die sinker, No. 2 Pratt & Whitney, Notching press, No. 1 Bliss, Notching press, No. 2 Bliss. Sheet metal cutter, No. 2-36" Gray, Spline miller, 4" Pratt & Whitney. S

P

FOR 5	ALE BY
Clark Machinery Co., 1235	St. Clair Ave., Cleveland, O.
We offer the follo Grinders, Pratt & Whitney 6°x46° µla Grinder, No. 6 Bryant chucking grin Milling machine. Ciocinnati 18° autor Milling meches. Kempsmith No. 32 m Planer, 26°x26° x 7° Gray Planer, 28°x26° x 8° Gray Screw machines, Foster No. 6, with po	wing real bargains: in cylindrical, (2), each
FOR 5	ALE BY
Tubor, Velick & Co., Inc.,	628-630 W. Lake St., Chicago, Ill.
	99-6813. No Branches
PUNCH	PRESSES.
No. 0 V. & O. No. 3 Niagara, (3). No. 5 Niagara, o. b. i, (3). No. 5 Niagara, geared. No. 5 Jordan, geared. 18-C Bliss.	No. 19 Bliss. Long & A. horn punch, cap. lix1. Swaine geared, (2). No. 5 Rockford, (2). Bliss bench presses, (5). Ryerson 4 radial. PRESS ES.
14" Excelsion	30" Reed-Prentice.
14" Excelsior. 20" b. g., p. f., new, \$130, 20" drill presses (40), each \$40. 26" Weigel.	Bench type drills. 3† Hilbert radial. 3† Bickford radial. MACHINES.
No. 2 Cleveland universal, s. p. dr.	A number of hand millers.
16"x 6" Hamilton, q. c., (2), 16"x 6" Kidney, q. c., (2), 16"x 8" Monarch, q. c., (2), 16"x 8" Monarch, q. c., (2), 16"x 6" Chard, q. c., (2), 18"x 6" Lehmann, q. c., (2), 24"x10" Canadian, q. c., d. b. g., (3), 24"x10" Nilas, B. P. 2 heads PLAN	22"x10' Cisco, q. c. 24"x10' LeBlond, extra turret att.
	36"x36"x 7' Flather, 2 heads.
B. & S. No. 00 automatics serials 2100 to 4300.	Pratt & Whitney, hand, (3). Nos. 1, 2, 3 and 4 Fosterscrew mchs.
No. 2 Smith, hand.	DERS.
Bath universal, with magnetic chk. Gardner No. 6 disc grinder. WOOD-WORKIN Band rives West Side	Emany orindary 90 and on
Boring mills, Andrew, (3). Moulders, 8" Yates C-4, (2). Shapers, Advance dbl. spdl., 5 h. p., a. c. motor in base, (6). Saw tenoners, Pettingell.	and Fay. Swing saws, Porter, (4). Saw table and jointer combined, portable.
MISCELL	
Boring mill, 36" Colburn. Brakes, 8', (2). Hack saws. Motors, 75 h. p. G. E., a. c., slip ring, 600 r. p. m., (2). Motors, a. c. and d. c. Pressed steel hangers and bearings, all sizes. Pressed steel bench legs, (1,000). Lasther beling. Puller	Pressed steel stools, with backs. Saw mandrels. \$3. Shear, No. 196 Niagara, 6', power. Spot welder, 12' Winfield. Spot welder, 14' Winfield. Spot welder, 48' Toledo, 40 k. w., 220 vol., 3 phase. Thread hobber, Pratt & Whitney. Time clocks, International. Woodworking machines. 7s, shafting and hangers.

FOR SALE BY

McDonald Machinery Co., 1531-33 N. Broadway, St. Louis, Mo.

Clock, electric time system. Demagnetizer, Walker

Die sinker, Pratt & Whitney No 2. Drills, Baker and Rockford heavy

duty. Drills, Leland-Gifford 2 and 3 spin-

dle, h. s., b. b. Drill, Detroit 5-spindle horizontal.

Drill, Detroit 5-spingle nortizonea. Drill, Gardam 12-spid, adjustable. Drills, Demco, H. & W., Kokomo L-spid., Sipp 1 & 2-spid., h. s., b. b. Drills, 20°, 24°, 34° b. g., & tapping. Filing mche., Cochrane & Bly No. 2. Furnace, Holcroft 92 k.w. annealing. Gear shaper, Fellows 36°.

Furnace, Holcrott 92 k.w. anneaung. Gear shaper, Fellows 36". Grinder, Heald No. 60 cylinder, Grinders, P. & W. 14" vertical sur-face: Ott 5"x18"; Landis 12"x48"; plain; Norton 10"x34" pl.; Modern internal; Heald No. 60 cylinder. (2) Grinder, Hoe surface, with magnetic

chuck. Hack saws, 4x4, 6x6 & 6 Racine Jrs; Atkins 8x8" high speed. Lathes, Davis 22"x10"; Star 12x5, L. & S. 16"x6" tool room.

Planers, Gray 28"x28"x6'. I head.

Punches, Wetterhalm 18", throat \(\frac{1}{2}'' \) in \(\frac{1}{2}'' \); Long & A. No. 6, \(\frac{1}{2}'' \) in \(\frac{1}{2}'' \).

Punch presses, Bliss Nos. 18 & 20; Toledo No. 1: Niagara No. 6, o.b.i.;

Swaine, Nos. 29, 33 and 37. Rivet spinner, Grant 3/16'

Milling machines, Kempsmith No. 2; Ohio No. 20 plain; Becker "SD" vertical, rotary table, 17200 lbs.; Cin'ti No. 3 pl.; American No. 14 univ.; B. & S. No. 1 pl.; B. & S. 14; Ohio 34; LeBlond No. 3-H plain;

Brown & Sharpe, plain.
Screw machine, Gridley 1-spdl. 24
auto.; Cleveland 14" auto.; P. & W. No. 24 hand; Foster No. 3 hand; Woods No. 2 tilted turret head; Bardons & Oliver No. 7; B. & S. No. 2 automatic

No. 2 automatic. Shapers, 15" Kelly; 24" Walcott; 16" Steptbe; 24" Barker; 14" Steptoe Shears, 60" thrt. rotary slitting. (2). Tapping mche., Garvin Nos. 2 and 2-BG auto.

Welders, 20 k. w. spot. Winfield. Weiders, butt, Federal, §" rds.

FOR SALE BY

The Randle Machinery Co., 1733 Powers St., Cincinnati, Ohio

Automatic, 4-spindle Acme, 14" capacity.
Automatic, No. 54 Acme.
Automatic, 4, 4" Gridley single spindle.
Bolt cutter, 4" Acme, rebuilt, m. d.
Boring mill, Niles 5' camel back, spindle type, b. d.
Boring mill, Niles 12" vertical, 2 heads, b. d.

Drill, 6' Niles universal, m. d Drill, Cincinnati-Bickford, 3½ radial, s. p. d., g. b. Drill, 24" Cincinnati upright, s. h. Lathe, 18"x10" Le Blond, q. c., 6"x14" gap.

Lathe, 18", 10" Le Blond, q. c., 6"x14" gap.
Lathe, 24" (Gisholt, 64") bore, b. d.
Lathe, 25" (Gisholt, 34") bore, m. d.
Lathe, 24" (Gisholt, 34") bore, m. d.
Lathe, 24" (Schumacher-Boye, l. c., rebuilt.
Lathe, 18" (Schumacher-Boye, l. c., rebuilt.
Lathe, 18" (So loose change, rebuilt.
Milling machine, No. 3 Le Blond, heavy duty, s. p. d. & v. a., plain.
Milling machine, No. 3 Le Blond cone drive, plain.

Milling machine, No. 2 LeBlond cone drive, plain, Planer, 18" (18" (38" V Lutam, b. d., one head. Planer, 36" (33" (16" Gray, 3 heads. Planer, 30" (33" (16" Gray, 3 heads. Planer, 30" (330" (16" Gray, 3 heads. Planer, 30" (330" (16" American, 2 heads. Planer, 30" (32" (16" Miltiom), 2 heads. Pipe machine, No. 9‡ Merrill, driven with gasoline engine, Shaper, 18" new Whipp, belt drive. Shaper, 20" new Whipp, belt drive. Shaper, 30" (Cincinnati, b. d., rebuilt. Shaper, 15" Kelly b. d., plain crank. Shaper, 15" Smith & Mills, b. g., belt drive. Turret lathe, 3x36 J. & L., grd. head, chucking type.

New Boilers, 3 to 30 h. p. at right prices. Also many other tools. Send us your inquiries.

FOR SALE BY

Taylor-Hall Welding Corporation, 3 May St., Worcester, Mass. WELDERS.

Spot and Butt Welders

We offer rebuilt and fully guaranteed spot and butt welders as listed below: One No. 0 Toledo butt welder, capacity \(\frac{1}{2}'' \) round stock. One No. 2A Thomson automatic butt welder, capacity No. 8 wire, 1000 welds per hour.

welds per hour.

One No. 24. Thomson hand butt welder, capacity \(\frac{1}{2}\)" round stock.

One No. 3 Toledo butt welder, capacity \(\frac{1}{2}\)" round, \(2^*\)'' flat stock.

One No. 10-4-6 Thomson butt welder, capacity \(\frac{1}{2}\)" round or \(2^*\)" pipe.

One No. 20-A-10 Thomson butt welder, capacity \(\frac{1}{2}\)" round or \(2^*\)" pipe.

One No. 70 Toledo butt welder, capacity \(\frac{1}{2}\)" round or \(2^*\)" \(\frac{1}{2}\)" flat.

One No. 40 A-2 Thomson butt welder, capacity \(2^*\)" round.

One No. 21 Thomson automatic butt welder, capacity one thousand \(\frac{1}{2}\)" \(\frac{1}{2}\)" and \(\frac{1}{2}\)" \(\frac{1}{2}\)"

0:

å C

,

One No. 240 Thomson spot welder, 20 k. w.
One No. 10-A-7 Thomson but welder, capacity \(\frac{q}{2} \) round.
One No. 5-P. A. Thomson but welder, capacity \(\frac{q}{2} \) round.
One No. 75-P. A. Thomson spot welder, capacity two 3/16" thicknesses.

FOR SALE BY

Brownell Machinery Co., 150 Pine St., Providence, R. I. BORING MILLS

No. 14 Beaman & Smith boring, drilling and milling. 24" Bullard rapid production, vertical

GRINDERS

No. 11 B. & S. plain, 4x30. No. 2 Morse universal 12x30. No. 2 Norton tool & cutter. No. 1 Norton tool & cutter.

GEAR CUTTERS No. 13 Brown & Sharpe 18x4 No. 3 Brown & Sharpe, 26x8. MILLING MACHINES

No. 1 Kempsmith univer al. No. 2 Brown & Sharpe heavy, plain. No. 3 Brown & Sharpe plain. No. 4 Van Norman duplex.

No. 2-A Becker vertical 48"x72"x20' Gray, 4 heads.

48° x12° x40° Gray, 2 heads. 30° x30° x8° Bement Miles, 2 heads. 30° x30° x6° D. & H. open side.

No. 19 Bliss inclinable. No. 68 Bliss d. a., cam. No. 1 Bliss, d. a., cam. Torrington double acting. No. 1 Standard power screw.

No. 2-A Adams hand screw

No. 52 National-Acme automatic. No. 53 National-Acme automatic. No. 6 B. & S., g. f. h.

MISCELLANEOUS. Band saw, 12" H. & R. metal cutting. Broaching mche., No. 2 Lapointe. Lathe, 14"x16"x6' Reed tool room. Lathe, 16"x6" Monarch engine, q.c.g. Lathe, 20"x10" Monarch engine, q.c.g. Magnetic chucks, Taft-Peirce No. 810 rectangular, 110 v., d. c. Rolling mills, 6x10 Standard; 12x20.

No. 3 B. & S. cutter & reamer. No. 2 B. & S. cutter & reamer. No. 1 B. & S. automatic surface.

No. 2 B & S. vertical spindle. No. 4 Thurston die miller. Several Brown & Sharpe vertical attachments for milling machines.

PLANERS AND SHAPERS
ads. 17"x20"x4' Whitcomb-Blaisdell.
15" Potter & Johnston shaper. Potter & Johnston shaper. 15" Springfield shaper. 7" Rhodes shaper.

PRESSES No. 2 Adams screw, 100 lbs. Plain drops. 500 lbs. Miner & Peck plain drop. Taylor & Fenn spring foot presses. No. 34 Greenerd arbor press.

SCREW MACHINES. No. 4 B. & S. plain head. No. 2-F B. & S. constant speed. No. 0 B. & S. wire feed.

> Piston and piston ring machine, No. 2 Potter & Johnston. Power hack saw, 12"x 16" Peerless, h.s. Power hammer, Beaudry Champion, 300 lbs.

Swaging machine, No. 2 Langelier. Slotter, 12" Bement Miles. Turret lathe, 3"x36" J. & L. flat.

FOR SALE BY

Foster Machinery Company, 10203 Quincy Ave., Cleveland, O.

Bolt cutter, 13" Acme.
Boring mill, vertical, 42" Bullard.
Grinder, No. 60 Heald, cylinder.
Grinder, Greenerd, tool & cutter. Hack saws, 12x12 Racine. Lathe, 18"x8' Monarch. Lathe, 18"x8' Lodge & Shipley. Miller, No. 00 Brown & S., hand.

Planer, 28"x26"x8' Gray. Press, No. 3 Stiles. Riveter, High Speed No. 3-A, heavy duty. Shear, 11'x16 ga. Streine. Shear, alligator, Canton, cap. 14' sq. Shear, slitting, 36"x18" gap, foot. Trolleys, I-beam, 1 & 2 ton.

FOR SALE BY

Brown Machinery Co., 2323 N. 9th St., St. Louis, Mo.

Buffing lathes, Hisey and U. S., 2 h. p. 3 phase, 60 cycle, 220 volts, Drill, 24" Aurora, sliding head, tapping attachment. Drill, Bush No. 3 multiple, cap. 39 spils., rectangular bd. 20x40". Drill, radial, horizontal, No. I Barnes, double end. Grinder, Cylinder, No. 60 Heald.

Grinder, (vlinder, No. 60 Heald, Grinder, No. 14 Gardner, b. b., disk, dry, 29" disks, Grinder, No. 6 Besly two-spindle disk, 28" disks, Grinders, emery, St. Louis and Western, 100 new at 50% discount. Hammer, size A United, motor driven Pettingell, Lathes, 20" x8" Keed, 18" x8" Monarch, Lathe, 20" x8" Keed, 18" x8" Monarch, Lathe, turet, No. 4 Wood tilted, g. f. h., power feed, new. Miller, No. 18 American universal, new. Miller, No. 18 Fox, hand & perr. Ed., 1586x14; new, never used.

Motors, 1 to 40 h. p., 3 phase, 60 cycle. Planer, 60"x60"x20' Niles, 3 heads.

Polishers and buffers, drop head, New Britain. Poissners and Durers, Grop Head, New Dritain.
Press, geared, No. 5 Stiles & Parker, weight about 9000 lbs.
Shear, Marshalltown No. 134 rotary splitting, cap. §" plate; 4' throat; arranged for motor drive. Like new.

FOR SALE BY				
J. E. Haetten & Co., Inc., . 50 Church St., New York, N	. Y.			
Automatics, 00 Brown & Sharpe, serials 1500, (2), each	400.			
	450.			
	2500.			
Boring mill, 42" Bullard, motor drive, rapid traverse	500.			
	600.			
Drill, 6-spindle Avey, 6 chucks	600.			
Drill. No. 18 Garvin Duplex horizontal	225.			
	800,			
Grinder, 10x36 Norton BA, built-in motors 220 v., 3 ph., 60 cycle, new., 2	500.			
	250.			
	300.			
	900.			
	225.			
	700. 100.			
	500.			
	850.			
Miller, No. 2A Brown & Sharpe universal				
Planer, 30x30x6 New Haven, 1 head, b. d	250,			
Planer, 12" stroke, crank type, 12x18 table, 9" rise	50.			
Saw, 6x6 Atkins Kwik Kut	60.			
Shaper, 24" Gould & Eberhardt, s. p. d. Hi-duty 1				
	300.			
98				

FOR SALE BY

B. L. Saltzman.

Bolt threader, Geometric & to 4".
Bolt threader, Geometric & to 14".
Boring mill, No. 1 Barrett.
Drills, Silver 20"
Drills, Cincinnati bl. b. g., taper atr., 20".
Drills, Cincinnati bl. b. g., 20".
Drills, Aurora 22".
Drills, Aurora 22".
Drills, Aurora 22".
Brills, Fox multi spindle.
Gear hobber, No. 5-A Lees-B.
Gear generators, No. 6 & 11 Gleason.
Grinder, No. 60 Heald internal.
Grinders, Taylor & Fenn cylinder.
Grinders, Grider, No. 6 Heald internal.
Grinders, Griders, Grid

809 W. Lake Street, Chicago, Ill. 524 W. Van Buren St., Chicago, Ill.

Miller, No. 5 LeBlond.
Millers, No. 3 and No. 5 Cincinnati.
Planer, Whitcomb 42"x42"x12', 2
heads on rail.

heads on rail.

Punch presses, Bliss, (Stiles type), No. 28.

Punch presses, Niagara No. 5.

Punch presses, Milwaukee No. 5.

Punch presses. Milwaukee No. 5. Screw machines. Garvin No. 122. Screw machines, Bardons & Oliver No. 4.

No. 4. Screw machines, Foster No. 6. Screw mchs., Warner Swasey No. 6. Screw mchs., Pratt & W, hand. Screw machines, Warner & Swasey, hand, Nos. 1 & 2. Shapers, 12", 16" & 24".

Ingersoll.

Motors and Generators—Factory Transmission.

FOR SALE BY

Fitzsimmons & Cole Machinery Company
1208 House Building, - Pittsburgh, Pa.

1208 House Building,
Air compressor. Ingersoll (0x10, 150')
Blower, No. 6. Buffalo cupola, b. d.
Blotter, No. 6. Buffalo cupola, b. d.
Botter, No. 6. Buffalo cupola, b. d.
Botter, No. 6. Buffalo cupola, b. d.
Botter, M. 14'', 2'', 2'', 6'' Landis,
Boring mill, 42'' Bullard, b. d.
Boring mill, 78'' Bullard, b. d., b. d.
Boring mill, 78'' Bullard, b. d., b. d.
Boring mill, 84'' Pond, 2 hds., b. d.
Borild, 18'' Hamilton upright, bl. d.
Drill, 14'' Hamilton upright, sliding hd,
Drill, 18'' Prentice upright, sliding hd,
Drill, 18'' Prentice upright, sliding hd,
Drill, 18'' Prentice upright, sliding hd,
Flanger, McCabe, \$'' capacity.
Gear planer, 24'' Gleason, bevel, b. d.
Gear planer, 24'' Gleason, bevel, b. d.
Gear planer, 24'' Gleason, bevel, b. d.
Gerinder, 16''x48'' Landis, crankshaft.
Grinder, 16''x48'' Landis, crankshaft.
Grinder, 16''x48'' Landis, crankshaft.
Grinder, 16''x48'' Landis, crankshaft.
Grinder, 10''x5'' All Mayer, upright.
Hammer, 30' h. Mayer, upright.
Hammer, 30' h. Mayer, upright.
Hammers, 2-B., 2-B. 4-B. & 4-N Nazel.
Keyesater, No. 9 Mitts & Merrill.
Lathe, 18''x8' American, q. c. g., t.a.
Lathe, 48''x8' American, q. c. g., t.a.
Lathe, 48''x8' American, q. c. g., t.a.
Lathe, 48''x8' Putsburgh, b. d.
Miller, duplex, 42'' Niles, double
end, m. d.
Miller, duplex, 42'' Niles, double
miller, slab, 24x20x14' Ingersoil.
Miller, plain, No. 3-B Brown & S.
Miller, plain, No. 4 Cincinnati.
Miller, slab, 24x20x14' Ingersoil.
Miller, slab, 24x20x14' Ingersoil.
Miller, plain, No. 4 Cincinnati.
Miller, slab, 24x20x14' Ingersoil.
Miller, plain, No. 4 Cincinnati.
Miller, slab, 24x20x14' Ingersoil.
Miller, plain, No. 6 Cincinnati.
Miller, slab, 24x20x14' Ingersoil.
Miller, plain, No. 6 Cincinnati.
Miller, slab, 24x20x14' Pond, 4 hds., b.
Planer, 38''x8'' Mond, 4 hds., b.
Planer, 38''x8'' Mond, 4 hds., b.
Planer, 38''x8'' Evond, 4 hds., b.
Planer, 36''x8'' Evond, 4 hds., b.
Planer, 36''x8'' Evond, 4 hds., b.
Planer, 36''x8'' Evond, 4 hds., b.d.

Planer, 98"x96"x20' Pond, 4 hds., m.d. Planer, o. s., Cleveland, 38"x36"x18', Planer, o. s. Cleveland, 38"x36"x18', Planer, o. s. Cleveland, 48"x48"x20', Planer, o. s. Cleveland, 48"x48"x20', Planes, balling hyd. No. 24" Plongemann Press, No. 31" Bliss, s., 6" stroke. Pess, No. 31" Bliss, s., 6" stroke. Pess, No. 31" Bliss, s., 6" stroke. Planes, cleveland, 1" thru 1", Punch, and thighe, No. 5 H. & J., 10', Punch & shear, 30" throat, 1" thru 1", Punch & shear, 30" throat, 1" thru 1", Punch & shear, 20" throat, 1" gap, Riveter, Hanna, 18" thrt, 15" gap, Riveter, Hanna, 18" Nr. 8", Rolls, bending, 6", 85", "N. B. P. Sand blast, bending, 6", "8" N. B. P. Sand blast, MacLeod, 38"x36". Saw, cold, 20" Higley, Shaper, 16" Gould & Eberhardt, b.d. Shaper, 20" Cincinnati, b. g., b. d. Shaper, 20" Cincinnati, b. g., b. d. Shaper, 20" Cincinnati, b. g., b. d. Shear, rotar, No. 10 guickwork, 4". Shear, rotary, No. 3 Quickwork, 4". Shear, rotary, No. 6 Quickwork, 4". Shear, rotary, No. 6 Quickwork, 4". Shear, rotary, No. 3 Quickwork, 4". Shear, rotary, No. 6 Quickwork, 4". Shear, rotary, No. 6 Quickwork, 4". Shear, 10" xt. United, cap, 11" sample for circinnati, m. d. Straightener, bar, No. 3 K. & R. Straightener, bar, No. 3 K. & R. Straightener, bar, No. 3 K. & R. Straightener, bar, No. 10 Wolfe, Bollon, 100, 100. Bo. Dlson.

FOR SALE BY

J. Bleser Mfg. Co.,

16th & Madison Sts., Springfield, Illinois

Lathe engine, 14x6' Monarch, q. c. Lathe, eng., 15x6 LeBlond tool room. Lathe, engine, 16x8 G. & K., q. c. Lathe, 28x12 Bridgeport. Lathe, 32x16 Prentiss, l. c. gears, Miller, Cinti No. 3 univ., O. type,

Miller, No. 2 Hendey univ., compl. Millers, bench. No. 3 Burke; Rock'd. Planer. 23x22x4' Pond. Press, arch. No. 3A Walsh, 3" str. Press, No. 31 Swaine, o.b.i., 1\frac{1}{2}" str. Shaper, crank, 16" Barker.

Be

Be

Bi Ď

14

14

1 3222

FOR SALE BY

McMullen Machinery Company, Grand Rapids, Mich.

Automatic, §" Cleveland, Band saw, Napier, metal, Cut-off saw, No. 4 N. & B. Grinder, No. 6-A Bryant, Lathe, 2\$26 Greenlee, flat turret, Miller, No. 2-H Becker vertical, Pipe machine, 6" Merrill No. 6\$.

Press, Chicago scrap baler. Press. No 3 Manuville, d. a. Presses, No. 6 Manville, pillar, (3). Presses, No. 6B Manville, pillar, (2). Shear, No. 14 Pettingell, rotary. Welders, No. 10-A Thomson vert. (7)

Ask for Complete List.

FOR SALE BY

Mid-West Machine Tool & Supply Co., Davenport, Iowa

High-Grade Production
Automatic, 4"-14" Cleveland.
Automatic, No. 2 Brown & Sharpe.
Drill, 1-8 Garvin duplex.
Drill, 1-8 Garvin duplex.
Gear tooth rounder, 12" Ingle.
Gera tooth rounder, 12" Ingle.
Grinder, No. 19 B. & S. plain,
Grinder, 6422" Norton,
Hobbers, Nos. 3 & 12 B. & C.
Lathe, 20"8" Cincinnati,
Miller, No. 13 B B. & S. production.
Turnet lathe, 24" Gisho Miller, No.13-B B, & S., production.

Planer, 36" Cleveland open side, side head.
Planer, D. & H., 10' between housing, 4 head, 25' table.
Planer, 80'' Pond.
Radial, 4' American sensitive.
Radial, 4' Mueller.
Slotter, Niles 16''.
Turret lathe, 24'' Gisholt.
Turret lathe, 18'' No. 4 W. & S. univ. Partial list; send us your inquiries.

FOR SALE BY

Syracuse Supply Company. 314 W. Fayette St., Syracuse, N. Y.

Pipe machine, No. 70 Forbes.

Guaranteed NEW MACHINES in original crates at prices below list: Automatic, 28° Gridley, single spdl. Crucible, FD-104 Hoskins. Screw mchs., No.4 W. & S.,g.f.h.,(3). Straightener, No. 2 Corey.

Automatic, 14" model A., Cleveland. Drill press, 25"W.F.& John Barnes. Drill press, 4-spindle Barr sensitive. Drill presses, 2-spindle Woodward & Rogers sensitive. Grinder, 24" Safety Emery Wheel Co. snag grinder, Lathe, 13"x 5' Reed. Lathe, 14"x 6' Monarch. Lathe, 16"x 8' America

American, geared

Tilted turret, No. 6 Wood. Turret lathes, No. 4 Foster (2). Turret lathe, No. 2 Warner & S.,

head, rebuilt.
Lathe, 16"x10' American.
Lathe, 8x60 Fitchburg lo-swing. Miller, 34 Bilton automatic. Millers, 3B plain Milwaukee.

hollow hee, 28x26 Pratt & Whitney. Turret lathe, 3x26 Pratt & Whitney. Turret lathe, No. 29 s. g. Garvip. Turret lathe, 3x36 Jones & L. (3). Turret lathe, 2x34 Jones & Lamson. Turret lathe. 2x4 Jones & Lamson. Turret lathe. No. 3 Cincinnati-Acme.

FOR SALE BY

Botwinik Brothers, Inc., 67 Water St., New Haven, Conn.

FILING MACHINES 25-Brand new Bench Type Filing Machines, 14" stroke, weight 22 lbs. Price \$25.00 each, net, f. o. b. cars New Haven, Conn.

Wire, write or phone. Many other bargains.

FOR SALE BY

A. M. Stochr Machinery Co.,

Boring mills, 20" Bullard; 60" & 12' Niles; all have 2 heads. Brake, 8' Dreis & Krump, 14 gauge.

Compressors, 12 different sizes Drill presses, single spdl., L. & G.; 2-spindle H. & W.; 4-spdl. Foote-Burt; 4-spdl. Barnes; 22° Rockford.

Engraving machines, 3 Gortons. Furnaces, melting, for soft metal and

aluminum. Gear cutters, 72" Brown & Sharpe; 60"Gould & Eberhardt; 36" Feilows

gear shaper; and others. Lathes, 18x8 Barnes, hvy. duty; 11" Rockford; 15 and 24 spinning, and

others. Punch presses, No. 16 Bliss horning; No. 3 Walsh, o. b. i.; No. 34 Bliss; arch, and others.

560 W. Adams St., Chicago, Ill.

Oil extractors, centrifugal, (8),

Milling machines, plain & universal; also No. 20 Van Norman, duplex. Punch & shears, No. 3 Long & A., d. e., ‡" thru ‡". No. 14g W. d. e., 15" throat; No. 5 Long & A.; d. e.

Riveters, No. 4-A & No. 5-A High Speed; No. 1 L. & A., #" capacity; No.2 Grant rivet spinner & hammer No. 8 Stimpson automatic, for split rivets

Saws, 9x9 Sterling high speed: 12" band, and eight others

Screw machines, Nos. 2 & 3 Foster, (12); Nos. 52 & 53 Acme, others plain and automatic. Tapper, R. & S., \(\frac{4}{7}\) capacity. Welders, both spot and butt. Wire straightening machines, (5).

FOR SALE BY

Carlson Machinery Co.,

GRINDERS 6x32" Norton plain. No. 65 Heald cylinder.

No. 2 Gardner disc. No. 8 Besly disc. No. 14 Besly disc.

No. 14 Besty onsc.

13"x5' Sheppard, geared bd., q, c., 14"x6' Hendey, geared head, q, c., taper attach, draw in attach. 14"x6' Hendey, yoke head, q, c., relieving attach, drawin, attach, GEAR CUTTING MACHINES.

72"x20" Cincinnati.

16" Canedy-Otto, lever feed.

20" Silver, b. g. 21" Canedy-Otto, b. g., power feed. 21" Canedy-Otto, wheel & lever fd.

21" Canedy-Otto, where e. No. 24 Canedy-Otto, bench.
24" Hoefer 4-spindle,
24" Demco ball bearing, 7" overhang.
MILLERS

No. 1 Van Norman hand. No. I Rockford plain. No. 12 Rockford plain.

Arbor press, No. 3 Greenerd. Boring mche, No.2 Rockford horiz. Brake, 72" Peck, Stow & Wilcox.

Davenport, Iowa

No. 1 Cincinnati univ. tool & cutter. No. 2 Oakley univ. tool & cutter. Grand Rapids Yankee twist drill, 12" Marschke elec. grinder stand. 24" Norton snagging grinder.

15"x6' South Bend. 15"x6' Rockford semi q. c. 16"x6' Lodge & Shipley, q. c. 16"x6' American, taper attach, q. c. No. 4 Warner & Swasey turret lathe.

DRILL PRESSES

4" Sipp ball bearing, 8" overhang. 25" Snyder, sliding head, with tapping attachment.

30" G. & E. sliding head,
36" New Haven, sliding head.

4' Hammond sensitive radial, with tapping attachment.

No. 1 Cincinnati universal. No. 2B Brown & Sharpe, s. p. d. No. 34 Ohio plain, dividing head. MISCELLANEOUS

Planer, 30x30x7 Fitchburg, 1 head. Planer, 30x30x7 Detrick & H., o. s. Press, No. 20 Swaine, o. b. i.

101

FOR SALE BY

United Mchry, & Supply Co., 4640 Newberry Ave., St. Louis, Ma	9.
Grinder, Heald shaper head rotary, with 12" magnetic chuck, like new \$ 735 Lathe, 14"x6' Carroll-Jamieson, quick change, fine	
Lathe, 52"x30' Fifield, triple geared, good shape	0.
Punch press, No. 2 Rockford inclinable, fine	9.
Screw machine, No. 1 Warner & Swasey, good 145	5.
Shaper, 14" Smith & Mills heavy crank, fine	

FOR SALE BY

Cincinnati Machinery & Supply Co., 215 E. Pearl St., Cincinnati, O.

Machine Tools Worth Investigating. Bolt threader, 1 Landis double spindle, lead screws. Bolt threader, 1 Acme single spindle, class A, complete. Bolt threader, 14" Landis double spindle, lead screws. Bolt threader, 1" Arme single spindle, class A, complete. Boring mill, 24" Bullard, vertical rapid production. Grinder, No. 2 Brown & Sharpe, surface.
Lathe, 30"x18" Monarch, q. c. g., d. b. g.—some machine. Press, No. 3C Ferracute inclinable.
Press, No. 4 Verdin, K. & Verdin, geared inclinable, Press, No. 8C Consolidated, geared, s. s.
Press, No. 9L Chiedo. 6" stroke.
Press, No. 9L Chiedo. 6" stroke.
Press, de Consolidated, geared, s. s.
Radial drill, 7. American, late type, & Molal drill, 7. American, late type.
Molal drill, 7. American, late type. Wheel press, 300-ton R. D. Wood, hydraulic. Write for large Stock List.

FOR SALE BY

F. W. Burns Machinery Co., Sattley Bldg., Racine, Wis.

POWER PRESSES. No. 165 Toledo toggle drawing, (3). Nos. 4 and 5 Long & Allstatter, No. 1644 Toledo toggle drawing. No. 1644 Toledo toggle drawing. No. 164 Toledo toggle drawing. double end. No. 604 rack and pinion press. No.65-A Consolidated, s.s.,grd.,(2). No. 184 Toledo toggle drawing.
No. 34 A Bliss toggle drawing.
No. 19 Bliss toggle drawing.
No. 64 A Consolidated, geared.
No. 64 A Consolidated, i. w. type.
No. 83 Consolidated, adj. tbj., (9).
No. 81 Toledo arch presses, grd., (2).
No. 35 Swaine, incl. f. w. type, (2). No. 20 Bliss, f. w. type. No. 5 American can, f. w. type. No. 30 Cameron arch press. No. 14 Stoll, f. w. type. No. 5-A Toledo, f. w. type. No. 10 Excelsior, 20" throat. ATHES 24"x14' Lodge & Shipley, q. c. 32"x32' Draper. 9"x14" Porter-Cable.

18"x 9' Hamilton, q. c. 16"x 8' Hamilton, q. c. 20"x10' Bradford, q. c. 18"x8 Lodge & Shipley pat. hd.q.c. Pryibil spinning lathes, (8).
MISCELLANEOUS. MISCEL Bolt threader, double, Acme 18". Bolt threader, double, Landis 2". Boring bar, universal 2". Cleveland automatics. 2" and 28". Cleveland automatics. 2" and 28". Regraving mehe., No. 1-A Gorton. Grinder. No. 1 Diamond heavy duty, 24"x11" table.
Grinder, No. 12 Landis universal,


complete.

Hammer, drop, 1000 lb. Billings & Spencer.

Miller, No. 1 Garvin universal.
Miller, No. 34 Ohio plain.
Planer, Gorton No. 10-F 58"x56"x14"
two heads on rail, two side heads, brand new.

Riveting hammer, No. 6-B H. S. 4". Screw slotter, No. 3 Acme. Shapers, 15" and 24" P. & J. Warner & Swasey, power feed (2). Welders, No. 16-D Agnew spot, brand new, (2).

Factory Rebuilt Milwaukee Milling Machines



We have left a few of these excellent investments in the styles listed below. Every machine has been completely disassembled, re-scraped, and new parts put in wherever necessary. A K & T rebuilt is thoroughly tested and carries the same accuracy guarantee as a new machine. The demand exceeds the supply. Better write at once.

No. 1½ BS Univ. Single Overarm No. 2B Plain Single Overarm

No. 3B Plain Single Overarm

No. 4B Plain Double Overarm

No. 3B Vertical (Belt)

No. 3B Vertical (Motor-in-Base)

SUBJECT TO PRIOR SALE

Address: Rebuilding Department

KEARNEY & TRECKER

CORPORATION

5926 National Ave.,

Milwaukee, Wisconsin

WAIT A MINUTE! Look Over

This Little List of Big Buys. They're Excellent

Part of the Bath Iron Works Surplus Equipment

Niles 10'-16' Extension Boring Mill. Sellers Floor Type, Heavy Duty Hori-seatal Boring, Drilling and Milling

Machine. Prentice 6' Standard Heavy Duty Motor Drive Plain Radial.

Niles Tool Works 120"x261 Planer, auxiliary side head housing, 2 swivel heads on cross rail and 2 side heads, all power feed.

Pond 72"x48"x16' Planer, two swivel heads on cross rail, one swivel side head, all power feeds.

Hilles & Jones No. 2 Horisontal Punch and Bender, motor drive.

3-Terry Locomotive Gantry Type J-terry Locomotive Laterty 1960 Cranes, capacity 15 to 25 tons, 60' booms equipped with 3 G. E. mtm., 230 volt, D. C. mounted on Sterrunways, 1 270' long, 1 465' long, Niles 34" Vertical Boring Mill, 69"

max, swing, 2 swivel heads on cross mil:

GAP RIVETERS

Erie City 50-ton-single pressure hydraulic-solid steel frame-6' gap. Morgan 100-ton-single pressure hydraulic-solid steel frame-10'

AIR COMPRESSOR

Chicago Pneumatic Belt Driven Air Compressor, Two Stage, capacity 1200 cu ft., size 12x20x14, belted for 200 h. p.

Westinghouse 3 ph., 60 cy., 220 volt motor and starter. DRILLING MACHINES

1-Warren 7' - Half Univ. - Radial Max. radius 86½"-72" travel of head-all feeds-extra box table. LATHES

1-Putnam 50"x24' triple b. g. screw cutting.

1-Fitchburg, 42"x42" triple b.g. taper attachment.

artachment.

-Fitchburg 36"x23" grd. f. p. drive.

1—Fitchburg 30"x20" screw cutting.

2—Fitchburg 20"x12" screw cutting.

3-J. & L. 2x24", g. h., flat turret, fully equipped.

3-J. & L. 2x24*, cone head, flat turret, fully equipped. BORING MILLS

2-Bullard 429 vertical boring mills. **PUNCHES and SHEARS**

1-Hilles & Jones No. 3 Comb. Punch

and Shear, 48" throat.

2—Hilles & Jones No. 4 Comb. Punch and Shear, 48" throat.

1—Hilles & Jones No. 3 double angle shr.,--cap. 6"x6"x1" steel angle bars. I - Hilles & Jones No. 4 vertical single end punch and shear, 48" throat.

SLOTTING MACHINES 1-Betts 18* Extra Heavy Vertical

Slotting Machines.
1-Betts 12° Extra Heavy Vertical Slotting Machine CRANES

1-Shaw 20-ton-3 motors-53! 4" span, 312! travel.

1-Shaw 5-ton-3 motors-511 50 span, 312' travel.

1-Shaw 5-ton-3 motors-51' 5" span, 127' travel. I-Shaw 5-ton-3 motors-421 span.

I-Shaw 5-ton-3 motors-50' span, mounted on steel runway. 1-Case 5-ton-3 mtrs.-51158 span,

double bridge type I-Shepard 21/2-ton Electric, 40' span,

85' travel. I ... Case 5-ton -3 motors-501 span. All above cranes fitted with G. E.,

220 v., d. c. motors. I-R. D. Wood 5-ton Hydraulic for riveter work.

1-Morgan 40-ton Hydraulic for riveter work

ter work.

OTHER EQUIPMENT AVAILABLE
INCLUDES 600 and 1500 lb. Steam
Hammers. Inside and Outside Cranes
from 2 to 20 tons cap., various Woodworking Machines, 500 assorted Air
Tools, Small Tools, Supplies, Office
Furniture, etc.

MANHATTAN MACHINERY EXCHANGE 30 Church St., New York, N. Y.

And JOSEPH BEAL & COMPANY

465 Atlantic Ave. 104 Boston, Mass.

FOR SALE BY

Cincinnati Automatic Machine Co.

Cincinnati, Ohio

ENGINE LATHES

9"x12" Porter Cable Lathe.

18"x 6' Willard 3-step cone D. B. G. Lathe.

18"x 6' Willard 3-step cone D. B. G. Lathe.

18"x 6' Grawes Kinsman S. B. G. Semi-Q. C. G. Lathe.

18"x 6' Greaves Kinsman S. B. G. Semi-Q. C. G. Lathe.

18"x 6' Greaves Kinsman S. B. G. Semi-Q. C. G. Lathe.

18"x 6' Cincinnati D. B. G., Q. C. G. Lathe.

18"x 8' Mereican S. B. G. 3-step cone Q. C. G. Lathe.

18"x 18' Addrord S. B. G. 3-step cone.

11"x 8' National D. B. G., Q. C. G. Lathe.

18"x 8' L. & S. Q. C., G. B. Lathe.

20"x 8' Chard D. B. G. 3-step cone Q. C. G. Lathe.

30"x12' Greaves-Klusman D. B. G., Q. C. G. Lathe.

TURRET LATHES

28" Gisholt Turret Lathe, 3-step cone.
24" Gisholt Std. Turret Lathe, 2-step cone.
No. 2 Warner & Swasey Turret Lathe, bar equipment.
24"x28" Acme Flat Turret Lathe, cone head type, with bar equipment.
34x36" Acme Flat Turret Lathe, chucking equipment.

AUTOMATIC SCREW MACHINES

"Cincinnati 5 Spindle Automatic Screw Machine.
"Cleveland Single Spindle Automatic Screw Machine. Cleveland Automatic Screw Machine.

o. 52-4" National Acme 4 Spindle Automatic Screw Machine. 4 "Gridley Single Spindle Automatic Screw Machine.

PLANERS

24x24x 6' Cincinnati Planer, 1 hd. 30x30x 8' Ohio Planer, 1 head. 36x36x10' Ohio Planer, 2 heads. 42x36x21' Cincinnati Planer, 4 hds. 56x42x12' Cincinnati Planer, 3 hds. 56x42x12' Cincinnati Planer, 4 hds. 48x48x14' Cincinnati Planer, 3 hds. 48x48x28' Cincinnati Planer, 2 hds. 60x60x12' Cincinnati Planer, 4 hds. 60x48x16' Cincinnati Semi-HYPRO Planer, 4 heads.

GRINDERS

6x32" Norton Plain Grinder. No. 18 Bryant Chucking Grinder. 8x30" No. 16 B. & S. Pl. Grinder. 8x30" Modern Tool Co. Pl. Grinder. 10x48" B. & S. Plain Grinder. No. 75 Heald Internal Grinder. No. 18 Bryant Internal Grinder. No. 2 Oakley Univ. Tool & Cutter.

MILLING MACHINES

No. 6 Whitney Hand Miller.
No. 00 Brown & Sharpe Plain Milling Machine.
No. 14 American Plain Milling Machine.
No. 0 Steptoe Milling Machine.
No. 1 Cincinnati cone type Plain Milling Machine.

No. 12 Cincinnati Plain cone Driven Milling Machine. No. 2 Cincinnati Plain cone Driven Milling Machine.

GEAR CUTTERS 36" B. & S. Auto, Gear Cutter. No. 6 Fellows Gear Shaper.

DRILLING MACHINES 22" Barnes Upright Drill. 3' American Sensitive Radial Drill Wiegel Drill, D. B. G. 24"

MISCELLANEOUS Webster & Perks Nut Tapper, 5-sp. P. & W. Relieving Mche, and c. s. Arthur Colton Filing Machine. Brown & Sharpe Screw Slotter. No 3 Marking Machine. Etchograph and Transformer. Universal Graduating Machine.

QUALITY Rebuilt Offered by Eastern

Radials and Upright Drills

7' American Tool Works triple geased plain radial, gear box drive.

Dreses high duty plain radial, gear box drive. 51 Niles-Bement-Pond semi-universal,

radial, gear box drive.
5' Reed-Prentice plain, gear box.

41 Bickford plain, year box drive. 3' Mueller plain, gear box drive. 2½' American Tool Works triple

geared plain, gear box drive. 3' American Tool Works high speed ball bearing, tapping attachment. Nos. 1 & 3 W. F. & John Bames hor-

izontal radials. 28" Cincinnati-Bickford upright, gear

box drive, tapping attachment,

28" Aurora upright drill. 26ª Reed-Prentice upright drill, gear

box drive, tapping attachment. 26" W. F. & John Barnes upright. 24 Cincinnati-Bickford gear box drive. 249 Cincinnati-Bickford, tapping atts. 24" Aurora upright drill.

22* Aurora upright tapping atts.
No. 614 Baker Bros. heavy duty.
No. 310 Baker Bros. heavy duty.

D-No. 3 Colburn hvy. duty, tapp'g att. Minster Jr. heavy duty drill. 3-Sp. No. 2 Avey, hi-sp. ball bearing. 6-spindle Henry & Wright high speed,

ball bearing. HENRY & WRIGHT CLASS "B" hi.-sp. ball bearing, power feed.

Shapers and Planers

248 Cincinnati heavy duty back geared crank shaper.

24" Queen City hvy.duty b.g cr. shaper 24" Smith & Mills heavy duty back geared crank shaper.

20° Cincinnati heavy duty back geared crank shaper.

20 Queen City heavy duty back geared crank shaper.

20⁸ Hendey friction geared shaper, power down feed to head. 15⁸ American Tool Works cr. shaper. 42*x42*x 12' Grayplaner, 2 hds. on rail. 38*x38*x18' Niles Tool Works planer,

2 heads on rail.

30"x30"x81 G. A. Gray planer, one head on rail.

Grinders

16ª Heald rotary surf, magnetic chuck.

No. 2 Reed Bros., sur. magnetic chuck. No. 1 Wilmarth & Morman surface. No. 2, size 12"x36" Cincinnati plain. 8"x30" Modern plain, self-contained. 6"x32" Norton plain.

6"x15" Fitchburg plain. No. I Brown & Sharpe universal.

No. 3 Brown & Sharpe universal.

No. 70 Heald internal.

No. 60 Heald cyl, gr., late type comp. No. 2 Oakley universal tool & cutter. No. 2 OHIO universal tool and cutter.

No. 1 LeBlond univ. tool and cutter. No. 1 Wilmarth & Morman universal tool and cutter.
No. 3 Brown & Sharpe universal cutter

and reamer.

Nos. 1& 2 Gardner disc grinders. No. 120 Gardner double disc.

EASTERN MACHINERY

We also Buy machinery.

Guaranteed Machine Tools

Milling Machines

No. 3 R. K. LeBlond universal, cone

pulley, complete. No. 1½ Rockford universal cone pul-

ley, complete.
No. 1 Cincinnati universal, cone pulley,

complete. No. 5 R. K. LeBlond heavy duty, plain, single pulley.
No. 4 Cincinnati Plain, cone pulley.
No. 3 Heavy Duty R. K. LeBlond

plain, cone pulley.

No. 3-B Heavy Brown & Sharpe plain, ingle pulley.

No. 34 OHIO heavy duty plain, cone pulley, power quick return to table.

No. 3 Cincinnati plain, cone pulley.

No. 3 Kempamith plain, cone pulley.

No. 2 Cincinnati plain, cone pulley.
No. 2 Cincinnati plain, cone pulley.
No. 2 Kempemith plain, cone pulley.
No. 2 LeBlond plain, cone pulley.
No. 1½ Valley City plain, cone pulley.
No. 20 OHIO plain, cone pulley.

No. 20 OFIIO plain, cone pulley.
No. 0 Cincinnat plain, cone pulley.
No. 1½ B. MILWAUKEE VERTICAL, single pulley.
No. 3 B. & S. vertical, single pulley.
No. 5 B & C. Decker vert, cone pulley.
No. 3 Becker vertical, cone pulley.
No. 4 Webster bed as for pulley.
No. 5 Webster bed as for pulley.

No. 6 Whitney hand miller.
No. 1 & 1½ Knight milling & drilling.
Becker, Hendey and Carter & Hakes Lincoln type mfg. millers.

Engine Lathes

42" Pond, with raising blocks to swing 53" by 15' bed. 30"x17'Houston, Stanwood & Gamble

heavy duty, quick change.

30*x12! LeBlond heavy duty, q. c.

24*x10! Boye & Emmes, quick change

21*x10! LeBlond heavy duty, quick change, late type. 20°x12' Hendey yoke head quick

change, with taper attachment. 20"x10"

quick change, 95% new. 20°x10' American Tool Works heavy duty, quick change, with taper att. 18°x 14' LeBlond heavy duty, quick change, taper attachment.

18"x11' Chard hvy. duty, Semi-q. ch. 18"x12' South Bend standard change, with taper attachment. 18"x8' Lodge & Shipley, q. c. 18"x8' Mueller heavy duty, q. c.

18" RS' Mueller heavy duty, q. c.
18" RS' Rockford, q. c., taper att.
16" RS' R. K. LeBlond, quick change.
16" RS' R. K. LeBlond, quick change.
16" RS' Hence, q. c., with taper.
16" RS' Lodge & Sholley, quick chg.
16" RS' Lodge & Sholley, quick chg.
16" RS' Rahn - Larmon heavy duty,

quick change, taper attachment. 14*x6! Monarch, quick change. 12*x5! R. K. LeBlond, q. c.

Gear Cutters and Hobbers

60⁸ No. 5-A Cincinnati, auto spur. 60⁸ No. 5 Brown & Sharpe auto, spur. No. 4—48" Brown & S. auto spur. No. 4—48" Brown & S. auto spur. 24" Gould & Eberhardt auto. spur.

No. 12 Brown & Sharpe auto, spur and bevel, cap. 12" gears. 18" Schuchardt & Schutte gear hobber. 18-H Gould & Eberhardt gear hobber. No. 12 Barber-Colman gear hobber.

(Continued on Next Page)

CINCINNATI, O. 108 E. Pearl St.,

That have you to Sell?

QUALITY Rebuilt and Guaranteed Machine Tools Offered by Eastern

Continued from Preceding Pages

Turret Lathes and Screw Machines

24" Gisholt turret, late type, 61/4" hole, taper attachment. 13" Gisholt turret lathe, taper att 3*x36* Jones & Lamson turret No. 9 lathe, geared head, 2½ x26 Pratt & Whitney turret lathe,

geared head. 2¼ x26° Cinti. Acme flat tur. lathe, 2° Pratt & Whitney turret lathe.

No. 6 Warner & Swasey turret lathe. No. 5 Foster turret lathe.

No. 4 Warner & Swasey turret lathe, No. 4 Bardons & Oliver turret lathe, power cross feed to cut-off slide. No. 4 Millholland turret lathe. No. 2 Foster turret lathe.

24"x10" LeBlond universal turret lathe. 21"x10" LeBlond mfg. lathe, 4-way turret tool post. 19*x81 LeBlond mfg. lathe, 4-way turret tool post.

Porter-Cable mfg. lathes.

Miscellaneous

Arbor Presses, Nos. 4 & 5, Greenerd, Arbor press, No. 4 Atlas. Bolt Cutter, 2* Acme class "A", Bolt Cutter, 2* Acme class "A", with new 2* Landis die head. Bolt Threading Machine, 1" Landis, with lead screw attachment. Boring mill, vertical, 24° Bullard rapid production type. Boring mills, vertical, 50° Niles Tool Works, 2 swivel heads on rail. Brake, power, 8' Dries & Krump, 10 gauge capacity. Broaching Machines, Nos. 2 & 3-B Broaching Machines, Nos. 2 & 2-D.
J. N. LaPointe.
Cold Saw, Nos. 1 & 4 Cochrane-Bly,
Electric Spot Welder, Toledo, cap. to
weld 2 pieces ½ material.
Electric Spot Welder, Federal, cap, to
weld 2 pieces ¼ material.

La Cache & 6.8 & Racine h. str.

Hack Saw, power, 6"x6" Racine hi-sp.

Forcing presses, 15 & 20 ton Lucas Machine Tool Co. Hack Saw, 8"x8" No. 7 Atkins Kwik Hammer, 100 & 200 lb. Bliss board dr. Hammer, 600 lb. Chambersburg steam. Pipe Machine, 2" Williams, power. Pipe Machine, 6* Merrill, power.
Press, horning, No. 41-A Toledo.
Presses, power, C No. 3 & C No. 5
Ferracute, o. b. i.
Press, power, No. 8 Chas, Lefler, o. b. i. Riveting Hammer, No. 4A High Sp. Riveting Machine, 5 16 Grant. Shear, power gap, square, 62° No. 56

Niagara, cap. 16 gauge. ringara, cap. 10 gauge. Shear, power gap, square, 42ª No. 242 Niagara, 14 gauge and lighter. Shear, power square, 36ª No. 239 D. H. Stoll, 14 gauge and lighter. Tapping Mch., No. 2X Garvin auto.

10

And many others. Send for our complete list of bargains.

EASTERN MACHINERY 408 E. Pearl St., CINCINNATI, O.

Lowest Prices!

and The World's Greatest Stock!

LATHES

48"x50" Amsl. h. d. gun boring. 48"x40" Pond triple geared. 48"x40" Putnam h. d. production. 36"x32" Bridgeford grd. hd., q. c. g. 30"x16" LeBlond h. d., q. c. g. 24"x12" American, q. c. g. 24"x 8" LeBlond, q. c. g. 20"x10" Davis, q. c. g.

PLANERS

60°x60°x18° Pond 2-heads. 48°x48°x20° N. B. P. 2-heads. 48°x48°x20° N. B. P. 2-heads. 48°x48°x 8° Sellers 1-head. 36°x36°x21° Cray 2-heads. 30°x30x°20° Wood. & Powell 2-hds. 22°x22°x 5° Cray, 1-head.

SHAPERS

30" Norton. 24" Steptoe. 20" Smith & Mills. 16" Stockbridge.

MILLERS

24°x24°x12¹ Ingersoll horiz, slab. No. 3 Brown & Sharpe vertical. No. 2 Brown & Sharpe universal, No. 5-C Becker vertical. No. 7-H Becker Lincoln type, No. 2½ Hendey Lincoln type,

RADIAL DRILLS

30^a American, t. a. 36^a Gang. 6ⁱ Dreses. 4ⁱ Dreses.

GRINDERS

20°x54° Diamond wet surface. 16°x66° Landis crankshaft. 16°x66° Landis universal. 16°x36° Landis universal. 10°x48° Landis universal. 12°x36° Fitchburg plais.

STEAM SHOVELS

95-Ton Bucyrus R. R. type. 70-Ton Bucyrus R. R. type.

SLOTTERS

10" Putnam. 16" Betts. 20" Niles.

PUNCHES and SHEARS

48° Throat Cleveland 1° cap.
42° Whiting 1° cap. arch. jaws.
36° Thrt. Cleveland 1° cap. arch. jaws.
18° Thrt. Cleveland ½° cap. arch. jaws.

PUNCH PRESSES

No. 55 D. G. G. Ferr. dbl. grd., 16* Str. No. E-57 Ferr. dbl. grd., 2½* Str. No. 75½ Bliss straight side, 6* Str. i. No. 6 American Can Co. style-N. o.b.; No. 256 Toledo dbl. crank, s. s., 4* str. No. 56 Toledo s. s. trimming. No. 5 Crobby Stiles type, 2½* str.

MISCELLANEOUS

12' L. & A. style-A Forming Press, 750-1000-1500 ton Mesta Presses, 365-Ton Camden Jogging Press, 5-Ton Whiting El. Crane, 35' span, 10-Ton Morgan El. Crane, 73' span, 19x24 American Mogul type, 63-ton. Standard Cauge Locomotive, 16x24 Vulcan 50-ton Saddle Tank. 6000 Lb. Chamb. D. F. Stm. Hammer, 2500 Lb. Biss Board Drop Hammer, 2500 Lb. Biss Board Drop Hammer, No. 4-B Wms, & White Bulldozer, 2" Cuttis Pipe Thread Machine. 6" Binnall & Keeler Pipe Th. Mche. Bauth 8-Spindle Multiple Drill. Nos. 2, 3, 4 Wood Tilt. Tur, Lathes, 7500 to 3000 gal. Old Stor. Tanks.

Machinery Bulletin No. 209, describing our complete stock, mailed free on request.

HARRIS BROTHERS COMPANY 35th & Iron Sts., CHICAGO

Bath's Bargains

Boring Mills-Vertical

Bullard 2 swivel heads.

42" King, 2 swivel heads, rapid traverse. 44" Baush, 2 swivel heads. 42", 48" and 54" Colburn boring mills. 72" Pond, 2 swivel heads, heavy.

101 Betts, rebuilt and very good

Boring Mills-Horizontal

3° bar Binsse, table type. 3° bar Lucas, table type. 3½° bar Rochester, floor type. 3½° bar Landis, floor type.

5 bar Beaman & Smith, floor type.

4" bar Morton floor type boring, drilling and slotting machine.

Drille

4-spindle 20° Barnes.

6-spindle Moline rail drill, 11/2" capacity. 51 Bickford radial.

5' Bickford radial.
No. 1, 8' wall radial.
20' Barnes, sliding head.
24' Cincinnati, aliding head, friction back gears.
28' Cincinnati, aliding head.
30' Aurors, sliding head.
32' Cincinnati, with tapping attachment.
24' No. 25 Foote-Burt, with compound table.

Forging Machines and Bulldozers

| " | 1¼" | 1½", 1¾", 2½" and 3" Ajax Upsetters. | " | 1¼" and 1½" Acme steel bed Upsetters. 4 & 5 Williams & White Bulldozers.

250-ton Mesta Steam Hydraulic, 85%.

Grinders

18x96* Norton plain. 17x36* Landis universal.

No. 20 Safety electric floor grinder, 10 HP motor, 32*x4* wheels. Various electric floor grinders and grinding stands.

Hydraulic Equipment

175-ton R. D. Wood 4-column Flanging Press. 1800-ton Kilby Press, 34*x17. Morgan Hydraulic Riveter, 8' 6" gap. Wood and Bement-Miles Hydraulic Riveters, 10' 6" gap.

Lathes

14" to 20" tool room, various lengths. 25"x12" LeBlond heavy duty. 30"x14" Boye & Emmes, double back geared. 36"x14" Schumacher & Boye, triple geared.

48*x26' Bridgeford, grd. hd., t. a. 48*-60*x34' Houston, Stanwood & Gamble, grd. hd., mtr. dr.

Tumbling Barrels

Several sets 18 x 48 chill lined, square, with roller bearings and exhaust.

Ma

for December

Milling Machines

Style "B" Gooley & Edlund, (2), 20 x 1/2 x 18 Oesterlein plain, belt drive. No. 1 Rockford plain, back geared. No. 2 Brown & Sharpe vertical. No. 2-B heavy Brown & Sharpe plain. No. 3 Brown & Sharpe plain. No. 3 Hendey, geared head, plain.

No. 4 Cincinnati high power miller. Becker miller, model "C", table 14*x54*.

22"x24"x57" Fitchburg, single head. 30"x30"x8' Gray, single head. 30"x30"x81 Cincinnati, single head. 48"x48"x18' Pond, 4 heads, heavy duty. 72"x72"x16' Betts, four heads.

Punches and Shears

No. 4 Doelger & Kirsten alligator shear, 4¾° cap., 30° blades. 84° throat, Long & Allstatter, capacity about ¾° thru ¾°. Kling Bros. horn press, 60° horn, flywheel 50° dia. 6½° face. 48° throat No. 4 Southwark, capacity 2°x1¼°. 40° throat (No. 4 Southwark, capacity 2"x1/4".
No. 6 Quickwork rotary shear, capacity up to 11/4" plate.
36° throat Lennox rotary shear, capacity about ½" plate.
15° throat No. 14 Williams & White.
No. 4-R United Engineering alligator shear, 12° blades, 3° cap.
No. 16 Carlin alligator shear, 23'4 capacity, 23° blades.
51° Bertsch plate shear, 56° capacity, 23° blades.
76° Multiple punch, shear or press, 56° capacity. 4 Capacity Loyd-Booth cam driven alligator shear.

Turret Lathes and Screw Machines

3°x36° Jones & Lamson. No. 3-A Warner & Swasey. 18° Libby, bar and chucking equipment. No. 4 Bardons & Oliver.

Miscellaneous

Acetylene Generator,
Blower, No. 4 Root, motor drive.
Blowers, Nos. 1 & Z Buffalo Forge.
Blowers, Nos. 1 & Z Buffalo Forge.
Blowers, No. 14 Root positive pressure.
Bolt cutter, Acme, 1 * belt.
Chain Hoists, ½, 1, 1½, 4 & 6 ton.
Cold Saw, 48 * Newton.
Gear Cutter, 36 * Gould & Eberhardt,
Grinder, No. 116 Cochrane-Bly.
Hammer, 100 lb, Bradley helve. Hammer, 100 lb. Bradley helve.
Pipe Machines, 2º & 4º Jarecki.
Press, No. 66 Consolidated, 4º stroke.
Press, C-1 Ferracute, 2º stroke. Pyrometer, Brown. Slotter, 48* Niles-Bement-Pond, motor drive.

Machinery Av., N. E., Cleveland, O.

Below, we list a few machines from our immense stock. We have hundreds more. All are high-grade, guaranteed and real

BARGAINS

LATHES

- LATHES

 1-54" x28' Le Blond.
 1-44" x18' Johnston.
 1-51" x29' Le Blond.
 1-44" x18' Putnam.
 4-38" x39' Pittsburgh Geared Hd.
 2-30" 34" x12' L. & S. Sel. Hd.
 1-28" x16' Bridgeford.
 15-25" x12' Le Blond.
 1-24" x12' Chard.
 1-24" x12' Reed Prentice Grd. Hd.
 1-24" x12' Reed Prentice Grd. Hd.
 2-24" x12' Le Blond.
 1-24" x10' Le Blond.
 2-20" x18' American Grd. Hd.
 1-20" x12' American Grd. Hd.
 1-20" x12' Le Blond.
 1-16" x 8' Walcott.
 1-16" x 8' Walcott.
 1-16" x 6' Walcott.
 1-14" x 6' Carroll-Jamieson.

- 4-14"x 6' Carroll-Jamieson.

MILLERS

- 1-No. 6 Becker Vertical.
- 1-No. 5-C Becker Vertical
- 6-No. 3 Brown & Sharpe Vert.
- 1-No. 3 Cincinnati Vertical. 1-No. 2B Milwaukee Vertical.

- 2-No. 4-B Becker Vertical, 3-No. 4 LeBlond Plain.
- 4-No. 4 Cincinnati Plain. 3-No. 3-B Hvy. Brown & Sharpe.
- 8-No. 3 Kempsmith Plain. 2-No. 2-B Hvy. Brown & Sharpe.
- 1-No. 2 Kempsmith Plain.

PLANERS

- 1-72"x36"x36" Cincinnati. 1-60"x48"x30" Hamilton. 3-36"x36"x18" Cincinnati. 1-36"x36"x12" Woodward & P. 1-36"x36"x12" Gray. 1-30"x30"x14" N. B. P.

- 1-24"x24"x 6' Hamilton,

PRESSES

- 1-96-G Toledo Double Crank.
- 2-No. 56 Ferracute.
- I-No. 1632 Toledo Toggle.

BORING MILLS-Vertical

- 5-72" Gisholt.
- 5-72" Gishoit. 1-72" Cincinnati. 1-72" Colburn. 1-42" Colburn. 1-30" Bullard.

- 1-24" Bullard Rapid Production.

BORING MILLS-Herimatal

- 1-No. 35 Landis.
- 1-No. 11 Giddings & Lewis. 7-2" Bar Rockford.

DRILL PRESSES

- 1-No. 513 Baker.
 - 1-No. 310 Baker
- 1-No. 24 Foote-Burt. 1-24" Colburn. 1-23" Barnes all geared. 14-No. 1-K 8" Henry & Wright.

SLAB MILLERS.

- 7-22"x24"x12' Ingersoll. 1-24"x24"x 8' Ingersoll. 1-24"x13"x20' Ingersoll. 1-32"x32"x12' Ingersoll.

GRINDERS

- 4-22" P. & W. Vert, Surf.
- 1-20"x96" Landis.
- 1-20 x36 Lancis. 1-18"-30"x36" Norton Gap. 3-14"x50" Norton. 3-10"x72" Norton.

 - 6"x32" Norton.
- 2-No. 70 Heald.
- Our Guarantee: Your money back if you return a machine within thirty days, freight prepaid.

HILL, CLARKE & CO. of CHICAGO. 645 W. Washington Blvd.,

Telephone Haymarket 7660

H12-J-GLI 112

CHICAGO, ILL. Cable Address "Remand"

SIMMONS New and Used MACHINE TOOLS

ATTRACTIVE PRICES

MONEY BACK GUARANTEE

TESTED BEFORE SHIPMENT

Shapers and Slotters

- 1-32" Smith Mills Shaper. 1-28" Queen City Shaper. 2-24" Cincinnati, cone.
- 1-24" Gould & Eberhardt, cone.

- 1-20" Ohio Shaper. 1-20" Kelly b. g., cone. 1-20" Smith Mills, b. g. 1-10" Smith Mills, c. g. 1-16" American, motor drive. 1-16" Smith Mills, cone. 1-13" Potter-Johnston Shaper.

- 1-15" Potter-Johnston Shaper.
 2-36" Industrial Slotters.
 1-36" Bement Slotter.
 2-24" Bement Slotters.
 2-4" Rement Slotters.
 1-15" Newton Slotter.

Automatics

- 10-21, 31 & 41 Gridley, single spin-10-24, 3‡ & 4‡ Gridley, single spi dle, motor drive. 1-4* Cleveland, single spindle. 2-2* Cleveland, single spindle. 1-2** Cleveland, single spindle. 2-00 B. & S. Turret Forming. 4-0 B. & S. Automatics. 1-0 B. & S. Cutoff. 1-1‡*x** New Britain.

Planers

- 1-72" x 72" x 18" Detrick-Harvey Latest Type Openside, 3-heads, motor drive. 1-60"x60"x26" D. & H. Open-side. 1-60"x60"x14" Powell heavy. 1-60"x80"x12" Gleason. 1-42"x42"x26" Pond Planer four

- heads, rev. m. d. 1-36"x36"x20' Woodward-Powell,
- 1-36° x36° x29' Woodward-Powell, like new, reversing motor drive. 1-36° x36° x14' N.-B.-P. gear box, 2 heads, belt or m. d. 1-30° x30° x18' Cincinnati, 1-24° x24' x12' American, 2 heads. 6-24° x24" x6', 8' and 10' Whitcomb

- Second Belt Drive Planers.

Turret Lather 3-24" Gisholt, big bore.

- 5# Bardons & Oliver.

 - 1-29 Garvin, g. f. h. 3-28 "x11" Acme, g. f. h. 1-No. 3-A Warner & Swasey tur.
 - 6-3x36 Jones & Lamson flat. 1-3x36 Hartness, double spindle.

 - 1-338 Harquess, double spind 6-18" Libby rapid production. 2-2\(\frac{1}{2} \times 10^{\times} \) Millholland. 7/16"x2\(\frac{1}{2} \times P. \& W. turret. 8-2"x26" P. \& W. turret.

Vertical Boring Mills

- 2-24" Bullard R. P., side head. 1-30" Gisholt vertical turret.
- 1-30° Gisnoli veritical di 1-34" Bertram (Niles) turret. 1-38" Vertical turret and side. 2-42" Bullard, two heads. 1-54" Colburn, two heads.

- 1-64" Colburn, two heads.
 1-60" Cincinnati, two swivel hds.
 1-62" King vertical.
 1-72" King vertical.
 1-72" Niles, two swivel heads.
 1-84" Pond special X heavy, two
- swivel heads, gear feeds.
 1-4" Bar Niles Horizontal Mill.

Miscellaneous

- 1-54" Morgan Hot Saw.
 1-3 Ton Wellman-Seaver-Morgan, Ingto Manipulator.
 1-C-5 Ferracute Press, 10-Henry-Wright 4-spindle Drills.
- XB-2 Ingersoll-Rand Compressor 2-B Gorton Cut-off Machine.
- LaPointe Broaching Machines.
- Bignall Keeler Pipe. Rockford Balancing and Drilling.
- Hilles-Jones Guillotine Shear.
- 5x5 Carlin Alligator Shear. No. 0 Eastman Photostat.
- 40 lb. Bradley Helve. 1000 lb. McDougal Porter single
- leg forging.
- 4-Nutter Barnes Cut-off Saws

Simmons Machine Tool Corp.

NEW YORK

ALBANY

BUFFALO

149 Broadway

1212 Troy Road 88 Exchange St.

LOOK THESE OVER!

SHAPERS AND PLANERS

20" Smith & Mills, back geared, s. p. d., new\$	825.
18 Hollingsworth, heavy-duty, back geared, new	590.
16 American, back geared, good condition	400.
16" Queen City, back geared, good condition	450.
16" Smith & Mills, back geared, good condition	345.
6x6 Pratt & Whitney, good condition	115.
32x32x141 Pond Planer, 2 heads on rail, good condition.	985.
24x24x6' Pease Planer, good condition	290.
24x24x6' Gray Planer, good condition	350.
32x32x8 Woodward & Powell Planer, good condition	490.
LATHES	
42x12 Gleason, face plate drive, 36" chuck, heavy.duty_\$	685.
24x12 Boye & Emmes, loose change gears, ex. cond	390.
24x12 Bradford, loose change gears, taper attach. ex. cond.	335.
22x12 Draper, back geared, no grs., otherwise ex. cond	150.

18x12 Hendey, quick change gears, taper att. good cond. 21x8 LeBlond heavy-duty, single pulley drive, q. c. grs... 16x6 Rockford, loose change gears, good condition...... 165. 14x6 Monarch, quick change gears, good condition..... 195. 14x6 LeBlonds, back geared, quick change gears, all in excellent condition and with complete equipment.

excellent condition and with complete equipment; just the thing for repair shops _______\$250. to \$325. 12x6 Reed, without gears, otherwise in good condition_____50.

MISCELLANEOUS

No. 0 Mitts & Merrill Keyseater good condition\$	95
No. 11/2 B. & S. Universal Miller, complete equip., new	985.
No. 4 LeBlond plain Miller, vertical head, extra table	
16x86°; good condition	895.
No. 3 Cincinnati Miller, vertical, single pulley drive	795.
No. 2 Cleveland Miller, plain, single pulley drive, like new	745.
36" American Band Saw, 32x32 table, excellent cond	125.

A. R. Marsh Machinery Company,

For our financial responsibility-

Real December Bargains!

Norton Draw-Cut Shaper, good condition	385.
38" Wright Metal Cutting Band Saw, like new	180.
250 lb. Beaudry Hammer, good condition	175.
51 Keufel & Esser Automatic Blue Print Machine, with	
motor, excellent condition	270.
4" Higley Cold Saw in good working order	85.
6x6 Burke Cold Saw, good condition	125.
No. 19 Chas. Leffler Press, o. b. i., like No. 19 Bliss.	185.
No. 41/2 Niagara Press, o. b. i., same as No. 20 Bliss	270.
No. 30 Perkins Press, o. b. i., like No. 18 Bliss	115.
No. 41 Toledo Horning Press, good condition	145.
8" Heald Circular Grinder, good condition	175.
16x48 Landis Crankshaft Grinder, latest type, like new	1250.
14x36 Pratt & Whitney Vertical Surface Grinder, ex. cond.	495.
No. 1 Norton Tool and Cutter Grinder, new	285.
No. 14 Brown & Sharpe Plain Grinder, 12x48	470.
31/4x36 Cincinnati Acme Turret Lathe, like new	465.
3x36 J. & L., latest type, geared feed, excellent cond	330.
3x36 J. & L., latest type, 2 spindle, excellent condition	550.
No. 4 Bardons & Oliver Hand Screw Mche. ex. cond	350.
No. 24 New Britain Automatic, 5 spindle, ex. cond	950.
36" Reed-Prentice Drill, tapping attachment, new	495.
258 Snyder Drill, power feed, back gears, sliding head	215.
4 Sp. Allen Drill, ball bearing, new	565.
8 Sp. multiple, heavy-duty Fox Drill, good condition	565.
16" Henry & Wright high speed Drill, ball bearing, good cond.	140.
No. 2 Pratt & Whitney Die Sinker, good conditon	175.
No. 55 Atlas Power Driven Arbor Press, good cond	185.
20 H. P. Motor, a. c., 220 volt, 60 cycle, complete with	
starter, rails and pulley	190.
26 WAA D1.6 :11 1	270

We have hundreds of items that are never listed.

Send us your inquiries.

900 West 73rd St., Cleveland, Ohio

- See Bradstreet's September issue

Here's Your Opportunity To Secure Real Values—

1 248 Weigel Drill Press.

Fellows Gear Shapers.

3 No. 6 Foster Screw Machines.

2 No. 4 Southworth Screw Machines.

No. 4 J. N. LaPointe Broach and Extension.

No. 3 Landis Universal Grinder 16x36.

14x50 Norton Plain Grinder. 12x96 Landis Plain Grinder.

26"x26"x8' E. C. Pease Planer.

6' Niles Radial Drill.

Webster & Perks Universal Grinder.

10½ Bardons & Oliver Turret Lathe.

Bryant Internal Grinder.

2 6" Gleason Generators.

1 No. 2 Warner & Swasey Hand Screw Machine.

No. 2 Leisy Patton Hand Screw Machines.

No. 2 LaPointe Broach, 2-spindle. American High Pressure Blower.

6x15 Fitchburg Grinder.

Tilted Metal Cutting Band Saw.

3" National Bolt Cutter.

4" Acme Bolt Cutter, 41/2" capacity.

Warner & Swasey Knee Type Boring Mill. 1 20"x14" F. E. Reed Screw Cutting Engine Lathe.

S. W. Putnam (Fitchburg) 44"x45" triple gear Engine Lathe, 11 H. P. motor. sli

Cordesman Iron Tilting Top Saw Table.

12" Cincinnati Manufacturing Miller.

1 3½x84 Fitchburg Lo-swing Lathe. 1 Curtis Oil Separator and Hoist.


3 32"x12' Pittsburgh Screw Cutting Engine Lathes.

1 14"x6' Hendey Lathe.

1 18 Cincinnati Miller, 95% new.

I Cincinnati Tool and Cutter Grinder.

The EMPIRE MACHINERY EXCHANGE CO., Inc. Offices and Warehouses: 2261 E. 14th St., Cleveland, Ohio



Planers

Niles-Bement-Pond heavy types, with complete electric reversing drive and four heads, new or slightly used, at bargain prices.

36"x36"x14' 36"x36"x16' NEW 42"x42'x26' 42"x42"x30' 48"x48"x16' 50"x36"x22' heavy widened type.

LATHE, Niles-Bement-Pond NEW 36"x16', triple geared.

MILLERS, No. 3 Heavy and No. 2 Heavy Brown & Sharpe, motor drive.

GEAR CUTTERS, two No. 4 Brown & Sharpe.

Specifications, prices, photographs on request

A. F. STRAFER, 30 Church St., NEW YORK

Reliable Tools at Right Prices

BLISS No. 1½ Toggle Drawing Press. BLISS No. 2 Double Crank Press, Flywheel, BLISS No. 2-W Wiring and Bulging Press. BLISS No. 2-W wiring and buiging Fress, BLISS No. 14-B Toggle Drawing Press, BLISS No. 20 Inclinable Flywheel Press, BLISS No. 27 Knuckle Joint 1000-ton Press, BLISS No. 24 Knuckle Joint 400-ton Press, BLISS No. 31 Overhanging Flywheel Press, BLISS No. 61 Flywheel Press, wgt. 2000 lbs. BLISS Stiles No. 3 Geared Press. BLISS No. 73½ Straight Side Geared Press. BLISS No. 77½ Straight Side Geared Press. STOLL No. 68 Straight Side Geared Press. TOLEDO No. 54 Geared Straight Side Press.
TOLEDO No. 554 Geared Straight Side Press.
TOLEDO No. 555½ Straight Side Trimming Press.
TOLEDO No. 1677 Toggle Drawing Press.
TOLEDO No. 1687 Toggle Drawing Press.
TOLEDO No. 1688 Toggle Drawing Press.
TOLEDO No. 1686 Knuckle Joint 1000-ton Press.
CONSOLIDATED No. 56 Flywheel Trimming Press. CONSOLIDATED No. 65 Geared Straight Side Press. CONSOLIDATED Nos. 93 and 94 Punching Presses. CONSOLIDATED No. 165 Flywheel Double Crank. FERRACUTE EG-6 Geared Straight Side Press. FERRACUTE D-66 Straight Side Reducing Press. NIAGARA No. 3 Inclinable Flywheel Press. WILLIAMS & WHITE Nos. 2, 4, & 6 Bulldozers. LUCAS 30-ton Power Forcing Arbor Press.
ZEH & HAHNEMANN Nos. 12 & 20 Percussion Presses. ZEH & HAHNEMANN Nos. 12 & 20 Percussion Presses. NAZEL Nos. 2-B and 5-B Air Hammers. BEAUDRY 50 & 200 lb. Power Hammers. GARVIN No. 2-B. G. Automatic Tapping Machine. LANDIS 11 Double Head Bolt Cutters. LANDIS 12 and 2 Single Head Bolt Cutters. LANDIS 13 and 2 Single Head Bolt Cutters. HILLES & JONES No. 2 Alligator Shear, 2½ cap. HILLES & JONES No. 6½ Gate Shear, Cap. 1, 144 Blades. MORGAN No. 294 Gate Shear. Cap. ½, 132 Blades. NIAGARA No. 642 Power Shear, 42 Blades, 10 Ga. NIAGARA No. 642 Power Shear, 3 cap. Blades. NORDIS 10 Song 10 SCHUMACHER & BOYE 24*x10¹ Lathe, Q. C. G. WICKES 36*x20¹ Lathe, q. c. g., s., p., motor drive. CLEVELAND ½* Model "B" & "G" Automatics. GRIDLEY ¾* & ½* Multiple Spindle Automatics. POWELL 36*x36*x12* PLANER CLEVELAND Punch Style "G", 42* Thr., Cap. 2* Thru 1*. STOCKBRIDGE 20* Motor Driven Shaper. WINFIELD Spot Welder, capacity 2 pieces 3/16*.

D. C. Oviatt & Company

2168 Lakeside Avenue,

Cleveland, Ohio

18

61 P

5* 18* 42*

Real Bargains Some Brand New

LATHES

18°x 8' Morris Q. C., New, \$750. 18°x 10' Morris Q. C., New. 22°x 10' Morris Garsed Head, New. 22°x 12' Morris Q. C., New. 32°x 12' Pond Single B. G., Cone. 42°x 16' Niles. T. G., Cone.

SHAPERS & SLOTTERS

16" S. G. Stockbridge, New, \$400. 16" B. G. Stockbridge, New, \$600. 26" Bement Dbl. Traveling Hd., Mtr. 15" Bement Slotter 220 v., D. C.

RADIALS

5' Niles Universal Gear Box. 5' Niles Semi-Universal Gear Box. 5' N. B. P. Univ., "Right Line," 220 v., D. C.

6' Niles Semi-Universal Gear Box. 6' Niles Full Universal Gear Box.

61 Niles Universal, Motor.

BORING MACHINES

60"-4" Bar, Niles Horiz. B.& D. 5" Bar Niles Floor Borer. 18" P. & W. Side Head Mill. 42" Niles B. & T. Mill. 44" Niles, with R. H. Turret Head, 220 v., D. C.

PLANERS

30*x30*x 6! Niles-B.-P., 2 Hends, Rev. Motor. 32*x32*x10' Niles, 2 Heads, 32*x32*x12' Pond, 2 Heads, 36*x36*x10' Niles, 4 Heads, 36*x36*x10' Niles, 2 Heads, 36*x36*x16' Niles, 3 Heads, 42*x42*x12' Niles, 4 Heads, 42*x42*x14' Pond, 4 Heads, 46*x46*x16' Pond, 4 Heads, 48*x46*x20' Pond, 4 Heads, M. D. 96*x72*x42' N-B-P Rev. Motor, 10'x10'x26' Betts, Motor, 4 Heads,

PUNCHES & SHEARS, AND MISCELLANEOUS EQUIPMENT

34" Cap. L. & A. Plate Shear, Motor.

1⁸ x 1⁹ Cap. 48⁸ L. & A. Punch and Shear, Motor. % x % Cap. 12⁹ Throat L. & A. Horizontal Punch. 185 lb. Motor Driven Air Hammer. 800 lbs. Bement Sgl. Frame Hammer. 800 lbs. Bement Board Drop. No. 2 Mitts & Merrill Keyseater. 48⁹ B. & S. Spur Gear Cutter. 2⁹ Cox Lever Grip Pipe Machine, D. C. Motor.

DA2-Wilson, 220 v., D. C. Welder.

The Niles Tool Works Company

Division Niles-Bement-Pond Company

Hamilton, Ohio

New York, 111 Broadway.

Birmingham, Brown-Marks Bidg.
Beston, 176 Batterymarch St.
Chicago, 584 W. Monroe St.
Chicano, 583 West Fourth St.
Cleveland, 1433 East Twelfth St.
San Francisco, 917 Howard St.
Howard St.

Detroit, 5936 Cass Ave. Loe Angeles, 464 East Third St. Philadelphia, 2415 Chestnut St. Pittaburgh, 1115 Empire Bidg. Rochester, 89 East Ave. St. Louis, 516 North Third St. 7 Howard St.

RZHTAZWY **CNELAND** TAMMIDMID PITTSBURGH

Machines

D

BORING MILLS

No. 0 Giddings & Lewis Horizontal. 34° Bullard Vertical Turret Lathe (New Era). 36° Bullard Vertical Turret Lathe (New Era). 51° Bullard Standard Boring and Turning Mill.

61 Bullard Maxi Mill.

TURRET LATHES

No. 6 Warner & Swasey. 11/2"x9" Cincinnati Acme. 14º Fay Automatic. No. 4 Warner & Swases

MILLING MACHINES No. 2 B. & S. Univ. comp. equip. No. 1B B. & S. (egl. pulley drive.) No. 1 Cincinnati Plain No. 4 Cincinnati Univ., index hd. No. 4 Cincinnati Pl. High-Power

No. IM Cincinnati Plain (single

pulley drive).

Rapid Traverse. DRILL PRESSES 4-spindle Leland-Gifford. 36 American High-Speed Sensi-4-spindle Edlund. tive Radial

51 Cincinnati Bickford Radial. 28" Cincinnati Bickford, el. head. GEAR CUTTERS 68 Glesson Bevel Gear Generator.
118 Glesson Bevel Gear Generator. 18 Gould & E. Gear Hobbers.

36-S G. & E. Spur Gear Cutters 16º Cincinnati Back Geared

24⁸ American Back Geared. 28⁸ American Back Geared. 16" Gould & E. Back Geared ATHES

12x5 Hendey tool room, q. c. f. 20x10 American Geared Hd. 20x14 Hendey. 14x6 LeBlond, q. c. f. 14x6 Monarch, q. c. f. 14x8 Lodge & Shipley, q. c. f. 24x12 American. 42x32 American

2x32 American, triple geared head, 2 carriages, motor drive, 16x8 LeBlond, taper att. 20x10 American. 34 h. p. motor, GRINDERS

No. '14 Pratt & Whitney surface 22 Heald Rotary Surface grinder, vertical. 84 Diamond Face Grinder. No. 2 Norton Cutter Grinder. Grinders, (8" magnetic chuck). No. 255 Heald Rotary Surface Grinders, (8⁸ magnetic chuck). No. 70 Heald Internal Grinder. No. 2 B. & S. Surface Grinders. No. 2 Norton Cutter Grinder, Full Univ. Equip. (power feed.) No. 1 LeBlond Cutter Grinder. This is a partial list of our equipment. In addition to above list we have

several hundred machines going through the process of rebuilding. Let us send you one of our circulars describing our methods, list ing our stock and picturing our plant.

Upon receipt of your address we will forward these circulars periodically. WAREHOUSE 888 East 70th St., CLEVELAND, O.

Must Vacate Our Warehouse — Attractive Prices To Move Stock

30° Bullard Vertical \$200. 42° Bullard Vertical 600. 42° Bullard Vertical. 850. Niles Horizontal Boring, Drilling and Milling Machine, 5° dia. bar.
12* Allen Ball Bearing Sensitive
24°x16½' Johnson, solid spindle \$275. 26°x10½' Walcott Hyy, Duty Q.C.G., 3, ea. 650. 33°x13' New Haven. 24°x6' Gisholt Turret, 6¼° hol. spdl. 850.
No. 5 Brown & Sharpe Plain
Equal to No. 4 Stiles. Double Acting Drawing, 2½ stroke
Canedy-Otto, hand power, ½°x½° \$ 45. Cleveland Style "C", 24* throat, cap. 1* thru ½°, with motor
No. 2-B Nazel, capacity 4* square. 2000 lb. Bement Steam Drop
14* Lodge & Davis S. G. \$150. 20* Cincinnati B. G. Crank 375. 24* Gould & Eberhardt B. G. Crank 400. 28* Ohio Double Geared 300.
Air Compressor, Chicago 12x14, cap. 275 cu. ft. \$500. Crane, Panama Portable, 2½-ton

RUSSELL MACHINE COMPANY

1447 Oliver Building.

PITTSBURGH, PA.

A Big Shear Bargain—

No. 40-C Williams-White Bar and Billet Shear, with 20 H. P., 220 v., 60 cycle, 3-phase motor. Weight 40,000 lbs.

OTHER SELECTIONS-from our stock

15" Dill Slotter, belt drive. No. 204-A Toledo geared dbl. crank press. No. 93 Consolidated solid back Press. 42" American Radial, single pulley drive. 36" Cincinnati Bickford Radial, sgl. pulley dr. No. 3 Pratt & Whitney Die Sinker. 16"x96" Landis Plain Grinder. No. 6 Becker Vertical Miller. No. 31/2 Pratt & Whitney Duplex Miller. No. 0 Mitts & Merrill Keyseater. No. 6 Foster Friction B. G. Turret Lathes. 24" Gisholt Turret Lathe, 64" bore. 80 lb. Bradley Helve Hammer. 36" Niles vertical boring mill, 2 heads. 31/2" and 4" Acme Bolt Cutters. 4" Saunders Pipe Machine.

20 Lathes, 14" to 38" swing; Drills from 14" to 36" swing; Riveters, Circle Shears, Screw Machines, and many others of all kinds. OUR OWN, NOT JUST LISTED.

Send us your inquiries-anything in iron-working machinery

A. D. White Machinery Co.

108-114 N. Jefferson St.,

Chicago, Ill.

NEW 3 PHASE MOTORS CHEAP. 3 H. P. \$54.50; 5 H. P. \$65.50

LATHES 12"x 5' Cleveland, geared head. 14"x 6' Carroll-Jamieson, new, q. c. 14"x 6' Hamilton, grd. hd., motor dr.

14"x 6' Monarch, quick change. 14"x 8' Sebastian, c. r., h. d., mtr. dr. 14"x 8' Sidney, double back geared. 14"x 6' Hamilton, style B. 16"x 8' Sidney, double back geared.

TURRET LATHES and SCREW MACHINES
No. 4 Defiance, 11" capacity.
| No. 1 Foster, 15/16" capacity, (

16" capacity Smurr & Kamen. 2x24 and 3x36 J. & L.

14" Niles, traveling head. 14" Steptoe, crank. 16" American tool room.

16" O. & S., back geared, new, low

PRESSES No. 10 and No. 15 Excelsior, foot.

No. 6-A Willard Nos. 3-A & 5-A Willard inclinable. DRILLS and RADIALS

3' W. E. Gang plain. No. 1 Baush multiple. 4' Plain Universal Radial Drill Co. Electric Drills, Black & Decker. No. 4 Duntley electric

No. 1 Kempsmith universal, new. No. 2 Kempsmith plain.

No. 3 Kempsmith plain, new. No. 3 Cincinnati universal, No. 31 Fox.

Nos. 1 & 78 W. & M. surface. 6"x15" Fitchburg plain. 10"x36' Landis plain cylindric. 6"x15" Fitchourg plain. 10"x36" Landis plain cylindrical. 12"x36" Cincinnati universal. 16"x42" Landis universal. 36" and 66" Yates plate.

No. 70 Heald internal.

Band saw, Clark, compound. Band saws. Napier 4"x4", 10"x10". Bending rolls, 7' for 3" plate. Blower, positive pressure, Leiman style F."

Boring mill, Colburn No. 3, tur. hd. Boring mill, 50" car wheel. Brake, 10', 18-gauge metal. Broaching mchs., I and 3 LaPointe. Compressors, 6x8, 8x8 and 9x8. Drawing tables, adjust., 42"x6' top. Gear cutter, No. 3-26 B. & S. Gear miller, Bilton No. 1. Hammer, No. 1 Pettingell.

COLUMBUS

18"x10' American, quick change. 20"x 8' American, geared head. 20"x10' Hamiiton, rapid production. 22"x10' Greaves & Klusman. 24"x12' Bradford. 24"x32' Pretntice, with raising block. 8x60" & 34x60' Fitchburg, Lo-Swing.

No. 1 Foster, 15/16" capacity, (2). Warner & Swasey No. 2. Warner & Swasey No. 4.

SHAPERS

16" American back geared crank. 16" Cincinnati b. g., motor drive. 16" Barker back geared crank. 24" O. & S. back geared crank. 24" Gould & Eberhardt b. g. crank.

Nos. 11, 2, 21 & 4 Robinson, new. Emco, bench, for radio parts Perkins, dbl. housing, wt. 4,000 lbs.

22", 24", 26", 28" and 32", sliding hd. 6' Ceiling Drill. 4-spindle Reed sensitive.

MILLING MACHINES

No. 25 Becker plain, power feed. No. 2 H Brown & Sharpe plain. Oesterlein 24x7\pm x18 plain.

Briggs "A" high duty, 24x8" table.

No. 7 Becker, Lincoln type.

GRINDERS No. 60 Heald cylinder.

chmitt cylinder grinder. No. 3 Ohio universal, tool and cut. No. 4 Gardner 20" double disc. No. 10 Besly 18" double disc. No. 20 Bryant, chucking. Capital internal, new, 2"x2" cap. MISCELLANEOUS

Hammer, 150 lb. Standard drop, Pipe machines, 2", 4" & 6". Pumps, Gould triplex, 64x8". Punch & shear, 3x4x10" throat. Riveting hammers, High Sp Nos. 2, 3, 4 & 5-A. Scale, 1500 lb. Toledo, dial type. Sceleroscope, Shore type C. hammers, High Speed Shear, 60" Peck, Stow & W., 18 ga. Shear, No. 362 Robinson. Shear, No. 20 Quickwork, 30" throat. Shear, circular, Pettingell, 60" thrt. Tapping machine, Acme 6-spindle. Threading mche., W. & P. 2-spindle.

Peninsular Machinery Company

Machinery Dealers

DRILLING MACHINES 1—3-Spindle Henry & Wright Ball Bearing Sensitive, 12" over-hang, surface of table 40"x24".

1-28" Barnes Sliding Head Back Gear Power Feed Tapping Attachment, with compound tab

2-No. 11 Lumsden Ball Bearing Cup Wheel for grinding lathe Tools, (New).

1-No. 190 Greenfield Univ. Cutter and reamer Grinder, 8" swing, 16"

2-al''* 1/ LeBlond Sgl. Pulley Dr. Quick Clanace Gear Engine 2-13'*x 6' Willard L. C. G. Engine. 3-14''x 6' Rockford L. C. G. Engine. 1-16''x 6' Rockford L. C. G. Engine. 1-16''x 6' South Bend L. C. G. T. A. 1-16''x 6' American Q. C. G. Engine. 2-14''x 6' Prentice L. C. G. Engine. 1-16''x 6' LeBlond Q. C. G. Engine. 1-17'x 6' LeBlond Q. C. G. Engine. 1-17'x 6' LeBlond Q. C. G. Engine. 1-3''x 8' LeBlond Q. C. G. Engine. 1-17'x 6' LeBlond Q. C. G. Engine. 1-17'x 6' LeBlond Q. C. G. Engine. 1-18''x 6' LeBlond Q. C. B. Engine.

mobile, with sq. turret tool post. 1-18"x 6' LeBlond Stud.

1-Type A Briggs Highduty, 16" fd. 1-32" Kempsmith (Lincoln Type),

feed range 36"x5#"x8#. I-No. 3H LeBlond Pl., feed range 34"x12"x20", with arbor and vise. 1-No. 0 Brown & Sharpe Plain

1-No. 5 Oliver Motor Driven Twist Drill, capacity & to 24.

1-No. 3 Baush High Speed Multiple 20"x40" hor. hd., 10 spindles. 1-26" Kern Sliding Hd. Back Gear

Power Fd. Tapping Attachment, cap. 21 hole, tapping capacity 21 pe tap, (New).

Cincinnati Cutter and Reamer.

-No. 12 Gardner Disc

No. 23B Valley City Dbl. End Disc, 24" steel discs, bench press. No. 2 Cincinnati Univ., id. range

12"x36" , water att., internal att. and countershaft.

1-13"x 5' South Bend L.C.G. Eng 4-13"x 6' Sebastian L.C.G. Engine. 1-16"x 8' Bradford L.C.G. Engine. 1-4"x 6' Carroll-J. Q.C.G. Engine. 1-4"x 6' Flather L.C.G. Engine. 2-21"x11' LeBlond Sgl. Pulley Dr.

1-19"x 8' LeBlond Heavy Duty

Automobile, cone type.

17"x 8' LeBlond Automobile, 1-17"x 8' cone type. 1-21"x10"Le Blond Automobile,cone

type, square tur. tool post.
2-14'x 6' Reed Prentice Pi. Turning, with pan bed, (New).
1-26"x10' LeBlond Heavy Duty

Duplex Crankshaft.

1-21"x12" LeBlond Line Bearing
Lathe, 3-tool tur., roller bk. rest.

1-21"x10" LeBlond Heavy Duty

Automobile Lathe, 3 step cone, double friction back gears. 2-21"-24"x10' LeBlond Automobile

Lathes, 3-step cone, dble, friction back gear, square turret tool post.
-No. 9 Le Blond multi-cut lathe.

MILLING MACHINES 1-No. 2 Brown & Sharpe plain, feed range 28"x10"x19".

2-No. 33 Kempsmith, single pulley drive, all-geared, 36" tbl. fd. 1-No. 0\frac{1}{2} LeBlond Plain, with bk.

gears.

SHAPERS 1-24" Rockford B. G. Crk, cone dr No. 6 Fellows Geared Shapers.

TURRETS, SCREW MACHINES
1-4"x44" P. & W. All Grd. Turret. | 1-1"x15" Pratt & W. 2-No. 3 Foster Friction Head Tur.

Lathes, power feed to turret slide. 1-No. 3 Stecher Plain Head Screw Machine, wire feed.
1-No. 2 Warner & Swasey Plain
Head Screw Machine, automatic

chuck, no wire feed. MISCELLANEOUS 2-12" Rochester Gear Tooth Round-

2-12 Recreater Gear room Roun-ing Machines.
1-18"S & S. Gear Tooth Rd. Mche.
2-4 Hurlbut-Rogers Cutting-off
Machines, capacity T to 4".
1-No. 1 Gray Sheet Metal Cutter,
2/16" capacity, 24" throat.

Pratt & Whitney Turret Screw Machine, with power feed to turret

1-No. 2 Warner & Swasey Hollow Hex. Turret Lathe, automatic chuck and roller wire feed. 1-No 6 B. & S. Tur. Screw Mche., roller w. fd. pwr. fd. to tur. slide.

1-LaPointe Broaching Machine, capacity # square hole, screw 2" diameter. 48" long. 1-Bethel-Player Lapping Machine,

26" diameter plates 1-No.50 Connersville Positive Pres-

sure Blower. 1-18" Gleason Bevel Gear Gen'tor. Detroit, Michigan

429-431 Jefferson Ave. E.,

New & Guaranteed Rebuilt Machine Tools

At Prices to Net You a Worth While Saving

BORING MILLS

-Bullard 24" N. E. type.

-Bullard 24" rapid prod. type.

-Colburn 54", 2 swivel heads.

-Cleveland No. 1 horizontal.

DRILLS-Upright and Radial

—Leland-Gifford 1 & 2 sp.,pwr.(d. —Colburn No. 4. —P. & W. No. 1 gun barrel. —New Turner No. 3 vert. tur.

-Baker No. 310. -Minster No. 2-D heavy. -Baush 6' radial.

1-Niles-Bement-Pond 96" Ridgeway m. d. pl. rad.

DRILLS - Multiple Spindle
2-Natco No. 14, 16", round hd.
2-Baush No. 3, 21-spindle.
2-Baush No. 2, 24-spindle.

1-Moline 4-spindle.
1-Moline No 5-D 6-spindle.
1-Foote-Burt No. 17, 6-spindle.
3-P. & W. No. 11, round head.
10-P. & W. Nos. 3, 12, 13.

SCREW MACHINES-Automatic -B. & S. Nos.0, 00, 2, 2G full auto.

1-B. & S. No. 19.

1—New Britain 1 x 7 bar. 10—New Britain Nos. 23. 24, 33. 2—National Acme No. 52, 54.

MILLING MACHINES
1-Becker No. 7 duplex.
1-Newton duplex.
2-Hendey No. 1 universal.

1-Milwaukee No. 2-B univ. 4-Briggs "B" plain. 2-Rockford No. 12. No. 2. 4-Cincinnati Nos. 2, 3, and 4 plain, cone drive

cone grive.
1-B, & S. No. 2, 2B, 3B, 4 plain.
1-B, & S. No. 13-B plain.
1-Milwaukee No. 14B vert. 2-Taylor & Fenn vertical. 12-Becker Nos. 3H, 4B, AB, 5C, C

9-P. &W. 4\pmux12; 6x48; 6x80 Thread. 4-Lees Bradner Nos. 4, 6 thread. 25-P. & W. No. 5 auto. 30-P. & W. No. 4 spline.

GEAR CUTTERS

0-Barber-Colman Nos. 3, 12. 4-Hercules 8".

7—B. & S. 3x36, 3x25, 4x36. 3—G. & E. No. 18-H. 2—G. & E. No. 36-ST, 3 and 4 spindle gear roughers.
-G. & E. 34" combined spur and

bevel. 20—Fellows Nos. 61. 6, 615. 20—Gleason bevel, 6", 11", 18". 1—Gleason 15" spiral rougher.

PLANERS

Putnam 26x26x 8', 2 heads. Gray 38x38x20', 3 heads. -Putnam 48x48x12', 2 heads. GRINDERS

Queen City 14x72 plain. Norton 6x32, 10x36, 16x36. Springfield 12x12x48 vertical.

I-Springheld 12/12/12 verhaler.
I-Diamond 84" guide bar grinder.
I-Diamond No. 1 auto. surface.
I-Persons & Arter 12" surface.
4-Cincinnati No. 2, 12x36.

-Landis 14x48 crank, -Landis 16x48 crank.

1—Fitchburg 12x54.
11—Bryant No. 20 chucking.
2—Bryant No. 15, dbl. spindle.
28—Heald Nos. 65, 60 and 70.

1-Van Norman No. 34. TURRET and SCREW MCHS.
10—New P. & W. 7/16", §" wire fd.
10—W. & S. No. 1 wire feed.
1—W. & S. No. 4 universal.
4—Greenlee 2‡x26" Turret.

4— J. & L. 2x24 and 3x36, 1—Libby 26", 49" hole, 1—New Milholland No. 4.

5-Foster No. 4 screw. 10-B. & S. Nos. 0, 2, 6, wire feed. 1-Acme Fox Monitor. 1-W. & S. No. 6 b. g., p. f. 12-P. & J. Nos. 5A and 6A.

LATHES

-American 14x6, 16x8, s. p. d. 10-New South Bend 15x5, 18x8 gap. 2-Mueller 18x8, q, c, g, 1-American 18x10', q, c, g, s, p, d, 2-LeBlond 21x12 automobile, 1-f,eBlond No. 6 multi-cut.

3-LeBlond 26x10 duplex crank. 1—Bridgeford 26x12', q, c. g, 3—Bridgeford 26"x12', cone pul. 1—Greaves-Klusman 28x10.

1- Johnson 30x12, motor drive.

Also 500 other tools, such as Shapers, Presses, Belt Cutters, Breaching Machines, Hot and Cold Saws, Punches and Shears, etc. 408 Broome St., MOREY AND CO. INC. NEW YORK, N. Y.

Bertolette Machinery Exchange

14th & Provost Sts.,

Our List of Machine Tools is Constantly Changing. Write Us and State What Your Needs Are. The Following are a Few of Our Bargains: 30"x30"x5' Gray Planer, Heavy Duty, 2 heads, excellent. 36"x36"x16' Niles-Bement-Pond, Planer 4hds. mtr. rev. drive. 48"x48"x14' Woodward Powell Planer, 4 heads, belt drive. No. 2 Brown & Sharpe Geared Head Miller, motor drive. No. 3 Brown & Sharpe Geared Head Miller, motor drive. 200 Beaudry Power Hammer.

18"x8' Whitcomb Blaisdel Lathes, q. c. g., d. b. g. Two Pratt & Whitney Turret Lathes, like new. No. 2 Kempsmith Universal Miller, including vert. head.

3" Bar Betts Horizontal Mill, Geared feeds.

20[®] Cincinnati Back Geared Shaper. 48[®] Brown & Sharpe Gear Cutter, single pulley drive.

14"x8' Prentice Lathe, quick change gear.

4' Cincinnati-Bickford Radial Drill.

If what you require isn't listed above, write us and we will quote at once.

REMEMBER:-"Nearly Half Century's Experience and
Reputation in the Machinery Market"

Bargains In New Chucks

-	Union	lathe	chuck	18°x4	jaw	Independent No.	118	55.00
1	Union	lathe	chuck	20"x4	jaw	Independent No.	118	64.00
1	Union	lathe	chuck	228x4	jaw	Independent No.	118	74.00
2	Cushm	an lati	se chuc	ks 4°x3	3 jaw	gear scroll No. 1 ja	w No. 315	\$17.00
3	Cushm	an lat	he chu	ks 151	x4 j	aw Independent I	No. 12	40.00

Whiton lathe chucks 2½ x3 jaw S. D. gear scroll No.1 jaw\$13.00 Whiton lathe chuck 4x3 jaw gear scroll, 2 sets jaws... 17.00

Hill, Clarke & Co., Inc.

156 Oliver St., :-: Boston 9, Mass.

REAL BARGAINS!

18"x8" Cincinnati Q. C. G. Lathe, complete. \$275. Pratt & Whitney H"x6" Tool Room Lathe, complete. 225. Pratt & Whitney Screw Machine, complete, wire leed. 125.
Lodge & Davis 14" Crank Shaper, with vise
Oesterlein Miller No. 1, plain
Jarecki Bolt and Pipe Threader, 14" capacity
20" Floor Drill Press, back geared, power feed 90.
Garvin No. 21 Screw Machine, p. f. t. collets, wire feed 200.
Grant Motor Driven Rivet Spinner, \(\) capacity
L. & A. Single End Punch, structural head, &" capacity
Hanson & Van Winkle Buffing Lathe, 14" spindle 45.
Sterling No. 3 High-Speed Hack Saw
Standard No. 1 Floor Type Hand Miller
ATTREBUTE TO MAN MINUS MINUS ENGLY COMMENDED DE CONTROL CONTROL DE

Wood Working Tools Tinners' Tools

Guaranteed Rebuilt Leather Belting 6c. Per Inch Per Foot-Double Belt, Double Price.

50-%", '%" and '%" cap. Universal Electric Drills, Van Dorn and Little Gant ELECTRIC MOTORS — ALL SIZES — A. C. & D. C. Exhaust Fans and Motor Driven Blowers


Midland Equipment Co., CHICAGO, ILL.

Morris Horizontal

Drilling and Boring Machine, New

With Factory Guarantee \$1,350

F. O. B. Cincinnati



We have several practically new 4' Radials, and Lathes from 14" to 24". Prices quoted on request.

The Morris Machine Tool Co.

Special Bargains in **Used Machine Tools**

1-Pond 10' Vertical Boring Mill, with 2 swivel heads on rail, plain table 8' diam., friction feed, cone drive, countershaft, belts, wrenches, regular equipment, and 46 H. P., 220-volt d. c. Motor.

1—Curtis & Curtis Co's Forbes 8" Pipe Threading Machine on stand, for belt drive, with countershaft and full set of chasers up to 8" capacity.

1—Gardner No. 16 Pattern Maker's Disc Grinder with 234" diam. steel discs, 1-2-1-

work table and countershaft.

1—Schumacher & Boye 32" raised in sand to 36"x32" bed, Q. C. G. Engine Lathe, with double back gear, compound rest, steady rest, full swing rest, large and small face plates, 28" 4-jaw Independent Chuck fitted, motor driven with General Electric 15 H. P., 220-volt d. c. motor, apron control, centers and wrenches.

I-Diamond Machine Co's Gorton 18" Double Disc Grinder, with countershaft, work table at each end of machine with discs and press for gluing

on emery cloth.

1—LeBlond 21"x10' Q. C. G. Engine Lathe, with 3-step cone, d. f., b. g., compound rest. steady rest, large and small face plates, tool posts and 20" 4-jaw Independent Chuck fitted, centers and wrenches, and with double

friction countershaft.

I-Greenerd No. 3t Arbor Press on stand.

THE E. A. KINSEY CO., Fourth Street, CINCINNATI, O.

BRANCHES: INDIANAPOLIS, IND. HAMILTON, OHIO, DAYTON, OHIO,

4" 1" 14", 2", 24", 3", 5" Ajax Upsetters.

1", 24" and 4" Acme Upsetters.

2" National Upsetter, steel bed.

Nos. 2, 3, 4, 5 and 7 Williams-White Bulldozers.

3, 94, 75, 106, 206, 500 lb. Bradley Upright Hammers.

25, 40, 60, 80, 100 lb. Bradley Ushioned Helve Hammers.

No. 4 Nazel Air Hammer, with 15 h. p., a.c. mtr., 220 v., 60 cy., 3 ph. No. 4 Nazel Air Hammer, with 15 h. p., a.c. mtr., 220 v., 60 cy., 3 ph. 2000 lb. Eire Steam Forging Hammer.
No. 4 Doelger & Kirsten Alligator Shear, cap. 48" round or square. Pels. Type GEF 30, Comb. Angle & Bar Shears, 6x84" angle shertsch Plate Shear, 6" 11" cap., rebuilt, condition equal to new. 1" 14" 3", 4" single spindle Threading Machines, Acme and Landis. 4" 1" 14", 2", 2-spindle Threading Machines, Acme and Landis. 4" 1" 14", 2", 2-spindle Threading Machines.
4" 1" 14" 6 & 8-spindle vertical semi-automatic Tappers. Guillotine and Bar Shears, from 1" to 4".
Nos. 50 & 60 Waterbury-Farrel Thread Rollers.
No. 1 & A. 3B, 6B, High Speed Riveting Hammers, also Grant and Schuster.

Schuster. 200 Steel Lockers. 200' of Steel Shelving. Economy Power Tiering Machine.

Donahue Steel Products Co.

Bolt and Forging Machinery Specialists

1147 So. Washtenaw Ave., Chicago, Ill.

Slightly Used and Rebuilt Tools At Attractive Prices

I—No. 4 Colburn Single Spindle Mnfrs. Drill, with pump, capacity 2°.

I—No. 2 Colburn Single Spindle Mnfrs. Drill, with pump, capacity 1½°.

2-No. 310 Baker Bros. High Spd. Hyv. Duty Sgl. Spd. Drills, rebuilt.

I—24° Minster Jr. Heavy Duty Single Spindle Drill, with pump.

I—60 lb. Bradley Cushioned Helve Hammer, 90% new,

I—No I Bath Universal Grinding Machine with all attachments, rebuilt.

1—10°x36° Landis Plain Cylindrical Grinding Mche., complete, rebuilt. 2—12°x5' Hendey Cone Head Tie Bar Quick Change Gear Lathes, with

oil pan, compound rest, standard equipment, rebuilt. 1-16°x10' LeBlond Q C. Gear Lathe, comp. rest, standard equipment. 1-14°.28°x10' Fay & Scott Gap Lathe, compound rest, standard equip-

ment, 90% new.

No. 3-G Hendey Plain Milling Mche., geared spdl., agl. pulley drive.

No. 2 Fatt & Whitney Vertical Die Sinker, rebuilt. 1-24"x24"x6' Liberty Planer, one head on cross rail, box bed and table,

90% new. % Model A Cleveland Automatic Screw Machine, rebuilt. I-% Model A Cleveland Automatic Screw Machine, rebuilt.
I-14 Model A Cleveland Automatic Screw Machine, rebuilt.

1-24 Milholland Latest Style Geared Friction Head Turret Screw Machine, automatic chuck, bar feed, power feed to turret, oil pan, pump, master collet and assorted bushings, 90% new.

The W. M. Pattison Supply Co. General Offices and Warehouse, Cleveland, Ohio

Retiring From Business

The I. H. Johnson Company Manufacturers of "Johnson" Lathes

All Shop Tools and Equipment for sale. All size Lathes from 14"x6' to 42"x16' and one 30"x46' with 81/2" hollow spindle.

Sellers Planers 84"x84"x30' and 60"x60"x24'.

Boring Mills, Shapers, Millers, Drills, Motors, and all miscellaneous equipment.

Every tool was in operation when the plant closed down, and all are in good condition. Patterns, Drawings, etc., also for sale.

A. H. JOHNSON

337 North 15th St.,

Philadelphia, Pa.

A Good Buy In Screw Machines

No. 00 Brown & Sharpe full automatic Screw Machines, with Screw Slotter, Collet, Feed Finger, Countershaft and Change Gears—\$500.00 each, f. o. b. Rochester, N. Y.

Ogden R. Adams Company, Inc. ROCHESTER, N. Y.

Odd Machines— Reasonable!

Engraving Machine, No. 1 Gorton, self-contained, motor drive, excellent shape.

Gas Furnace, Stewart, with pyrometer and thermo coupler.

Bulldozer, Ajax, 12" stroke, 15" die space.

Centering Machine, No. 1 P. & W., dbl. spindle. Slotter, Geared, 26st stroke, Niles.

Tapper, Automatic, No. 2X Garvin.

Tapper, Horizontal, 3/8" Milwaukee (brand new).

THE E. L. ESSLEY . MACHINERY . Cº

551 W. Washington Blvd., Chicago.

78-80 W. Water St., Milwaukee -

BARGAINS

Boring Mills

Bullard 30° vertical. Bullard 36° vertical. Lucas 3° bar horizontal. Universal 21/2" bar horizontal.

Drills

Avey 2-spindle bench. Avey 1-spindle floor. Barnes 20°, b. g. & s. f. Baker 24° heavy duty. Barnes 24° all geared. Snyder 36° b. g. & p. f. American Radial 2'. Foodick Radial 31 Harrington 24-spindle.

14% 6' Prentice, q. c. g., g. n.
17% 8' Sidney, q. c. g.
18% 8' Rockford, q. c. g.
18% 10' Reed standard, taper att.
20% 10' Reed standard.
24% 12' Bradford, q. c. g.
25% 14' LeBlond, q. c. g.
32% 14' Wickes, q. c. g. 14"x 6' Prentice, q. c. g., g. h.

Milling Machines
Kempamith No. 3 plain.
Ohio No. 34 plain.
Becker Model C vertical.
Becker Model AB vertical. Cincinnati Nos. 2 & 3 vertical Knight No. 11/2 vertical.

Screw Machines and Turret Lathes

Stocker-Rumely-Wachs Company 117-121 N. Jefferson St., Chicago, Ill.

POWER PRESSES

EXCLUSIVELY

EMBOSSING PRESSES

1-No. 27 Bliss, 1000 tons. 2-No. EG 54 Ferracute, 400 tons

2-No. EG 24 Perracute, 400 tons
STRAIGHT SIDE PRESSES
2-No. 575 Toledo, Tie Rod.
1-No. 77½ Bliss Tie Rod.
1-No. 65 Cons., Tie Rod, geared.
1-No. 59 Toledo, double geared.
1-No. 50 V. & O., ® stroke.
1-No. 56 Toledo, geared.

TOGGLE PRESSES

3-No. 11/2 Bliss, friction clutch. **AUTO. TRANSFER PRESSES**

1-No. 202 Bliss, 5 plungers. BENCH PRESSES 15-No. 1B Baird, new.

Over 1200 Presses in Stock.

DOUBLE CRANK PRESSES

DUBLE CRANK PRESSES

1—No. 2 Blus 28° bet. ups, fly.

1—No. 202A Toledo, overhang, fly.

1—No. 448 B Blus, 38° geared,

1—No. 64 B Michigan geared, bed

42° 30°, 4° stroke.

1—No. SG 21 Ferracute, geared, 33°

between uprights.
SOLID BACK PRESSES 2-No. 5 Bliss, Stiles, geared.
1-No. 4 Bliss, Stiles, geared.
1-No. 23 V. & O. combination.
ADJUSTABLE BED PRESSES
1-No. 147 Toledo, grd. bed 30x20
7-No. 83 Consolidated.
1-No. 84 RBis. 2-No. 2 A Bliss. 1-No. 3A Bliss, 2-No. 2A Bliss. 1-No. 42 V. & O., 2-No. 16 Bliss.

Write for New Catalogue.

Joseph HYMAN & Sons

Tioga and Almond Sts., Philadelphia, Pa.

SPECIALS

Brown & Sharpe Millers-No. 3 Vertical; No. 3 Universal, with vertical

No. 2 Davis. Morse Grinder, 8"x30". Bliss Presses, Nos. 18 and 20. No. 5 Toledo Inc. Press, \$425. No. 3 LeBlond Universal Miller.

Lucas Forcing Press, 50-ton cap. No. 3 LeBlond U Shapers—24" Gould & Eberhardt; 16" Steptoe; 15" Kelly.

More than 300 other Machines in Stock. Low Prices.

Norton-Broadway Machinery Co.,

Cincinnati, Ohio

Good Rebuilt Machine Tools -

90" Poole Vertical Boring Mill, 2 heads.

76" Bullard Vertical Boring Mill, 2 heads.

62" Bullard Vertical Boring Mill, 2 heads.

60" Niles Vertical Boring Mill, 2 heads. 52" Bullard Vertical Boring Mill, 2 heads.

52 Niles-Bement-Pond Vertical Boring Mill, 2 heads.

42" Bullard Vertical Boring Mill, 2 heads.

42" Colburn Vertical Boring Mill, I swivel head.

4" bar Betts Horizontal Boring Mill, knee type. 3" bar Betts Horizontal Boring Mill, knee type.

48"x48"x14' AMERICAN 2 Head Planer.

36"x36"x12' POND 2 Head Planer.

36"x36"x 8' GRAY I Head Planer.


32"x32"x 6' GRAY 2 Head Planer.

28"x28"x 6' GRAY I Head Planer.

A fine line of Pipe Threading Machines from 4 inches up to 16 inches in stock.

Bertolette Machine Tool Company, Inc. 222-234 Culver Ave., Jersey City, N. J.

A New Horizontal Pipe Bender By PEDRICK



Universal satisfaction for the past 20 years has been the keynote of our success with bending pipe.

Recently we have made *two* radical departures, viz., the horizontal table and the improved bending principle, which offers decided advantages in *Time-awing, Convenience* and *Superior Work*.

Iron, steel, galvanized and copper pipe are bent cold and unloaded on the radii of the rolls. For 2st and under.

We have a Bulletin awaiting for you. SEND FOR IT NOW.

Pedrick Tool & Machine Co. 3844 N. Lawrence St., Philadelphia, Pa.

Manufacturers of Cylinder Boring Bars, Portable Millers, Crank Pin Turning Machines, etc.

Air Compressors, Electric Petrick Bros., 2226 Helmont Ave., Chicago

Air Gaus Powell Co., Wm., Cincinnati

Angle Plates Passman Bres., 707 W. Washington Bivd.. Chicago

Arbers, Selid Nicholson & Co., W. H., Wilkes-Barre, Po.

Auto-Gages For Dies Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago Automatics National Acme Company, Cleveland, O. New Britain Machine Co., New Britain, Conn.

Balancing Ways Anderson Bros. Mfg. Co., Rockford, III. Bowsher Co., N. P., South Bend, Ind.

Balls, Bearing and Burnishing Abbott Ball Co., Hartford, Conn.

Band Saw Machines, for Metal Armstrong-Hum Mfg. Co., 341 N. Francis Av., Chics

Porter-Cable Machine Co., Syracuse, N. 1

Barrels, Tumbling Abbott Hall Co., Hartford, Conn. Scully-Jones & Co., 2012 W. 18th, Chicago

Belt Shifters Artisan Mfg. Co., Cincinnati, O.

Beach Legs, Steel

Bending Machines, Hand and Power Armstrong-Blum Mfg. Co., 341 N. Francisco Ave., Chicage Hendicz & Whittemere Co., Beloit, Wia Lawthwaite Mche. Co., T. H. 417E. 31at., N.Y. Lourie Hydraulic Co., Springfield, Ill., Padrick Tool & Machine Co., Philadeiphia

Bending Rolls Hendley & Whittemore Co., Beloit, Wis.

Bolt and Nut Machinery Economy Engineering Co., W Foote-Burt Co., Cleveland, O.

Boring Bars Pedrick Tool & Machine Co., Philadelphia

Boring Bars, Cylinder Pedrick Tool & Machine Co., Philadelphia Boring, Drilling & Milling Machines Landis Tool Co., Waynesboro, Pa.

Boring Machines, Horizontal Avey Drilling Machine Co., Cincinnati Padrick Tool & Machine Co., Philadelphia

Boring Tools Maxwell Products Co., Cleveland, Ohio. Ribbe & Grey, La Porte, Ind.

Boring and Turning Machines, Vertical Cincinnati Planer Co., Cincinnati, Ohio

Buildosers, Hydraulic Lourie Hydraulic Co., Springfield, Ill.

Burnishing Equipment, Ball Abbott Ball Co., Elmwood, Conn.

Case-Hardening Compound
assent Company, 2 & 4 Stone St., New York

Chucking Machines National Acme Company, Cleveland, O. New Britain Mche. Co., New Britain. Conn. Springfield Machine Tool Co., Springfield, O.

Chucks, Collet Chucks, Court Hardinge Brothers, Inc., 1770 Berteau Ave Chicag

Chucks, Drill CHOCAS, Drill Barber-Colman Co., Rockford, III. Eastern Tube & Teol Co., Inc., 550 Johnson Ave., Brooklyn, N. Y Jacobe Mfg. Co., Hartford, Conn. Scully-Jones & Co., 2012 W. 18th, Chicago Titan Tool Co., Eris, Pa.

Chucks, Drill and Tap Barber-Colman Co., Rockford, III. Scully-Jones & Co., 2012 W. 18th, Chicago

Chucks, Keyway Cutting Scully-Jones & Co., Ry. Exch. Bldg., Chicago

Chucks, Magnetic
J. & H. Electric Co., Providence, R. I.

Clamps, Die Danis Machine Specialties, Inc., 4918 Lincoln Ave., Chicago

Clutches, Friction

Conway Clutch Co., Cincinnati, O. Edgemont Machine Co., Daylon, O. Cold Saws Burke Machine Tool Co., Conneaut, Ohio

Cullets Hardings Brothern, Inc., 1770 Bertesu Ave., Chicago Wade Tool Co., Waltham, Mass.

Contract Work Wanted Burke Machine Tool Co., Conneaut, O.

Counterbores and Spot Facers Glenzer Co., J. C., Detroit, Mich.

Couplings, Flexible Nicholson Co., W. H., Wilkes-Barre, Pa. Couplings, Friction Clutch Conway Clutch Co., Cincinnati, O.

Couplings, Shaft Nicholson Co., W. H., Wilken-Barre, Pa.

Cranes, Portable Canedy-Otto Mfg. Co., Chicago Heights, Ill. Canton Foundry & Mche. Co., Canton, Obio Crank Pin Turning Machine Pedrick Tool & Machine Co., Philadelphia

Cutters, Keyseating Davis Keyseater Co., Rochester, N. Y. Scully-Jones & Co., 2012 W. 18th, Chicage

Cutters, Milling Barber-Colman Co., Rockford, Ill. Genesse Mfg. Co., Rochester, N. Y.

Cylinder Boring Machines, Portable drick Tool & Machine Co., Philadelphia Demagnetizers
J. & H. Electric Co., Providence, R. I.

Dial Indicators Federal Products Corp'n, Providence, R. I. Die Heads, Threading, Self Opening National Acme Company, Cleveland, O.

Dies Stoan & Chace, Inc., Newark, N. J.

Die Seta Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Discs, Machine Steel Pessman Bros., 707 W. Washington Blvd., Chicago

Deill Racks Peerless Machine Co., Racine, Wis. Drill Tables and Vise

po

..

Modern Machine Tool Co., Jackson, Mich.

Drilling Machine Heads, Multiple Buhr Machine Tool Co., Ann Arbor, Mich. Gaterman Mfg. Co., Manitowoc, Wis, United States Drill Head Co., Cincinnati

Drilling Machines, Bench.
Drilling Machines, C., Cincinnati
According to Machine Co., Cincinnati
Canedy-Otto Mag. Co., Chicago Heighta, III.
Gaterman Mfg. Co., Mican Heighta, III.
Gaterman Mfg. Co., Manitowoc. Win.
High Speed Hammer Co., Rochester, N. Y.
Sigourney Tool Co., Hartford, Conn.
Sigourney Tool Co., Hartford, Conn.
Sigourney Tool Co., Hartford, Conn.
Stecher Co., China, 242 N. Greenview Ave.,
Stecher Co., China, 242 N. Greenview Ave., Drilling Machines, Bench

Taylor & Fenn Co., Hartford, Conn. Winterhoff Tool & Machine Co., Elkhart, Ind.

Drilling Machines, Flexible Shaft Blax Flexible Shaft Co., 136 Liberty Street, New York

Drilling Machines, Horizontal Gaterman Mfg Co., Manitowoc, W

Drilling Machines, Multiple Spindle Avez Drilling Machine Co., Cincinnatt Foote-Burt Co., Cleveland, O., Control Co., Cleveland, O., Control Co., Co., Manitowor, Wis-Merit Oil Equipment Co., Cleveland, O., Sigourney Tool Co., Hartford, Conn. Taylor & Fenn Co., Martford, Conn.

Drilling Machines, Portable Electric ax Flexible Shaft Co., 136 Liberty St., New York Cincinnati Electrical Tool Co., Cincinnati, O. Independent Fneumatic Tool Co., 690 W., Jackson Blyd., Chicage Stow Flexible Shaft Co., Philadelphia, Pa. Strand Co., N.A., 5901 N. Lincoln St., Chigo Winterhoff Tool & Machine Co., Elkhart, 184

Drilling Machines, Post Canedy-Otto Mfg. Co., Chicago Heights, Ill.

Drilling Machines, Radial American Teol Works Co., Cincinnati, O. Canedy-Otto Mfg. Co., Chicago Heights, Ill. Foodlek Machine Tool Co., Cincinnati, U. Taylor & Fenn Co., Hartford, Com.

Taylor & Fenn Co., Hartford, Conn. U. S. Machine Tool Co., Cincinnati, O.

Drilling Machines, Vertical Drilling Machine's, verticals
Avey Drilling Machine Co., Cincinnati
Canedy-Utto Mig. Co., Chicago Heights, Ill.
Canedy-Utto Mig. Co., Chicago Heights, Ill.
Fondick Machine Tool Co., Cincinnati, O.
Gaterman Mig. Co., Manitowoc, Win.
Leiand-Gilford Co., Worcester, Mans.
Merit Oll Equipment Co., Clevaland, O.
Sigourney Tool Co. Hartford, Com. Stecher Co., Chas., 2452 N. Greenview Avc., Chicago Taylor & Fenn Co., Hartford, Conn.

Dust Handling Equipment Knickerbocker Co., Jackson, Mich.

Emery Wheel Dressers and Cutters Boss Manufacturing Co., Cleveland, O. Taylor & Fenn Co., Hartford, Conn. Western Tool & Mfg. Co., Springfield, O.

Factory Locating Service Fantus Factory Locating Service, 1313 So. Oakley Ave., Chicago

Feeders, Oil and Soda Water New Britain Machine Co., New Britain, Conc.

Filing Room Equipment Wardwell Mfg. Co., Cleveland, O.

Canady-Otto Mfg Co., Chicago Heights, Ill.

Forgings, Hollow Bored American Hollow Boring Co., Erie, Pa.

Furniture, Machine Shop New Britain Machine Co., New Britain, Conn. Western Tool & Mfg. Co., Springfield, O.

Gauges, Dial Federal Products Corp'n, Providence, R. I.

Gauges, Piston and Piston Ring Federal Products Corp'n, Providence, R. I.

Gauges, Thread
Federal Products Corp'n, Providence, R. I.

Gear Cutting Machines oan & Chace, Inc., Newark, N. J.

Boston Gear Works Sales Company, Norfolk Downs, Mass. Massachusetts Gear & T. Co., Weburn, Mass.

Grinding Machines, Belt Gallmeyer & Livingston Co., Grand Rapide Peerless Surfacing Machine Co., Troy, N. Y.

Grinding Machines, Bench Gallmeyer & Livingston Co., Grand Rapids,

Grinding Machines, Cutter, Reamer and Tool Gallmeyer & Livingston Co., Grand Rapido, Mich. Jarschi Mche. & T. Co., Grand Rapids, Mich. Landis Tool Co., Waynesboro, Pa. LeBlond Mch. Tool Co., R. K., Cincinnati, O. Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Cylindrical arecki Mche. & T. Co., Grand Rapide, Mich. andle Tool Co., Waynesboro, Pa. Co., Springfield, Ohio

Grinding Machines, Die Gallmeyer & Livingston Co., Grand Rapids, Jarecki Mehe. & T. Co., Grand Rapids, Mich. Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Disc Gallmeyer & Livingston Co., Grand Rapid Porter Cable Machine Co., Syracuse, N. Y

Grinding Machines, Drill Gallmeyer & Livingston Co., Grand Rapids,

La Salle Tool Co., La Salle, Ill.

Grinding Machines, Face Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Flexible Shaft Blax Flexible Shaft Co., 136 Liberty btreet, New York Mall Tool Co., 8389 S. Chicago Ave., Chgo.

Grinding Machines, Internal Landin Tool Co., Waynesboro, Pa. Mail Tool Co., 8389 S. Chicago Ave., Chgo, Tayler & Fenn Co., Hartford, Conn. Thompson Grinder Co., Springfield, Oble

Thompson transcriptions of the property of the

Grinding Machines, Snagging Gallmoyer & Livingston Co., Grand Rapids. Mish. Jarecki Mche. & T. Co., Grand Rapids, Mich.

Grinding Machines, Surface Gallmeyer & Livingston Co., Grand Rapids, Mich. La Saile Tool Co., La Saile, Ill. Thompson Grinder Co., Springfield, Obio

Grinding Machines, Tap Galimeyer & Livingston Co., Grand Rapids, Miss.

Grinding Machines, Tool Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Universal Galimayar & Livingston Co., Grand Rapids, Landls Tool Co., Waynesboro, Pa. Thompson Grinder Co., Springfield, Obis

Thompson Grinder Co., Springfield, Ohio Hack Saw Blades

Poerless Machine Co., Racine, Wis, Hack Saw Machines

Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago Peerless Machine Co., Bacine, Wis. Racine Tool & Machine Co., Racine, Wis.

Hammers, Air Independent Pneumatic Tool Co., 600 W. Jackson Bivd., Chicago

Hammers, Riveting

High Speed Hammer Co., Rochester, N. Y.
Independent Pneumatic Tool Co., 600 W,
Jackson Hivd., Chicage

High Speed Steel, Drills, Cutters

Bernstein, Goo. M., 649 W, Washington Bitd.,
Chicage

Helm Barber-Colman Co., Rockford, III.

Haists, Portable
Canton Foundry & Machine Co., Canton, Ohio

Hydraulic Machinery Lourie Hydraulic Co., Springfield, Ill.

Jigs and Fixtures Slean & Chace, Inc., Newark, N. J.

Keyseating Machines
Burr & Son, John T., Brooklyn, N. Y.
Chattanooga, Tene.
Davis Keynester Ch., Rischester, N. Y.
National Machine Tool Co., Clincinast
Lathe Accessories and Attachments

Lathe Accessories and Attachments Cisco Machine Tool Co., Circlanati, O. Maxwell Products Co., Cleveland, Ohio. Sidney Machine Tool Co., Sidney, O.

Lathe Turrets Maxwell Products Co., Cleveland, Ohio. Lathes, Automatic Turret National Acme Company, Cleveland, O.

Lathes, Bench Hardinge Brothers, Inc., 1770 Bertosu Ave., Chicago Monarch Machine Tool Co., Sidney, O.

Lather, Engine
Lather, To Works Co., Cincinnati, O.
Carroll Mrbs. Tool Co., A. V., Cincinnati, O.
Carroll Mrbs. Tool Co., A. V., Cincinnati, O.
Clisco Machine Tool Co., Cincinnati, O.
Clisco Machine Tool Co., El. K., Cincinnati, O.
Lational Mrb. Tool Co., El. K., Cincinnati, O.
Lational Mrb. Tool Co., El. K., Cincinnati, O.
Porter-Cable Machine Co., Syracuse, N. Y.
Sidiney Machine Tool Co., Sidney, O.
Springfield Machine Tool Co., Springert-1. O.

Lathes, Extension Bed Gap Bahn-Larmon Co., Cincinnati, O. Lathes, Fex Memiter Barker Co., Wm., Covington, Ky.

Lathes, Gap Carroll Mche. Tool Co., A. V., Cincinnati, O.

Lathes, Manufacturing Sloan & Chace, Inc., Newark, N. J.

Lathes, Precision Sloan & Chace, Inc., Newark, N. J. Wade Tool Co., Waltham, Mass.

Lathes, Short Bed Artisan Mig. Co., Cincinnati, O., Monarch Machine Tool Co., Sidney, O., Porter-Cable Machine Co., Syracuse, N. Y., Sidney Machine Tool Co., Sidney, O.

Lather, Turret Monarch Machine Tool Co., Sidney, O.

Mandrels, Expanding
Nicholnon & Co., W. H., Wilkes-Barre, Pa.
Western Tool & Mfg. Co., Springfield, O.
Mandrels, Solid
Nicholson & Co., W. H., Wilkes-Barre, Pa.

Milling Attachments
Burke Machine Tool Co., Conneaut, Obie
Kearney & Trecker Corp., Milwaukee, Wis
Lellend Mch. Tool Co., B.K., Cincinnati, O
Porter-Cable Machine Co., Syracuse, N. Y.
Taylor & Fenn Co., Hartford, Com.

Milling Cutters Barber-Colman Co., Rockford, Ill.

Milling Machine Spacing Washers Maxwell Products Co., Gleveland, Ohio.

Milling Machines, Bench Burke Machine Tool Co., Conneaut, Oble Sloan & Chee, Inc., Newark, N. J. Milling Machines, Hand Burke Machine Tool Co., Cincinnati, O. U. S. Machine Tool Co., Cincinnati, O.

U. S. Machine Tool Co., Cincinnati, O.
Milling Machines, Manufacturing
Kearney & Trecker Corp., Milwaakee, Wis.

Rearney & Trecker Corp., Milwaskee, Wis.
Milling Machines, Plain
Hurke Machine Tool Co., Conneaut, Ohlo
Gallmeyer & Livinguton Co., Grand Rapids,
Mich.
LeBlond Mch. Tool Co., R. K., Cincinnati, O.

Milling Machines, Portable
Pedrick Tool & Machine Co., Philadelphia

Milling Machines, Spline Taylor & Fenn Co., Hartford, Conn.

136

Mi Kear LeBis Mi Burk

Mener Me Reliar

Netto Oil Gits I Oil Tolhu

Pin Danly Pin Pedric Pin

Pis Nation Pis Nation Pis

Pla
Pedric
Cincia
Ciaco
Index

New B Pre Atlas Lourie Nichol

Pre Lourie Pre Lourie Pre Lourie

Pre Lourie

Pres Hendle Lourie Rockfe

Milling Machines, Universal Kearmey & Trecker Corp., Milwaukee, Wis. LaHland Mch. Tool Co., R K., Clocinnati, O.

Milling Machines, Vertical
Burke Machine Tool Co., Conneaut, Ohie
Kearney & Trecker Corp., Milwaukee, Wis,
LeBiend Mch. Tool Co., R. K., Cincinnati, O.
Taylor & Fenn Co., Hartford, Cosn.

Mills, Adjustable Hollow Genesee Mfg. Co., Buchester, N. Y.

Motors, Electric Reliance Electric & Eng. Co., Cleveland

Nut Setters, Flexible Shaft Blax Flexible Shaft Co., 136 Liberty Street, New York

Nuts, Plain or Castellated National Acme Company, Cleveland, O.

Oil Cups Gliz Bree. Mfg. Co., 1940 S. Kilbourn Av., Chicago

Oil Extractors Tolhurst Machine Works, Trey, N. Y.

Pattern Shop Machinery Townley Mfg. Co., John T., Cincinnati

Pinion Cutting Machines Sloan & Chace, Inc., Newark, N. J.

Fins, Leader And Dowel
Danly Machine Specialties, Inc., 4913 Lincoln
Ave., Chicage Pipe Bending Machines Pedrick Tool & Machine Co., Philadelphia

Pipe Cutting and Threading Machines Chicago Pipethread Co., Blacine, Wis.

Pistou Machines National Acme Company, Cleveland, O.

Piston Ring Machines National Acme Company, Cleveland, O.

Planing Machines Cincinnati Planer Co., Cincinnati, O. Cleveland Planer Co., Cleveland, O.

Planers, Valve Seat, Portable Pedrick Tool & Machine Co., Philadelphia

Pedirak 100 a manufacting Machines
Pedishing and Buffing Machines
Cincinnati Slectrical Tool Co., Cincinnati, O.
Cinco Machine Tool Co., Cincinnati, O.
Mackey Tool Co., Mackey
Pedirak Tool Co., Mackey
Pedirak Tool Co., New Britain, Conn.

Presses, Arber Atlas Press Co., Kalamazoo, Mich. Lourie Hydraulic Co., Springfield, Ill. Nicholson & Co., W. H., Wilkes-Barre, Pa

Presses, Breaching Lourie Hydraulic Co., Springfield, III.

Presses, Drawing Lourie Hydraulic Co., Springfield, III. Presses, Flanging Lourie Hydraulic Co., Springfield, Ill.

Presses, Foot Rockford Iron Works, Rockford, Ill. Taylor & Fenn Co., Hartford, Conn.

Presses, Forcing Lourie Hydraulic Co., Springfield, III.

Presses, Forming Lourie Hydraulic Co., Springfield, III.

Presses, Power
Hendley & Whittemore Co., Beloit, W
Lourie Hydraulic Co., Springfield, IB.
Rockford Iron Works, Rockford, III.

Presses, Punch LaSalle Machine Works, 2018 S. LaSalle St ewthwaite Mche.Co.,T.H.,417E,31st.,N. lockford Iron Works, Rockford, III.

Presses, Screw Jarecki Mche. & T. Co., Grand Rapids, Mich. Townlay Mfg. Co., John T., Cincinnati

Presses, Wheel Lourie Hydraulic Co., Springfield, III.

Pulley Machinery Avey Drilling Machine Co., Cincinnati

Pulleys, Iron, Solid and Split Conway Clutch Co., Cincinnati, U.

Pumps, Exhaust Petrick Bros., 2226 Belment Ave., Chicago

Pumps, Hydraulic Lourie Hydraulic Co., Springfield, Ill.

Pumps, Lubricant Ruthman Machinery Co., Chreinnati, O.

Pench Press Feeds

Rockford Iron Works, Rockford, Ill.

Punch, Shear and Bender, Hand Armstrong-Blum Mfg. Co., 341 N. Francisco Ave., Chicago

Punches, Hand Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago Hendley & Whittemere Co., Belott, Was-Lawthwaite Mche. Co., T. H., 417 E. 31st St., Was York Whitney Metal Tool Co., Rockford, Ill.

Punches, Power Hendley & Whittemore Co., Beleit, Wis.

Punches and Dies Hendley & Whittemore Co., Beleit, Wis, Lewthwaite Mche.Co., T.H., 417E.31st., N.Y. Rockford Iron Works, Rockford, Ill.

Racks, Bar Stock
New Britain Machine Co., New Britain, Conn.
Yohe Supply Co., Wm. S., Canton, O.

Reamers, Adjustable hellenbach-Hunt Tool Co., Cincinnati, O. Reamer Holders Nicholson & Co., W. H., Wilhesbarre, Pa.

Reels, Extension Cincinnati Specialty Mfg. Co., Cincinnati, O.

Riveting Machines Grant Mfg. & Mche. Co., Bridgeport, Conn. High Speed Hammer Co., Rochester, N. Y.

Rod Cutters Armstrong-Blum Mfg. Co., 841 N. Francisco Av., Chicago Hendley & Whittemore Co., Beloit, Wis. Lewthwaite Mche. Co., T. H., 417E, Sist., N.Y.

Saw Sharpening Machines Wardwell Mfg. Co., Cleveland, O.

Scraping Machines, Hand & Pneumatic Anderson Brothers Mfg. Co., Rockford, III.

Screw Drivers, Flexible Shaft Biax Flexible Shaft Co., 136 Liberty Street, New York

Screw Driving Machines, Automatic Rayrolds Machine Co., Massillon, Ohlo

Screw Machine Products National Acme Company, Cleveland, O.

Screw Machines, Automatic National Acme Company, Cleveland, O. New Britain Mche. Co., New Britain, Cone

National Acme Company, Cleveland, O.

Shafts, Flexible Double, Fig. 18 of Co., 136 Liberty St., N. Y., Mail Tool Co., 1889 S. Chicago Ave., Chro. Stow Flexible Shaft Co., Philadelphia, E. Strand Co., N. A., 5001 N. Lincoln St., Chro.

Shafts, Steel nerican Hollow Boring Co., Erie, Pa.

Shaping Machines
American Tool Works Co., Cincinnati, O.
Osborne & Sexton Machy, Co., Columbus, O.
Rhodes Mig. Co., Hartford, Costs.
Seatth & Mills Co., Cincinnati
Springfield Machine Tool Co., Springfield, O.

Shears, Hand Shears, Hand Armstrong-Blum Mfg. Co. 341 N. Francisco Av., Chicago fisudisy & Whittemere Co., Belch, Wis. Lewthwaite Machine Co., T.H., 417 E. Slat Whitney Metal Tool Co., Rockford, Ili.

Shears, Power Hendley & Whittemore Co., Beloit, Wis.

Slotting Machines Ehodes Mig. Co., Hartford, Cono.

Spacing Washers oit Stamping Co., Detroit, Mich.

Special Tools and Machinery Slean & Chace, Inc., Newark, N. J. Stecher Co., Chas., 2452 N. Greenview Ave., Chicago Wade Tool Co., Waltham, Maso.

Sprockets Massachusetts Gear & T. Co., Woburn, Mass.

Stools and Chairs, Factory Chicago Wire Chair Co., 639 N. La Salle St., Chicago

Straightening Machines Springfield Machine Tool Co., Springfi Towaley Mfg. Co., John T., Cincinnat Whitney Metal Tool Co., Rockford, Ill Springfield, O.

Tap Extractors n Co., Hartford, Come.

Tapping Machines and Attachments
Alto Mir. Go., 1641 Wolfram St., Chicago
Avey Drilling Machine Go., Cincienati
Burias Machine Tool Co., Conneast, Obl.
Eastern Tube & Tool Co., Scott, Co., Conneast, Obl.
Gaterman Mir. Co., Manitowoc, Win. N. Y.
Leland. Giffer Go., Worcester, Man.
Shoan & Chace, Inc., Newark, N. J.
Whittory Metal Tool Co., Rockford, Ill.

Taps, Threading, Collapsing Gaterman Mfg. Co., Manitowoc, Wis. National Acme Company, Cleveland, O.

Thread Dials Colven, J. M., Yonkers, N. Y.

Thread Milling Attachments Cloco Machine Tool Co., Cincinnati, O.

Threading Tools Armstrong Bros. Tool Co., 808 N. Francisco Av., Chicago Hart Mfg. Co., Cleveland, O.

Tool Holders Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Western Tool & Mfg. Co., Springfield, O.

Taol Racks
Chicago Wire Chair Co., 619 N. La Saile St.,
Chicago

Tools, Bering Armstrong Bros. Tool Co., 208 N. Francisco Av., Chicago

Tools, Lathe and Planer Armstrong Bres. Tool Co., 308 N. Francisco Av., Chicago

Tools, Machinists' Armstrong Bros. Tool Co., 208 N. Francisco Av., Chicago

Tools, Spot Facing Genesee Mig. Co., Rochester, N. Y.

Trucks, Machine Shep New Britain Machine Co., New Britain, Towsley Mfg. Co., John T., Cincinnati

Turntables Canton Foundry & Machine Co., Canton, O.

Universal Joints American Tool Works, Inc., Hartford, Cons. Borgeson Mig. Co., Inc., Torington, Cons. Boston Gear Works Sales Company, Norfolk Downs, Mans.

Used and Rebuilt Machinery Adama Co., Ogden H. Robester, N. Y. Akron Equipment Co., Akron, O. Bahah a. Co., Cyril J., Gleveland, O., Bennett Michy, So., So Courch St., New York Sertolette Machine Fool Co., In J. St., Bertolette Machinery Exchange, Jersey (Sty., M. S.) Used and Rebuilt Machinery

Bectosette measure. Naw Haven, Conn. Brown Machinery Co., St. Louis, Mo. Brown Machinery Co., St. Louis, Mo. Brownell Machinery Co., Providence, R. Brownell Machinery Co., Bwarner, Co., Chronatt Machinery & Supply Co., Cincinnatt Machinery & Supply Co., Cincinnati Machinery & Supply Co., Cincinn

New Harris Bros. Co., 35th & Iron, Chicago Hess-Schenck Co., Cleveland, O. Hill, Clarke & Co., 649 W. Washington

Heas-Schence Co., 649 W. Washington-Hill, Clarke & Co., 16c., Soston, Mass. Hyman & Sons, Joseph, Philadelphia Johnson & Sons Machinery Co., Wm. C., St. Louis, H.

Jones Machine Tool Co., Cincinnati, O., Kinsey Co., E. A., Cincinnati, O., Kinsey Co., E. A., Cincinnati, O., Kinsey Co., E. A., Cincinnati, C., Little Co., W. P., Ciseveland, Lucas & Son, J. L., Inc., Bridgeport, Conn. McConald Machinery Co., St. Louis Mich. McMullen Mcty. Co., Grand Rapids. Mich. Machinerhop Equipment Corp., So. Boaton, O. Conn. Conn

Manhattan Machinery Exchange, 30 Churcle Nam York

Mid-West Machine Tool & Supply Company, Davenport, Iowa Melitor Machy, Co., Chas., 118 S. Clinton St.,

Mercy and Co., i.e. do Broome St. N. T.
Morris Machine Tool Co. Cincinnati, O.
Morris Machine Tool Co. Cincinnati, O.
Morris Machine Tool Co. Cincinnati, O.
Noston. Broodway Mehy. Cy., Cincinnati, O.
Orietta Go., D. C., Cincinnati, O.
Pennicusier Machinery Co., Detroit, Mich.
Prentica Go., Henry, 169 Broodway, N. Y.
Rever, Pitter Co., 37 S. Desplacines, Chicagae
Ballance Methy Sales Co., Pittelurgei, Pa.
Ballance Methy Sales Co., Pittelurgei, Pa.
Bantachier & Co., J. P., 6722 Are, Chicagae

00

R.

D.

B.

Hantschier & Co., J. F., 6722 N. Maplewood Hansel Machine Co., Pittaburgh, P., Gelcaras, Schmitz & G., W. Labergh, C. Gelcaras, Schmitz & G., S. S. Clinton St. Chicago Schmitz & G., S. S. Clinton St. Chicago Schmitz & G., S. S. Clinton, Chicago Scott. Banabach Machinery Go., 19 So. Scott. Banabach Machinery Go., 20 New York Simmons Machine Tool Corp., Albany, N. Y. Steege Co., W. L. 28 Clinton, Chicago Stocker-Runeitz-Wach Co., 18 S. Chicago Stocker-Runeitz-Wach Co., 18 S. Chicago Stocker-Runeitz-Wach Co., 18 S. Chicago Strafez, A. F., 30 Church St., New York Strafez, A. F., 30 Church St., New York

Chicago Strafer, A. F., 30 Church St., New York Strong, Carilale & Hammond Co., Cleveland Syracuse Supply Co., Syracuse, N. Y. Taylor-Hall Welding Corp., Worcester, Mass.

Used and Rebuilt Machinery—Continued

Mart-Galbreath Mchr. Cc., Pittsburgh, Pa.
Marsh Machinery Co., A. R., Cleveland, O.
Marsh Machinery Co., A. R., Cleveland, O.
Marsh Machinery Co., Ft Wayne, Ind.
Midland Equipment Co., 612 W. Van Burch
Wertman, M. A., Cleveland, O.
Midland Equipment Co., 612 W. Van Burch
Wertman, M. A., Cleveland, O.
Midland Equipment Co., 612 W. Van Burch
Wertman, M. A., Cleveland, O.
Midland Equipment Co., 612 W. Van Burch
Wertman, M. A., Cleveland, O.
Midland Equipment Co., 612 W. Van Burch
Midlan Winterer, Herman L., Philadelphia

Valve Grinders

Independent Pneumatic Tool Co., \$60 W.

Valves

Pewell Co., Wm., Cincinnati

Vises, Drilling Machine

Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chleage Armstrong Bres. Tool Co., 308 N. Francisco Av., Chleago

Vises, Machinists'

New Britain Machine Co., New Britain, Cenn. Western Tool & Mfg. Co., Springfield, O.

Wood Working Machinery

Hendley & Whittemore Co., Beloit, Wis. New Britain Machine Co., New Britain, Cana Porter-Cable Machine Co., Syracuse, N. Y. Towsley Mfg. Co., John T., Cincinati

Worms

Massachusetts Gear & T.Co., Woburn, Mass.

"Bridgebilt" Factory Seating and Tool Racks

A diversified line to meet requirements of every branch of industry.

> The Bridgebilt line will give long and satisfactory service

For illustrated price list and discounts write-

The Chicago Wire Chair Co.

619 No. LaSalle St., Chicago, Ill.



No. 1010-SWS

Index of Advertisers

~	
Abbott Ball Co	Detroit Stamping Co
Adams Co., Ogden R., Inc 130	Donahue Steel Products Co 128
Akron Equipment Co 81	E
Alto Manufacturing Co 58	Eastern Machinery Co106-107-108
American Hollow Boring Co 55	Eastern Tube & Tool Co., Inc 54
American Tool Works Co 4	Economy Engineering Co
American Tool Works, Inc 58	Edgement Machine Co. 68
Anderson Bros. Mfg. Co	Edgemont Machine Co
Anderson Die Machine Co72-73	Easley Machinery Co., E. L 130
Armstrong-Blum Mfg. Co10-22	_
Armstrong Bros. Tool Co	F
Artisan Manufacturing Co 25	Fantus Factory Locating Service. 84
Atlas Press Co	Federal Products Corporation 60
Avey Drilling Machine Co 14	Fitzsimmons & Cole Mchy. Co 99
В	Foote-Burt Co
Barbar Colman Co 20.70	Foedick Machine Tool Co
Barber-Colman Co	Foster Machinery Co 98
Bath & Co., Cyril J	G
Beal & Co., Joseph 104	Gallmeyer & Livingston Co 8
Belvidere Screw & Machine Co 81	Gaterman Manufacturing Co 18
Bennett Machinery Co	Genesee Manufacturing Co 32
Bertolette Machine Tool Co., Inc. 132	Gits Bros. Mfg. Co
Bertolette Mchy, Exchange 126	Glenzer Co., J. C
Biax Flexible Shaft Co 45	Grant Mfg. & Machine Co 44
Bleser Mfg. Co., J 100	
Borgeson Manufacturing Co 62	н
Boston Gear Works Sales Co 45	Haetten & Co., J. E., Inc 98
Botwinik Brothers, Inc 101	Hardinge Brothers, Inc 38-65
Bowsher Co., N. P	Harris Bros. Co
	Hart Manufacturing Co 65
Brownell Machinery Co 97	Hendley & Whittemore Co
Buhr Machine Tool Co	
Burke Machine Tool Co	High Speed Hammer Co
Burns Machinery Co., F. W 102	
Burr & Son, John T	Hill, Clarke & Co., of Chicago 112
C	Hyman & Sons, Joseph
Canedy-Otto Mfg. Co	I
Canton Foundry & Mcne. Co 67	Independent Pneumatic Tool Co. 59
Carlson Machinery Co	
Carroll Machine Tool Co., A. V. 40	LAUFLAC L. 69
Carroll Machine Tool Co., A. V. 40 Chattanooga Machinery Co 34	J. & H. Electric Co., Inc
Chicago Pipethread Machine Co. 39	Jacobs Manufacturing Co72-73
Chicago Wire Chair Co 139	Jarecki Machine & Tool Co 37 Johnson Co., A. H
Cincinnati Automatic Mche. Co. 105	Johnson & Sons Mchy.Co., Wm.C. 93
Cincinnati Electrical Tool Co 49	Jones Machine Tool Co
Cincinnati Lathe & Tool Co 39	Jones (Machine 1 ool Co
Cincinnati Mchy. & Supply Co 102	K
Cincinnati Planer Co	Kasenit Company
Cincinnati Specialty Mrg. Co 63	Kearney & Trecker Corporation 103
Cisco Machine Tool Co	Kinsey Co., E. A 128
Jark Machinery Co 95	Kinsey Co., E. A
Cleveland Planer Co	Knickerbocker Co 75
linton Machinery Co	L
Colven, James M. 60	
Conway Clutch Co 57	LaSalle Machine Works
D	LaSalle Tool Co
Danly Machine Specialties, Inc 70	LaSalle Tool Co. 141 LeBlond Mche. Tool Co., R. K. 5
Davis Keyseater Co	Leland-Gifford Co 20
	(A)

plic a d of a may Rea is m

La Salle Grinders

For Precision and Production



No. 1 Plain and Surface Grinder

(Micrometer Adjustment)

Grinding wheels	"xl"
Between wheels	15
Height to spindle center	401
Table surface8"	x14"

Has vertical travel of 12° on guides, 3/4° by micrometer, and may be raised to within 2° of spindle center. Wheel grinds to center of a surface 9° wide.

Spindle speed	2450 r.p.m.
Countershaft speed	d800 r.p.m.
Floor space	18"x24"
Net weight	300 lbs.
PRICE	\$115.00

La Salle No. 1 is equipped with every attachment to promote simplicity and speed in operation. The horizontal hand wheel carries a dial graduated to 1000ths of an inch, and as the divisions are 5/32nds of an inch apart, finer adjustments are easily obtainable. The knee may be brought to any position by means of the vertical hand wheel. Reamed bearings assure perfect alignment. Within its capacity no tool is more generally useful in tool room, or shop. Its use insures precision.

ALSO MANUFACTURERS OF

 No. 2 Automatic Surface Grinder
 \$ 550.

 No. 3 Surface Grinder (dry)
 365.

 No. 3 Plain and Surface Grinder (dry)
 390.

 (Extra Wet Attachments for No. 3
 \$ 70.)

 American Twist Drill Grinders, priced \$120 to \$350.

La Salle Grinders will satisfy your needs. Let us help you solve your grinding problems.

La Salle Tool Company

La Salle, Illinois, U.S.A.

Index of Advertisers-Continued

Lewthwaite Machine Co., T. H. 46	Rhodes Manufacturing Co 19
Little Co., W. P 86	Ribbe & Grey 63
Lourie Hydraulic Co	Rockford Iron Works 46
Lucas & Son, J. L., Inc 90	Ross Manufacturing Co
M	Russell Machine Co
McDonald Machinery Company. 96	Ruthman Machinery Co
McMullen Machinery Co 100	S
Machineshop Equipment Corp 81	_
	Saltzman, B. L
Mall Tool Co	Schmitz & Co. 92
Marr-Galbreath Machinery Co 91	Scott-Bansbach Machinery Co 90
Marsh Mchy. Co., A. R 114-115	Scully-Jones & Co
Massachusetts Gear & Tool Co 51	Severin-Tripp Machinery Co 94
Maxwell Products Co. 64 Merit Oil Equipment Co. 15	Sidney Machine Tool Co. 38
Midland Equipment Co	Sigourney Tool Co
Mid-West Machine Tool & Sup-	Summons Machine Lool Corp 113
ply Co	Sloan & Chace, Inc
Modern Machine Tool Co 59	Smith & Mills Co
Molitor Machinery Co., Chas., 82-83	Springfield Machine Tool Co 66
Monarch Machine Tool Co 41	Stecher Co., Chas
Moore Company, H. A	Steege Co., W. L. 81 Stocker-Rumely-Wachs Co 131
Morey and Co. Inc. 125 Morris Machine Tool Co. 127	Stoehr Machinery Co., A. M 101
Morris Machine Tool Co 127	Stow Flexible Shaft Co
Motch & Merryweather Mchy.Co. 120	Strafer, A. F
N	Strand & Co., N. A. 47
National Acme Company 6	Strand & Co., N. A
National Machine Tool Co 48	Syracuse Supply Company 100
Nelson Machinery Co. 83	_
New Britain Machine Co 144	T
Nelson Machinery Co	
Nicholson & Co., W. H	Taylor-Hall Welding Corporation 97 Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation 97 Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation 97 Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation 97 Taylor & Fenn Co. 21 Thompson Grinder Co. 77 Titan Tool Co. 53 Tolhurst Machine Works. 76
Nicholson & Co., W. H	Taylor - Hall Welding Corporation 97 Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation 97 Taylor & Fenn Co. 21 Thompson Grinder Co. 77 Titan Tool Co. 53 Tolhurst Machine Works. 76
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholeon & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholon & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholon & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholon & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co
Nicholson & Co., W. H	Taylor-Hall Welding Corporation Taylor & Fenn Co



EMERY WHEEL DRESSERS

ROSS dust-proof, ball-bearing tools have always set economy standards for emery-wheel dressing and truing. Let us make recommendations from the complete Ross line for your grinding work.



ROSS 14-R RED RIPPER — A roughing tool that will remove 1/64-inch with a single pass. Electrically hardened discs can be replaced in your own shop at nominal cost. Holders supplied for periphery or side wheel dressing.

ROSS 24-F FINISHER—Used with exceptional results by many shops for commercial work on axleshafts, axle-housings, pins, tappets, bolts, etc., frequently replacing dismond tools. Holders for periphery or side wheel dressing.





ROSS MASTER TOOL (SERIES 200)—For finest periphery grinding. Guaranteed to produce work equal in quality to that of a diamond—at a saving of 50% or more. Made for Norton, Landis, Brown & Sharpe and other grinders.

THE ROSS MANUFACTURING CO. 2180 Clarkwood Road · CLEVELAND, OHIO

ALSO MANUFACTURERS OF THE WELL-KNOWN ROSS COOLING-FLUID PUMPS



Tripod Vise Stand

New Britain Tripod Vise Stands are furnished with or without trays or drawer. Vises may be plain, swivel or pipe pattern.

This stand is inherently strong as a result of one piece construction and rigid on any floor because of three point base bearing.

In your plant there are undoubtedly many places where this New Britain Tripod Vise Stand will increase the efficiency of your workmen.

Bulletin on request.

The New Britain Machine Company

Shop Furniture Originators"



New Britain. Conn.U.S.A.

